

# meeting & *audience*® boardroom tables

MEETING ROOM TABLE BASICS . . . . .	66
MEETING ROOM TABLE FINISH PROTOCOL . . . . .	68
MEETING ROOM TABLE EDGE TRIM STYLE OVERVIEW . . . . .	69
USER EDGE & GRAIN DIRECTION . . . . .	70
ELECTRICS LAYOUTS FOR MEETING TABLES . . . . .	71
<i>AUDIENCE</i> ® BOARDROOM TABLES BASICS . . . . .	72
<i>AUDIENCE</i> ® BOARDROOM TABLES FINISH PROTOCOL . . . . .	73
<i>AUDIENCE</i> ® BOARDROOM TABLES EDGE TRIM STYLE OVERVIEW . . . . .	74
<i>AUDIENCE</i> ® BOARDROOM TABLE USER EDGE & GRAIN DIRECTION . . . . .	75
<i>AUDIENCE</i> ® BOARDROOM TABLES GRAIN DIRECTION & NUMBER OF PIECES . . . . .	76
WOOD FINISH DETAILS . . . . .	78
POWER & DATA BASICS . . . . .	79
ELECTRICAL LAYOUTS FOR <i>AUDIENCE</i> ® BOARDROOM TABLES . . . . .	81
POWER/DATA GROMMET DETAILS . . . . .	83
RECESSED POWER/DATA MODULE DETAILS . . . . .	84
PLANNING WITH RECESSED POWER/DATA MODULES . . . . .	85


## meeting room tables basics

Meeting Tables are ideally suited to providing table requirements for up to eight people in small to medium sized meeting rooms.


- Focus Wall products can be found in the Work Tools section.
- Storage products can be found in the Storage section.

### Meeting Tables (ATMT, ATMS, ATMC)

- Include 4 base options
- Triangular shape is not available in 60" widths



Triangular (ATMT)



Square (ATMS)



Circular (ATMC)

Audience A.V. Cart (AFT\_)  
with A.V. Cart Top (AFTT)

Focus Wall Frame (AFWF)


Focus Wall Whiteboard (AFWW)

Focus Wall Tackboard (AFWT)

### Power & Data Options

- Grommet (centered only) (GC), Pop-Up (centered only) (PC), Recessed (with power cord (R) or hard wired (H)) (centered only) (RC/HC)
- No power/data options are available with the Mono-Pod base
- Recessed data/electric is only available on the 54" & 60" sizes

Audience Hospitality Cart (AFM\_)  
with Hospitality Cart Top (AFMT)



### Mono-Pod Leg

Available on 36" and 42" dimensions only

### Height-Adjustable Post Leg (H)


- Leveling range is 1/2"
- Available on 42" and 48" dimensions only

### Fixed Height Post Leg (P)

Leveling range is 1/2"

### Stretch Leg (S)

Leveling range is 3/4"






Casters (75 mm)  
2 locking, 2 swivel

# meeting & audience boardroom tables

## meeting room tables basics (continued)

Meeting Rooms can be finished with *Audience* Boardroom Storage and Focus Walls.


- Focus Wall products can be found in the Work Tools section.
- Storage products can be found in the Storage section.



**Fixed Height Post Leg (P)**  
Leveling range is 1/2"



**Stretch Leg (S)**  
Leveling range is 3/4"



## meeting room tables finish protocol

Meeting Room Tables co-ordinate with All Teknion finishes.

- ❗ Focus Wall products can be found in the Work Tools section.
- Storage products can be found in the Storage section.
- Straight Trims (6) and Bullnose Trims (2) are available in a variety of Edge Trim Colors. Flintwood, Seamless and Natural Veneer surfaces will include edges that match the surface color.

### Audience Carts

- Cases are finished in Source laminate, Flintwood, or Natural Veneer
- Top is finished in Foundation Laminate, Seamless Color, Flintwood and Natural Veneer

### Power & Data Options




Grommet is a fine brush Chrome finish



Grommet Ring is Silver

### Grommet



### Recessed Power/Data Module

- One top-accessed Duplex Power Outlet is finished in Grey.
- Top Plate and Data/Electrical Box are finished in clear Anodized Aluminum
- Pivoting Retractable door is finished in clear Anodized Aluminum
- Blank cover for Communication Opening is finished in Platinum Grey
- Frame is finished in powder coat Platinum
- Power Cord is 15' long and Black color with 3-prong straight plug

- Table bases are available in a variety of Foundation or Mica colors
- Stretch Legs are also available in Chrome
- Casters are Black with Platinum covers and collars
- Leveler is Chrome and leveler collar is Chromed or Painted to match leg finish selected





















- Worksurfaces are available in Foundation Laminates, Seamless Colors, Flintwood stains or Natural Veneers

- Edges can be specified in Straight trim (6), Bullnose Trim (2), Flintwood Straight (7), Seamless Flat Edge (G), Seamless Full Knife Edge (X), Seamless Eased Edge (E), Flat Edge (G), Full Knife Edge (H), Solid Full Knife Edge (X), Solid Eased Edge (E)

## meeting room tables edge trim style overview

The chart below indicates which edge trim styles can be specified with all meeting room surface finishes.

- All edge finishes will automatically default to match the surface finish selected, with the exception of the Straight Trim (6) and Bullnose Trim (2) which requires that an edge finish be chosen
- Meeting Table worksurfaces are 1" thick


		Foundation Laminate Surface	Seamless Color Surface	Flintwood Surface	Natural Veneers	Non-User Edge
<b>Straight Trim (6)</b>			n/a	n/a	n/a	Straight Trim (6)
All Edges						
<b>Bullnose Trim (2)</b>			n/a	n/a	n/a	Finished in a coordinating Straight Trim
User Edge Only						
<b>Flintwood Straight Trim (7)</b>		n/a	n/a		n/a	Flintwood Straight Trim (7)
All Edges						
<b>Seamless Flat Edge (G)</b>		n/a		n/a	n/a	Seamless Flat Edge (G)
All Edges						
<b>Seamless Full Knife Edge (X)</b>		n/a		n/a	n/a	Finished in a coordinating Flat Edge
User Edge Only						
<b>Seamless Eased Edge (E)</b>		n/a		n/a	n/a	Finished in a coordinating Flat trim
User Edge Only						
<b>Flat Edge (G)</b>		n/a	n/a	n/a		Flat Edge (G)
All Edges						
<b>Full Knife Edge (H)</b>		n/a	n/a	n/a		Finished in a coordinating Flat edge
User Edge Only						
<b>Solid Full Knife Edge (X)</b>		n/a	n/a	n/a		Finished in a coordinating Flat edge
User Edge Only						
<b>Solid Eased Knife Edge (E)</b>		n/a	n/a	n/a		Finished in a coordinating Flat edge
User Edge Only						

## user edge & grain direction



Illustrations below show grain direction and user edges both with and without solid edges.

❗ Shading indicates user edge

### user edge



### solid edge



A visible "frame" will be evident on the surface of the table when Solid Edges (Solid Full Knife (X) and Solid Eased (E) ) are specified. Color will be the same, however slight shade differences and grain directions may be evident

## corner details on natural veneer worksurfaces



**Solid Full Knife Edge (X)**




**Solid Eased Edge (E)**




**Flat Edge (G)**




**Full Knife Edge (H)**



When a Solid User Edge meets up with a Non-User Edge (as with the Boat and Video-Conference shapes), the solid wood profile is visible on the Non-User Edges




**Solid Full Knife Edge (X)**



**Solid Eased Edge (E)**



When a Full Knife User Edge meets up with a Non-User Edge, there is only a small 1 mm profile visible from the Flat Side



**Full Knife Edge (H)**



**Flat Edge (G)**


# meeting & *audience* boardroom tables

## electrics layouts for meeting tables

Illustrations below show Power/Data locations on various table shapes and sizes.


### grommet (G)

Sizes: 42" x 42", 48" x 48" (Not Mono-Pod bases)




ATMS

Centered Grommet (GC)



ATMC


Centered Grommet (GC)



ATMT

Centered Grommet (GC)


Sizes: 36" – 48" d, 66" – 84" w



ATMR

Centered Grommet (GC)


Centered Recessed Unit (Plug-in or hardwire) (RC,HC)



ATMB

Centered Grommet (GC)

Centered Recessed Unit (Plug-in or hardwire) (RC,HC)




ATMV

Centered Grommet (GC)

Centered Recessed Unit (Plug-in or hardwire) (RC,HC)

### recessed power/data module (R,H) and grommet (G)


Sizes: 54" or 60" w



ATMS

Centered Grommet (GC)


Centered Recessed Unit (Plug-in or hardwire) (RC,HC)



ATMC

Centered Grommet (GC)

Centered Recessed Unit (Plug-in or hardwire) (RC,HC)



ATMT

Centered Grommet (GC)

Centered Recessed Unit (Plug-in or hardwire) (RC,HC)

Sizes: 36" – 48" d, 96" w



ATMR

Double Grommet (GD)

Double Recessed (Plug-in or hardwire) (RD, HD)



ATMB

Double Grommet (GD)

Double Recessed (Plug-in or hardwire) (RD, HD)



ATMV

Double Grommet (GD)

Double Recessed (Plug-in or hardwire) (RD, HD)

## audience boardroom tables basics

**Audience Boardroom Tables** provide a meeting area for up to 16 people and are available in a variety of shapes, base options and finishes

### Audience Boardroom Tables (ATBS, ATBC, ATBV, ATBR, ATBB, ATVC)

- Include Pedestal Base or Stretch Legs
- Available in a variety of Power/Data options

### Power/Data Options



#### Square and Circular Tables

- Centered Grommet (GC)
- Double Grommet (GD)
- Centered Recessed (RC/HC)\*
- Single-Offset Recessed (RS/HS)\*
- Double Recessed (RD/HD)\*
- Quad Recessed (RQ/HQ)\*

#### Rectangular, Oval, Boat and Video Conference Tables

- Centered Grommet (GC)
- Double Grommet (GD)
- Triple Grommet (GT)
- Centered Recessed (RC/HC)\*
- Double Recessed (RD/HD)\*
- Triple Recessed (RT/HT)\*
- Quad Recessed (RQ/HQ)\*

\* For Recessed Power/Data Modules, "R" represents the Plug-in option and "H" represents the Hard wired option




### Base Options

#### Square & Circular Tables


- Quad Pedestal Base (Q)
- Stretch Legs (S)

#### Rectangular, Oval, Boat and Video Conference Tables

- Pedestal Base (P)
- Stretch Legs (S)




Grommet




Recessed Power/Data Module


#### Stretch Leg (S)



#### Pedestal Base (P)



#### Quad Pedestal Base (Q)






# meeting & audience boardroom tables

## audience boardroom tables finish protocol

**Audience Boardroom Tables co-ordinate with all Teknion finishes.**















- Storage products can be found in the Storage section.
- Straight Trims (6) is available in a variety of Edge Trim Colors. Flintwood and Natural Veneer surfaces will come with edges that match the surface color.




*audience* boardroom tables edge trim style overview

The chart below indicates which edge trim styles can be specified with all *Audience* Boardroom surface finishes.


- ❗ All edge finishes will automatically default to match the surface finish selected, with the exception of the Straight Trim (6) which requires that an edge finish be chosen
- Audience* Boardroom Table worksurfaces are 1 1/4" thick

		Foundation Laminate Surface	Seamless Color Surface	Flintwood Surface	Natural Veneers	Non-User Edge
<b>Straight Trim (6)</b>			n/a	n/a	n/a	Straight Trim (6)
<b>All Edges</b>						
<b>Flintwood Straight Trim (7)</b>		n/a	n/a		n/a	Flintwood Straight Trim (7)
<b>All Edges</b>						
<b>Flat Edge (G)</b>		n/a	n/a	n/a		Flat Edge (G)
<b>All Edges</b>						
<b>Full Knife Edge (H)</b>		n/a	n/a	n/a		Finished in a coordinating Flat edge
<b>User Edge Only</b>						
<b>Solid Full Knife Edge (X)</b>		n/a	n/a	n/a		Finished in a coordinating Flat edge
<b>User Edge Only</b>						
<b>Solid Eased Edge (E)</b>		n/a	n/a	n/a		Finished in a coordinating Flat edge
<b>User Edge Only</b>						

## corner details on natural veneer worksurfaces

**Solid Full Knife Edge (X)****Flat Edge (G)****Solid Eased Edge (E)****Full Knife Edge (H)**

When a Solid User Edge meets up with a Non-User Edge (as with the Boat and Video-Conference shapes), the solid wood profile is visible on the Non-User Edges

**Solid Full Knife Edge (X)****Solid Eased Edge (E)**


When a Full Knife User Edge meets up with a Non-User Edge, there is only a small 1 mm profile visible from the Flat Side

**Full Knife Edge (H)****Flat Edge (G)**

*audience* boardroom table user edges & grain direction


Illustrations below show user edge and grain direction for *Audience* Boardroom Tables.

! shading indicates user edge.



75





## grain direction



***audience* boardroom tables grain direction & number of pieces**

The following chart indicates the number of surface pieces provided and the number of pedestal bases/pairs of legs.





❗ Most *Audience* Boardroom Tables come with at least 2 surface tops and will be seamed.

Shape	Size	# of Pieces	# of <u>Pairs</u> of Stretch Legs or Pedestal Bases	Grain Direction
 Square	66x66	2 pieces	2 (or 1 Quad Base)	↕
	72x72	2 pieces	2 (or 1 Quad Base)	↕
	78x78	2 pieces	2 (or 1 Quad Base)	↕
	84x84	2 pieces	2 (or 1 Quad Base)	↕
	90x90	2 pieces	2 (or 1 Quad Base)	↕
	96x96	2 pieces	2 (or 1 Quad Base)	↕
 Rectangular   Boat   Oval	42x96	1 piece	2	↔
	42x108	2 pieces	2	↔
	42x120	2 pieces	2	↔
	48x96	1 piece	2	↔
	48x108	2 pieces	2	↔
	48x120	2 pieces	2	↔
	48x132	2 pieces	2	↔
	48x144	2 pieces	2	↔
	48x156	2 pieces	3	↔
	48x168	3 pieces	3	↕
	48x180	4 pieces	3	↕
	54x108	2 pieces	2	↔
	54x120	2 pieces	2	↔
	54x132	2 pieces	2	↔
	54x144	2 pieces	2	↔
	54x156	2 pieces	3	↔
	54x168	3 pieces	3	↕
	54x180	4 pieces	3	↕
	54x192	4 pieces	3	↕

*audience* boardroom tables grain direction & number of pieces (continued)

The following chart indicates the number of surface pieces provided and the number of pedestal bases/pairs of legs.

❗ *Audience* Boardroom Tables coded as "60" have an actual dimension of 58.5".

Shape	Size	# of Pieces	# of <u>Pairs</u> of Stretch Legs or Pedestal Bases	Grain Direction
 Rectangular	54x204	4 pieces	3	↑↓
	54x216	4 pieces	3	↑↓
	54x228	4 pieces	4	↑↓
 Boat	60x144	2 pieces	2	↔
	60x156	2 pieces	3	↔
	60x168	3 pieces	3	↑↓
 Oval	60x180	4 pieces	3	↑↓
	60x192	4 pieces	3	↑↓
	60x204	4 pieces	3	↑↓
	60x216	4 pieces	3	↑↓
	60x228	4 pieces	4	↑↓
 Video Conference	54x120	2 pieces	2	↔
	54x132	2 pieces	2	↔
	54x144	2 pieces	3	↔
	54x156	2 pieces	3	↔
	60x120	2 pieces	3	↔
	60x132	2 pieces	3	↔
	60x144	2 pieces	3	↔
	60x156	2 pieces	3	↔
	60x168	3 pieces	3	↑↓
	60x180	4 pieces	3	↑↓
	60x192	4 pieces	3	↑↓
	60x204	4 pieces	3	↑↓
	60x216	4 pieces	4	↑↓
	60x228	4 pieces	4	↑↓

## wood finish details

The following provides details on Teknion's Flintwoods and Natural Veneers.

### flintwood & natural veneer


Different wood species offer unique texture and grain. Due to the natural properties of wood, grain pattern and finish color variation can be expected. Teknion provides a coordinated color match between individual product lines.

The variation in technology between Teknion's wood manufacturing facilities and the veneers that are utilized will cause fluctuation in the fill rates and sheen levels. All Flintwood worksurfaces and storage tops are closed pore. All Flintwood used in a vertical application is open pore (Table base infill, Storage Units Case, Focus Board). Natural Veneer in all applications is open pore.


Exposure to direct sunlight should be avoided as UV rays may cause the veneer color to change. Adding new product to an existing installation might result in color variations due to light exposure and aging of the original product. For more information on Teknion wood and cleaning instructions please see Teknion's Fabrics and Finishes program.

The illustration below shows how Power/Data is incorporated into the *Audience* Boardroom Tables.

### horizontal wire management



### vertical wire management (pedestal base)




# meeting & *audience* boardroom tables

---

## power and data basics (continued)

The illustration below shows how Power/Data is incorporated into the *Audience* Boardroom Tables.


### vertical wire management (stretch legs)



#### Stretch Leg

Requires exposed wire management accessories

### vertical & horizontal wire management (quad base)






# meeting & *audience* boardroom tables

## electrical layouts for *audience* boardroom tables


The illustration below indicates Power/Data options and placement by surface shape and sizes. See Product Pages for details.

### grommet

\* Rectangular (ATBR), Oval (ATBV), Boat (ATBB) and Video Conference (ATVC) Boardroom Tables



\* Square (ATBS) & Circular (ATBC) Boardroom Tables



\* Please refer to Basics Page for details on offering.

# electrics layouts for audience boardroom tables (continued)


The Recessed Power/Data Module is available in both a Plug-In or a Hard-Wire version.

- "R" represents the Recessed "Plug-In" option.
- "H" represents the Hard Wire version HC, HS, HD, HQ.


## recessed power/data module

\* Rectangular (ATBR), Oval (ATBV), Boat (ATBB) and Video Conference (ATVC) Boardroom Tables

Detail A




\* Square (ATBS) & Circular (ATBC) Boardroom Tables



Detail A



Detail B  
Position for 84", 90", 96" Square/Circle only



\* Please refer to Basics Page for details on offering.


## power/data grommet details

The following illustrations provide details of the Grommet.




Nests down into grommet and is easy to pull-out

Grommet Cap is 3" wide x 2" high, Material is Die Cast Zinc and is finished in a fine brush Chrome finish



- Grommet Ring fits in hole in table
- Hole can be cut in the field with 2 3/4" hole saw
- Material is Polycarbonate (Plastic) finished in Silver




- Phone/Data Jack Nest is for ease of retrieval for laptops, etc
- Data cable can stay nested in grommet cap when not in use
- Data Nest can be used with data cables up to CAT 6 (approximately 1/4")
- Pass through can accommodate power cables up to (1/2")

# meeting & *audience* boardroom tables


---

## recessed power/data module details

A Recessed Power and Data Module is a flush fitting power and data solution for Meeting and Boardroom Tables.



- As a special item, this unit can be customized to meet customers special data/communication and power needs including audio/video controls or extra power outlets
- Standard offering has three power outlets and a covered communication opening that can accommodate a variety of data connectors (not included)
- The communication opening is 2.72" x 1.38" for single gang mounting plates which will accommodate kits from AMP, Panduit, Hubbell, Leviton, Northern Telecom, AT&T, lucent and others
- Module is 6.125" wide x 6.125" deep x 3.5" high




# meeting & *audience* boardroom tables

## planning with recessed power/data modules

The Recessed Power/Data Module can be customized to accommodate desired Power/Data needs as well as required A/V controls.

### standard unit




Standard unit can be field-installed using the template provided with the product, but tables can be ordered with the recessed power/data cutout pre-cut


Special configuration recessed modules are available up on special request

85

### module orientation in table




- As cut-out in table for recessed power/data module is 6"/6" square, unit may be oriented in 1 of 4 directions as shown at left
- Unit can be re-oriented easily with only one tool (screw driver)
- If unit is field installed, a template is provided with the product. A 6" by 6" hole must be drilled



# planning with recessed power/data modules (continued)


## data port configuration options




**Communications Opening** can accommodate data plates and connectors from many manufacturers such as Amp, Pamdui, Hubbell, Leviton, Northern Telecom, AT&T/Lucent and others to have up to four data ports

- Data cables may be exited from unit on right side of frame (1) or on bottom (2)
- Bottom-Mounted outlet can accommodate large brick-style plugs with integrated transformers (3)
- Voice/Data Face plates, Jacks and Cables are not included and must be field-supplied and installed


## data/port options



1 Phone & 1 Data



1 Phone & 2 Data



1 Phone & 3 Data

Not available from all manufacturers