

transit lite refresh



price guide

06.2019



teknion

contents

INTRODUCTION	3
PANELS	7
PANEL CONNECTIONS & TRIMS	13
THIN PANELS	29
THIN PANEL CONNECTIONS & TRIMS	45
ELEMENTS	57
WORKSURFACES	69
WORKSURFACE SUPPORTS & ACCESSORIES	97
FREESTANDING STORAGE & ACCESSORIES	115

introduction

introduction

INDEX – BY SECTION	4
INDEX – BY PRODUCT	5

index – by section

Section Contents	Product Code	Page No.
panels		
Panel	KLTLPN	11
panel connections & trims		
Two-Way 90°	KLTLCC2	16
Three-Way 180°	KLTLCC3	17
Four-Way 90°	KLTLCC4	18
Full-Height Panel Spacer	KLTLCC00	19
Full-Height Spacer Cover	KLLEEC	20
End Trim	KLTLTE	21
Intermediate Two-Way 90°	KLTLCI90	22
Intermediate Three-Way 180°	KLTLCI18	23
Intermediate Panel Spacer	KLTLCI00	24
Intermediate Spacer Cover	KLLEI18	25
Intermediate Trim	KLTLTI	26
Top Trim	KLTTT	27
thin panels		
Fabric Bottom & Fabric Top	KLTPFF	32
Metal Bottom & Fabric Top	KLTPFM	33
Fabric & Metal Bottom & Fabric Top	KLTPMF	34
Fabric Bottom, Glazed Top	KLTPGF	35
Metal Bottom & Glazed Top	KLTPGM	36
Fabric & Metal Bottom, Glazed Top	KLTPGMF	37
Fabric Bottom, Whiteboard Top	KLTPWF	38
Metal Bottom, Whiteboard Top	KLTPWM	39
Fabric & Metal Bottom, Whiteboard Top	KLTPWFM	40
Fabric Bottom & Accessory Rail Top	KLTPAFF	41
Metal Bottom & Accessory Rail Top	KLTPAFM	42
Fabric & Metal Bottom & Accessory Rail Top	KLTPAFFM	43
thin panel connections & trims		
One Transit with Thin Panel Connector	KLTCCT1	48
Two Transit with Thin Panel Connector	KLTCCT2	49
Two-Way 90°	KLTCCT90	50
Two-Way 180°	KLTCCT00	51
Three-Way 180°	KLTCCT3	52
Four-Way 90°	KLTCCT4	53
Three-Way 120°	KLTCCT12	54
elements		
Acoustic Element	KLTLHA	60
Metal Element	KLTLHM	61
Glazed Element, Double	KLTLGD	62
Accessory Element	KLTLAE	63
Whiteboard Element	KLTLWE	64
Access Door Element, Single	KLTAADS	65
Access Door Element, Double	KLTAADD	66
worksurfaces		
Rectangular Worksurface	KLTWRR	72
Radius Corner Worksurface with Return	KLTWCR	73
Straight Transition Worksurface	KLTTWST	74
Outside Radius Worksurface	KLTTWOR	76

Section Contents	Product Code	Page No.
Standard Corner Worksurface	KLTTWSC	77
Standard Radius Corner Worksurface	KLTTWSR	78
EDP Worksurface	KLTTWES	79
Bullet Top Worksurface	KLTTWBS	80
D-Top Worksurface	KLTTWDT	81
P-Top Worksurface	KLTTWPS	82
Modified P-Top Worksurface	KLTTWMP	83
Guest Corner Worksurface	KLTTXGC	84
Straight Countertop	KLTTWCS	85
Bullet Countertop	KLTTWCB	86
Double Bullet Countertop	KLTTWCD	87
Angled Countertop	KLTTWCA	88
Rectangular Worksurface	KLTTWRR	89
Radius Corner Worksurface with Return	KLTTWCR	90
Top for Pedestal	KLTTDVT	92
Top for Lateral File	KLTTFV	93
120° Corner Worksurface	KLTTWC	94
worksurface supports & accessories		
Thin Panel On-Module Cantilever	KLTPLON	100
Worksurface Bracket	DHBRKT	101
On-Module Cantilever	KLTLON	102
Flush End	KLTLFE	103
Fixed-Height Gable	KLTLFL	104
C-Leg	KLTLCL	105
Open End	KLTL0E	106
Semi-Suspended Monoleg	KLTL5M	107
Semi-Suspended Post	KLTL5P	108
xm Post Leg	KLTXPL	109
On-Module Corner Brackets	KLTLCB	110
Flush Plates	KLTLFP	111
Modesty Panel	KLACMP	112
freestanding storage & accessories		
Lateral File	KLDSF	118
Storage Cabinet	KLDS5	119
Pedestal	KLKDN	120
Mobile Pedestal with Seat	KLKDSN	121
Mobile Pedestal	KLKDN	122
Lock & Keys	KLTK	123

index – by product

Product Name	Product Code	Page No.
120° Corner Worksurface	KLTWWC	94
Access Door Element, Double	KLTADD	66
Access Door Element, Single	KLTADS	65
Accessory Element	KLTLAE	63
Acoustic Element	KLTLHA	60
Angled Countertop	KLTTWCA	88
Bullet Countertop	KLTTWCB	86
Bullet Top Worksurface	KLTTWBS	80
Double Bullet Countertop	KLTTWCD	87
D-Top Worksurface	KLTTWDT	81
EDP Worksurface	KLTTWES	79
End Trim	KLTLTE	21
Fabric & Metal Bottom & Accessory Rail Top	KLTPAFFM	43
Fabric & Metal Bottom & Fabric Top	KLTPMF	34
Fabric & Metal Bottom, Glazed Top	KLTPGMF	37
Fabric & Metal Bottom, Whiteboard Top	KLTPWFM	40
Fabric Bottom & Accessory Rail Top	KLTPAFF	41
Fabric Bottom & Fabric Top	KLTPFF	32
Fabric Bottom, Glazed Top	KLTPGF	35
Fabric Bottom, Whiteboard Top	KLTPWF	38
Four-Way 90°	KLTLCC4	18
Four-Way 90°	KLTCCT4	53
Full-Height Panel Spacer	KLTLCC00	19
Full-Height Spacer Cover	KLTLCEC	20
Glazed Element, Double	KLTLGD	62
Guest Corner Worksurface	KLTTXGC	84
Lateral File	KLDSF	118
Lock & Keys	KLTK	123
Metal Bottom & Accessory Rail Top	KLTPAFM	42
Metal Bottom & Fabric Top	KLTPFM	33
Metal Bottom & Glazed Top	KLTPGM	36
Metal Bottom, Whiteboard Top	KLTPWM	39
Metal Element	KLTLHM	61
Mobile Pedestal	KLKDOWN	122
Mobile Pedestal with Seat	KLKDSN	121
Modified P-Top Worksurface	KLTTWMP	83
One Transit with Thin Panel Connector	KLTCCT1	48
Outside Radius Worksurface	KLTTWOR	76
P-Top Worksurface	KLTTWPS	82
Panel	KLTLPN	11
Pedestal	KLKDN	120
Radius Corner Worksurface with Return	KLTWCR	73
Radius Corner Worksurface with Return	KLTTWCR	90
Rectangular Worksurface	KLTWRR	72
Rectangular Worksurface	KLTTWRR	89
Standard Corner Worksurface	KLTTWSC	77
Standard Radius Corner Worksurface	KLTTWSR	78
Storage Cabinet	KLDS	119
Straight Countertop	KLTTWCS	85

Product Name	Product Code	Page No.
Straight Transition Worksurface	KLTTWST	74
Thin Panel On-Module Cantilever	KLTPLON	100
Three-Way 120°	KLTCCT12	54
Three-Way 180°	KLTLCC3	17
Three-Way 180°	KLTCCT3	52
Top for Lateral File	KLTTFV	93
Top for Pedestal	KLTTDVT	92
Two Transit with Thin Panel Connector	KLTCCT2	49
Two-Way 180°	KLTCCT00	51
Two-Way 90°	KLTLCC2	16
Two-Way 90°	KLTCCT90	50
Whiteboard Element	KLTLWE	64
Worksurface Bracket	DHBRKT	101
Intermediate Two-Way 90°	KLTLCI90	22
Intermediate Three-Way 180°	KLTLCI18	23
Intermediate Panel Spacer	KLTLCI00	24
Intermediate Spacer Cover	KLTLIEI18	25
Intermediate Trim	KLTLTI	26
Top Trim	KLTTT	27
On-Module Cantilever	KLTLON	102
Flush End	KLTLFE	103
Fixed-Height Gable	KLTLFL	104
C-Leg	KLTLCL	105
Open End	KLTL0E	106
Semi-Suspended Monoleg	KLTL0M	107
Semi-Suspended Post	KLTL0P	108
xm Post Leg	KLTXPL	109
On-Module Corner Brackets	KLTL0CB	110
Flush Plates	KLTLFP	111
Modesty Panel	KLACMP	112

panels

panels


PRODUCT MAP 9

PRODUCT LISTING11

K L T L P N Panel

Page page 11

Height: 36" - 54" / Width: 24" - 60"



Panels support the Transit Lite element program. Can also provide power pass through at the bottom.

K L T L P N
Panel

WHAT'S INCLUDED

1 panel frame, skirting and hardware for straight connectors.

NOTES

Top Trim not included.



PRODUCT OPTIONS

Height	Width	Frame Finish
36, 42, 48, 54	24, 30, 36, 42, 48, 54, 60	Foundation Mica

SAMPLE ORDER CODE

KLTLPN 36	09	Q
------------------	-----------	----------

**DIMENSIONS
INCHES / MM**

H	W
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524

PRICING

Foundation	Mica
237	256
249	264
252	270
290	307
295	311
312	328
320	334
244	269
256	283
261	286
296	320
303	325
320	340
325	347

**DIMENSIONS
INCHES / MM**

H	W
48 / 1219	24 / 610
48 / 1219	30 / 762
48 / 1219	36 / 914
48 / 1219	42 / 1067
48 / 1219	48 / 1219
48 / 1219	54 / 1372
48 / 1219	60 / 1524
54 / 1372	24 / 610
54 / 1372	30 / 762
54 / 1372	36 / 914
54 / 1372	42 / 1067
54 / 1372	48 / 1219
54 / 1372	54 / 1372
54 / 1372	60 / 1524

PRICING

Foundation	Mica
302	329
315	344
318	346
353	379
368	382
388	411
394	417
363	390
378	404
390	416
401	425
415	439
425	448
439	462

panel connections &
trims


panel connections & trims

PRODUCT MAP15

PRODUCT LISTING16


KLTLC C 2 Two-Way 90°

Page 16
Height: 36"-54"




KLTLC C 3 Three-Way 180°

Page 17
Height: 36"-54"




KLTLC C 4 Four-Way 90°

Page 18
Height: 36"-54"




KLTLC C 0 0 Full-Height Panel Spacer

Page 19
Height: 36"-54"




KLTLE C Full-Height Spacer Cover

Page 20
Height: 36"-54"




KLTLE End Trim

Page 21
Height: 36"-54"




KLTLC I 9 0 Intermediate Two-Way 90°

Page 22
Height: 6" - 30"




KLTLC I 1 8 Intermediate Three-Way 180°

Page 23
Height: 6" - 30"




KLTLC I 0 0 Intermediate Panel Spacer

Page 24
Height: 6" - 30"




KLTLE I 1 8 Intermediate Spacer Cover

Page 25
Height: 6" - 30"




KLTLE I Intermediate Trim

Page 26
Height: 6" - 30"




KLT T T Top Trim

Page 27
Width: 18" - 60"




KLTLCC2

Two-Way 90°



Radius Edge



Square Edge

Two-Way 90° Panel Connection creates a full height connection between two panels that join at a 90° angle.

WHAT'S INCLUDED

1 full-height 90° inner corner cover, two-way 90° corner cap, two-way 90° corner braces, Posi-Lock and spring plate assemblies.

NOTES

Cannot combine square and radius edge trims.

If a Foundation or Mica corner finish is selected, the inner corner will be finished to match.

16

PRODUCT OPTIONS

Edge Style	Height	Corner Finish
R Radius (Foundation, Mica)	36, 42, 48, 54	Foundation
S Square (Foundation, Mica)		Mica

SAMPLE ORDER CODE

KLTLCC2 S	48	Q
-----------	----	---

DIMENSIONS INCHES / MM

H
36 / 914
42 / 1067
48 / 1219
54 / 1372

PRICING

RADIUS EDGE (R)

Foundation	Mica
85	93
106	111
107	112
111	117

SQUARE EDGE (S)

Foundation	Mica
169	180
207	222
213	225
222	233

The Three-Way 180° Panel Connection creates a full-height connection between three panels where two panels are connected side-by-side at a 180° angle and the third meets at a 90° angle.

K L T L C C 3 Three-Way 180°


WHAT'S INCLUDED

1 full-height 180° outer corner cover, 2 full-height 90° inner corner covers, three-way 180° corner cap, three-way 180° corner braces, Posi-Lock and spring plate assemblies.

NOTES

Cannot combine square and radius edge trims.

If a Foundation or Mica corner finish is selected, the inner corner will be finished to match.



PRODUCT OPTIONS

Edge Style	Height	Corner Finish
R Radius (Foundation, Mica)	36, 42, 48, 54	Foundation Mica
S Square (Foundation, Mica)		

SAMPLE ORDER CODE

KLTLCC3 S	48	Q
------------------	-----------	----------

DIMENSIONS INCHES / MM

H
36 / 914
42 / 1067
48 / 1219
54 / 1372

PRICING

RADIUS EDGE (R)

Foundation	Mica
102	109
131	136
134	140
136	142


SQUARE EDGE (S)

Foundation	Mica
171	186
222	230
228	236
233	242

panel connections & trims

KLTLCC4

Four-Way 90°



The Four-Way 90° Panel Connection creates a full height connection between four panels which are connected at 90° angles.

WHAT'S INCLUDED

4 full-height 90° inner corner covers, four-way 90° corner cap, four-way 90° cover braces, Posi-Lock and spring plate assemblies.

NOTES

If a Foundation or Mica corner finish is selected, the inner corner will be finished to match.

18

PRODUCT OPTIONS

Edge Style	Height	Corner Finish
S Square (Foundation, Mica)	36, 42, 48, 54	Foundation Mica

SAMPLE ORDER CODE

KLTLCC4 S	48	Q
-----------	----	---

DIMENSIONS INCHES / MM

36 / 914
42 / 1067
48 / 1219
54 / 1372

PRICING

114	136
157	189
158	191
160	193

The Full-Height Panel Spacer creates and covers a full-height space between two panels which are connected side-by-side at 180° angles.

WHAT'S INCLUDED


1 full-height 180° outer cover, 1 full-height 180° inner cover, 1 two-way 180° corner cap, two-way 180° corner braces, Posi-Lock and spring plate assemblies.

NOTES

Must specify Full-Height Spacer Cover (KLTLEC) for other side of panel.

Cannot combine square and radius edge trims.

KLTLC00 Full-Height Panel Spacer



PRODUCT OPTIONS

Edge Style	Height	Corner Finish
R Radius (Foundation, Mica)	36, 42, 48, 54	Foundation Mica
S Square (Foundation, Mica)		

SAMPLE ORDER CODE

KLTLC00 S	48	Q
------------------	-----------	----------

**DIMENSIONS
INCHES / MM**

H
36 / 914
42 / 1067
48 / 1219
54 / 1372

PRICING

RADIUS EDGE (R)

Foundation	Mica
108	114
115	123
138	147
157	171

SQUARE EDGE (S)

Foundation	Mica
171	180
186	193
219	228
255	262

KLTLEC

Full-Height Spacer Cover

The Full-Height Spacer Cover is a full-height finishing treatment which covers the exposed structural portion of specific corner types.

WHAT'S INCLUDED


1 full-height 180° outer cover, 1 full-height 180° inner cover.

NOTES


Must be specified in conjunction with Full-Height Panel Spacer (KLTLC00).

Cannot combine square and radius edge trims.

Full-Height Spacer Cover (KLTLEC) cannot be interchanged with the End Trim (KLTLE).



Radius Edge



Square Edge

PRODUCT OPTIONS

Edge Style	Height	Configuration	Corner Finish
R Radius (Foundation, Mica)	36, 42, 48, 54	18 Pull-Height panel Spacer 180°	Foundation
S Square (Foundation, Mica)			Mica

SAMPLE ORDER CODE

KLTLEC S	48	18	Q
-----------------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H
36 / 914
42 / 1067
48 / 1219
54 / 1372

PRICING

RADIUS EDGE (R)

Foundation	Mica
74	74
83	83
108	108
126	126

SQUARE EDGE (S)

Foundation	Mica
130	130
140	140
181	207
214	242

The End Trim extends the full-height of a panel to provide a finished covering for the end of the panel.


K L T L T E End Trim

WHAT'S INCLUDED

1 end trim.

NOTES

Cannot combine square and radius edge trims.



PRODUCT OPTIONS

Edge Style	Height	Trim Finish
R Radius (Foundation, Mica)	36, 42, 48, 54	Foundation
S Square (Foundation, Mica)		Mica

SAMPLE ORDER CODE

KLTLTE S	48	Q
----------	----	---

DIMENSIONS INCHES / MM

H
36 / 914
42 / 1067
48 / 1219
54 / 1372

PRICING

RADIUS EDGE (R)

Foundation	Mica
20	26
25	31
26	32
36	41

SQUARE EDGE (S)

Foundation	Mica
27	38
36	45
38	51
54	68

KLTLCI90

Intermediate Two-Way 90°

The Intermediate Two-Way 90° Panel Connection creates an intermediate-height connection between two panels that join at a 90° angle.

WHAT'S INCLUDED

1 intermediate-height 90° outer corner cover, 1 intermediate height 90° inner corner cover, two-way 90° corner cap, two-way 90° corner braces, Posi-Lock and spring plate assemblies.


NOTES

Cannot combine square and radius edge trims.

If a Foundation or Mica corner finish is selected, the inner corner will be finished to match.

If a Flintwood or Fabric corner finish is selected, the corner finish must be specified.

If a Cathedral Flintwood corner finish is selected, the top cap will be finished in Standard Flintwood.



PRODUCT OPTIONS

Edge Style	Height	Configuration	Corner Finish
R Radius (Foundation, Mica)	06, 09, 12, 15, 18, 30	90 Intermediate Two-Way 90°	Foundation
S Square (Foundation, Mica)			Mica

SAMPLE ORDER CODE

KLTLCI90 R	30	90	Q
-------------------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H
6 / 152
9 / 229
12 / 305
15 / 381
18 / 457
30 / 762

PRICING

RADIUS EDGE (R)

Foundation	Mica
23	23
36	36
38	38
40	40
41	41
64	64

SQUARE EDGE (S)

Foundation	Mica
40	53
75	88
79	92
84	94
87	96
128	142

The Intermediate Three-Way 180° Panel Connection creates a full height connection between three panels where two panels are connected side-by-side at a 180° angle, and the third meets them at a 90° angle.

KLTLCI18 Intermediate Three-Way 180°

WHAT'S INCLUDED


1 intermediate-height 180° outer corner cover, 1 intermediate-height 180° inner cover, 2 intermediate-height 90° inner corner covers, three-way 180° corner cap, three-way 180° corner braces, Posi-Lock and spring plate assemblies.

NOTES

Cannot combine square and radius edge trims.

Inner corner defaults to foundation finish selected, must be specified for all other finishes.

If a Cathedral Flintwood corner finish is selected, the top cap will be finished in Standard Flintwood.



PRODUCT OPTIONS

Edge Style	Height	Configuration	Corner Finish
R Radius (Foundation, Mica)	06, 09, 12, 15, 18, 30	18 Intermediate Three-Way 180°	Foundation
S Square (Foundation, Mica)			Mica

SAMPLE ORDER CODE

KLTLCI18 R	30	18	Q
-------------------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H
6 / 152
9 / 229
12 / 305
15 / 381
18 / 457
30 / 762

PRICING

RADIUS EDGE (R)

Foundation	Mica
24	24
25	25
41	41
47	47
53	53
80	80

SQUARE EDGE (S)

Foundation	Mica
44	57
50	59
87	97
93	103
103	116
157	171

KLTLCI00

Intermediate Panel Spacer

The Intermediate Panel Spacer creates and covers an intermediate-height space between two panels which are connected side-by-side at 180°.


WHAT'S INCLUDED

1 intermediate-height 180° outer cover, 1 intermediate-height 180° inner cover, 1 two-way 180° corner cap, two-way 180° corner braces, Posi-Lock and spring plate assemblies.

NOTES

Must be specified in conjunction with Intermediate Spacer Cover (TEI_ _08).

Cannot combine square and radius edge trims.



PRODUCT OPTIONS

Edge Style	Height	Configuration	Corner Finish
R Radius (Foundation, Mica)	06, 09, 12, 15, 18, 30	00 Intermediate Panel Spacer	Foundation
S Square (Foundation, Mica)			Mica

SAMPLE ORDER CODE

KLTLCI00 R	30	00	Q
-------------------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H
6 / 152
9 / 229
12 / 305
15 / 381
18 / 457
30 / 762

PRICING

RADIUS EDGE (R)

Foundation	Mica
23	23
40	40
41	41
41	41
47	47
65	65

SQUARE EDGE (S)

Foundation	Mica
40	52
84	93
87	95
87	99
93	103
130	147

The Intermediate Spacer Cover is an intermediate-height finishing treatment which covers the exposed structural portion of specific corner types.

KLTLEI18

Intermediate Spacer Cover

WHAT'S INCLUDED

1 intermediate-height 180° outer cover, 1 intermediate-height 180° inner cover.

WHAT'S EXCLUDED


Corner Braces, Corner Cap, Posi-Lock and Spring Plate assemblies.

NOTES

Must be specified in conjunction with Intermediate Panel Spacer (TCL_00).

Cannot combine square and radius edge trims.

Cannot be interchanged with Intermediate Trim (TTI).



PRODUCT OPTIONS

Edge Style	Height	Configuration	Corner Finish
R Radius (Foundation, Mica)	06, 09, 12, 15, 18, 30	18 Intermediate Spacer Cover 180°	Foundation
S Square (Foundation, Mica)			Mica

SAMPLE ORDER CODE

KLTLEI18 R	30	18	Q
-------------------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H
6 / 152
9 / 229
12 / 305
15 / 381
18 / 457
30 / 762

PRICING

RADIUS EDGE (R)


	Foundation	Mica
6 / 152	22	22
9 / 229	24	24
12 / 305	26	26
15 / 381	51	51
18 / 457	53	53
30 / 762	62	62

SQUARE EDGE (S)

	Foundation	Mica
6 / 152	28	32
9 / 229	31	35
12 / 305	34	40
15 / 381	68	71
18 / 457	71	79
30 / 762	88	96

KLTLTI

Intermediate Trim



Radius Edge

Square Edge

The Intermediate Trim provides a finished covering to the exposed portions of the panel at panel connections.

WHAT'S INCLUDED

1 Intermediate Trim.

NOTES

Cannot combine square and radius edge trims.

End Trims and Intermediate Trims are not interchangeable.

PRODUCT OPTIONS

Edge Style	Height	Corner Finish
R Radius (Foundation, Mica)	06, 09, 12, 15, 18, 30	Foundation
S Square (Foundation, Mica)		Mica

SAMPLE ORDER CODE

KLTLTI R	30	Q
----------	----	---

DIMENSIONS INCHES / MM

H
6 / 152
9 / 229
12 / 305
15 / 381
18 / 457
30 / 762

PRICING

RADIUS EDGE (R)

Foundation	Mica
4	9
4	9
7	13
7	13
8	18
18	24

SQUARE EDGE (S)

Foundation	Mica
6	24
6	24
18	28
18	28
19	31
25	34

Top Trim is a finishing treatment which covers the top horizontal rail of the panel.

WHAT'S INCLUDED

1 Top Trim.

NOTES

Cannot combine square and radius edge trims.


Top Trim is included with complete panel.

Cannot combine Metal and Wood finishes.

Top trim not available in fabric.

Cathedral Flintwood is not available on top trim.

**KLTTT
Top Trim**



PRODUCT OPTIONS

Edge Style	Width	Corner Finish
S Square (Foundation, Mica, Flintwood Standard)	18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica Flintwood

SAMPLE ORDER CODE

KLTTT S	36	Q
----------------	-----------	----------

**DIMENSIONS
INCHES / MM**

PRICING

W	RADIUS EDGE (R)	
	Foundation	Mica
18 / 457	50	47
24 / 610	52	59
30 / 762	53	60
36 / 914	56	62
42 / 1067	57	64
48 / 1219	59	68
54 / 1372	61	70
60 / 1524	62	71

thin panels

thin panels


PRODUCT MAP31

PRODUCT LISTING32

product map


K L T P F F Fabric Bottom & Fabric Top

Page 32
Height: 36" - 54" / Width: 24" - 60"



K L T P F M Metal Bottom & Fabric Top

Page 33
Height: 36" - 54" / Width: 24" - 60"




K L T P M F Fabric & Metal Bottom & Fabric Top

Page 34
Height: 36" - 54" / Width: 24" - 60"



K L T P G F Fabric Bottom, Glazed Top

Page 35
Height: 42" - 54" / Width: 24" - 60"



K L T P G M Metal Bottom & Glazed Top

Page 36
Height: 42" - 54" / Width: 24" - 60"




K L T P G M F Fabric & Metal Bottom, Glazed Top

Page 37
Height: 42" - 54" / Width: 24" - 60"




K L T P W F Fabric Bottom, Whiteboard Top

Page 38
Height: 42" - 54" / Width: 24" - 60"



K L T P W M Metal Bottom, Whiteboard Top

Page 39
Height: 42" - 54" / Width: 24" - 60"




K L T P W F M Fabric & Metal Bottom, Whiteboard Top

Page 40
Height: 48" / Width: 24" - 60"




K L T P A F F Fabric Bottom & Accessory Rail Top

Page 41
Height: 48" / Width: 24" - 60"




K L T P A F M Metal Bottom & Accessory Rail Top

Page 42
Height: 48" / Width: 24" - 60"




K L T P A F F M Fabric & Metal Bottom & Accessory Rail Top

Page 43
Height: 48" / Width: 24" - 60"



KLTPFF

Fabric Bottom & Fabric Top



The Fabric Bottom & Fabric Top allows a variety of fabric options on both the top and bottom sections.

WHAT'S INCLUDED

1 screen.

NOTES

List Price for Panel fabric with different fabric grade combinations will default on the higher grade of fabric chosen.

PRODUCT OPTIONS

Type	Height	Width	Fabric A	Fabric B	Frame Finish
1 Fabric A on the front, Fabric B on the back	36, 42, 48, 54	24, 30, 36, 42, 48, 54, 60	Grade AA	Grade AA	Foundation
2 Fabric A on the top, Fabric B on the bottom			Grade A/COM	Grade A/COM	Mica
			Grade 1	Grade 1	

SAMPLE ORDER CODE

KLTPFF 2	42	36	J351	X160	Q
-----------------	-----------	-----------	-------------	-------------	----------

DIMENSIONS INCHES / MM

H	W
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524

PRICING *

Gr. AA	Gr. A/COM	Gr. 1
427	430	450
473	510	535
540	584	613
590	637	669
603	656	688
680	741	780
753	825	867
407	436	455
477	514	540
544	590	617
594	641	673
608	660	693
685	745	785
759	830	871

DIMENSIONS INCHES / MM

H	W
48 / 1219	24 / 610
48 / 1219	30 / 762
48 / 1219	36 / 914
48 / 1219	42 / 1067
48 / 1219	48 / 1219
48 / 1219	54 / 1372
48 / 1219	60 / 1524
54 / 1372	24 / 610
54 / 1372	30 / 762
54 / 1372	36 / 914
54 / 1372	42 / 1067
54 / 1372	48 / 1219
54 / 1372	54 / 1372
54 / 1372	60 / 1524

PRICING *

Gr. AA	Gr. A/COM	Gr. 1
492	530	554
576	626	653
656	715	749
715	778	813
731	800	838
823	902	947
912	1002	1052
531	545	559
619	674	706
706	769	804
768	838	875
786	859	901
884	971	1017
978	1076	1130

If Mica frame is specified, add 19

* The above prices apply to panels finished in one fabric grade. If more than one fabric grade is specified on the screen, please refer to your specifying software for exact price.

The Metal Bottom & Fabric Top allows a variety of fabric options on the top section and metal on the bottom section.

WHAT'S INCLUDED

1 screen.


NOTES

List Price for Panel fabric with different fabric grade combinations will default on the higher grade of fabric chosen.

List Price for Metal Segments will default on Mica should both Foundation and Mica finishes be chosen for Bottom Segments.

KLTPFM

Metal Bottom & Fabric Top



PRODUCT OPTIONS

Height	Width	Top Segment Front	Top Segment Back	Bottom Segment Front	Bottom Segment Back	Frame Finish
36, 42, 48, 54	24, 30, 36, 42, 48, 54, 60	Grade AA Grade A/COM Grade 1	Grade AA Grade A/COM Grade 1	Foundation Mica	Foundation Mica	Foundation Mica

SAMPLE ORDER CODE

KLTPFM 42	36	J351	X160	Q	7	Q
------------------	-----------	-------------	-------------	----------	----------	----------

DIMENSIONS INCHES / MM

PRICING *

DIMENSIONS INCHES / MM

PRICING *

H	W
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524

Gr. AA	Gr. A/COM	Gr. 1
394	422	441
463	492	521
531	559	589
579	608	637
594	624	651
671	699	729
744	773	802
398	427	445
467	497	525
535	564	593
584	613	641
599	628	657
675	705	733
749	778	807

H	W
48 / 1219	24 / 610
48 / 1219	30 / 762
48 / 1219	36 / 914
48 / 1219	42 / 1067
48 / 1219	48 / 1219
48 / 1219	54 / 1372
48 / 1219	60 / 1524
54 / 1372	24 / 610
54 / 1372	30 / 762
54 / 1372	36 / 914
54 / 1372	42 / 1067
54 / 1372	48 / 1219
54 / 1372	54 / 1372
54 / 1372	60 / 1524


Gr. AA	Gr. A/COM	Gr. 1
480	519	542
564	602	637
645	683	717
704	728	763
720	759	793
812	856	878
900	946	973
514	526	542
602	651	680
688	737	766
752	801	831
768	819	847
868	915	942
961	1012	1041

If Mica is specified, add 37

* The above prices apply to panels finished in one fabric grade. If more than one fabric grade is specified on the screen, please refer to your specifying software for exact price.

KLTPMF

Fabric & Metal Bottom & Fabric Top



Fabric & Metal Bottom & Fabric Top allows a variety of fabric options on top and bottom sections.

WHAT'S INCLUDED

1 screen.

NOTES

List Price for Panel fabric with different fabric grade combinations will default on the higher grade of fabric chosen.

List Price for Metal Segments will default on Mica should both Foundation and Mica finishes be chosen for Bottom.

PRODUCT OPTIONS

Type	Height	Width	Fabric A	Fabric B	Bottom Segment Front	Frame Finish
1 Fabric A on the front, Fabric B on the back	36, 42, 48, 54	24, 30, 36, 42, 48, 54, 60	Grade AA	Grade AA	Foundation	Foundation
2 Fabric A on the top, Fabric B on the bottom			Grade A/COM	Grade A/COM	Mica	Mica
			Grade 1	Grade 1		

SAMPLE ORDER CODE

KLTPMF 1	42	36	J351	X160	Q	Q
----------	----	----	------	------	---	---

DIMENSIONS INCHES / MM

H	W
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524

PRICING *

Gr. AA	Gr. A/COM	Gr. 1
398	427	445
467	501	529
535	572	601
584	624	653
599	639	670
675	720	754
749	800	835
403	431	452
473	506	533
540	577	606
590	628	658
603	645	674
680	726	761
753	804	839

DIMENSIONS INCHES / MM

H	W
48 / 1219	24 / 610
48 / 1219	30 / 762
48 / 1219	36 / 914
48 / 1219	42 / 1067
48 / 1219	48 / 1219
48 / 1219	54 / 1372
48 / 1219	60 / 1524
54 / 1372	24 / 610
54 / 1372	30 / 762
54 / 1372	36 / 914
54 / 1372	42 / 1067
54 / 1372	48 / 1219
54 / 1372	54 / 1372
54 / 1372	60 / 1524

PRICING *

Gr. AA	Gr. A/COM	Gr. 1
486	524	548
570	613	646
650	698	733
709	754	789
726	779	814
817	880	915
905	975	1013
522	535	550
612	664	693
697	754	786
761	820	853
778	839	875
877	942	979
970	1043	1086

If Mica is specified, add 37

* The above prices apply to panels finished in one fabric grade. If more than one fabric grade is specified on the screen, please refer to your specifying software for exact price.

Fabric Bottom, Glazed Top allows a variety of fabric options on bottom section and two options of Glaze on top section.

KLTPGF

Fabric Bottom, Glazed Top


WHAT'S INCLUDED

1 screen.

NOTES

List Price for Panel fabric with different fabric grade combinations will default on the higher grade of fabric chosen.

Frosted Glaze is single-sided. Smooth surface will always face the front.



PRODUCT OPTIONS

Height	Width	Top Segment	Bottom Segment Front	Bottom Segment Back	Frame Finish
42, 48, 54	24, 30, 36, 42, 48, 54, 60	5 Clear	Grade AA	Grade AA	Foundation
		6 Frost	Grade A/COM Grade 1	Grade A/COM Grade 1	Mica

SAMPLE ORDER CODE

KLTPGF 42	36	5	J351	J351	Q
------------------	-----------	----------	-------------	-------------	----------

**DIMENSIONS
INCHES / MM**

PRICING *

H	W	Gr. AA	Gr. A/ COM	Gr. 1
42 / 1067	24 / 610	492	526	552
42 / 1067	30 / 762	576	624	654
42 / 1067	36 / 914	657	712	747
42 / 1067	42 / 1067	716	776	814
42 / 1067	48 / 1219	734	800	839
42 / 1067	54 / 1372	826	902	951
42 / 1067	60 / 1524	915	1004	1055
48 / 1219	24 / 610	497	535	557
48 / 1219	30 / 762	581	630	659
48 / 1219	36 / 914	663	722	753
48 / 1219	42 / 1067	722	785	821
48 / 1219	48 / 1219	740	807	845
48 / 1219	54 / 1372	832	912	956
48 / 1219	60 / 1524	921	1012	1062
54 / 1372	24 / 610	536	549	564
54 / 1372	30 / 762	627	680	710
54 / 1372	36 / 914	714	775	811
54 / 1372	42 / 1067	778	845	883
54 / 1372	48 / 1219	795	866	908
54 / 1372	54 / 1372	895	977	1028
54 / 1372	60 / 1524	989	1083	1139


If Mica frame is specified, add 19

If Frost Glazed is specified, add 85

* The above prices apply to panels finished in one fabric grade. If more than one fabric grade is specified on the screen, please refer to your specifying software for exact price.

KLTPGM

Metal Bottom & Glazed Top



Metal Bottom & Glazed Top allows two options of Glaze on top section and metal on bottom section.

WHAT'S INCLUDED

1 screen.

NOTES

List Price for Metal Segments will default on Mica should both Foundation and Mica finishes be chosen for Bottom Segments.

Frosted Glaze is single-sided. Smooth surface will always face the front.

PRODUCT OPTIONS

Height	Width	Top Segment	Bottom Segment Front	Bottom Segment Back	Frame Finish
42, 48, 54	24, 30, 36, 42, 48, 54, 60	5 Clear 6 Frost	Foundation Mica	Foundation Mica	Foundation Mica

SAMPLE ORDER CODE

KLTPGM 42	36	5	7	7	Q
-----------	----	---	---	---	---

DIMENSIONS INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
48 / 1219	24 / 610
48 / 1219	30 / 762
48 / 1219	36 / 914
48 / 1219	42 / 1067
48 / 1219	48 / 1219
48 / 1219	54 / 1372
48 / 1219	60 / 1524
54 / 1372	24 / 610
54 / 1372	30 / 762
54 / 1372	36 / 914
54 / 1372	42 / 1067
54 / 1372	48 / 1219
54 / 1372	54 / 1372
54 / 1372	60 / 1524

PRICING

Frame Foundation	Frame Mica
515	558
599	641
680	724
740	784
756	801
850	894
939	982
521	564
605	649
686	730
730	774
764	808
860	903
952	996
531	573
653	697
741	785
805	849
823	866
917	962
1017	1059

If Mica is specified, add 37

If Frost Glazed is specified, add 79

Fabric & Metal Bottom, Glazed Top allows a variety of fabric options on bottom section and two options of Glaze on top section.

WHAT'S INCLUDED

1 screen.


NOTES

List Price for Panel fabric with different fabric grade combinations will default on the higher grade of fabric chosen.

List Price for Metal Segments will default on Mica should both Foundation and Mica finishes be chosen for Bottom Segments.

Frosted Glaze is single-sided. Smooth surface will always face the front.

K L T P G M F Fabric & Metal Bottom, Glazed Top



PRODUCT OPTIONS

Height	Width	Top Segment	Bottom Segment Front	Bottom Segment Back	Frame Finish
42, 48, 54	24, 30, 36, 42, 48, 54, 60	5 Clear	Foundation	Grade AA	Foundation
		6 Frost	Mica	Grade A/COM Grade 1	Mica

37

SAMPLE ORDER CODE

KLTPGMF 42	36	5	7	R221	Q
-------------------	-----------	----------	----------	-------------	----------

DIMENSIONS INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
48 / 1219	24 / 610
48 / 1219	30 / 762
48 / 1219	36 / 914
48 / 1219	42 / 1067
48 / 1219	48 / 1219
48 / 1219	54 / 1372
48 / 1219	60 / 1524
54 / 1372	24 / 610
54 / 1372	30 / 762
54 / 1372	36 / 914
54 / 1372	42 / 1067
54 / 1372	48 / 1219
54 / 1372	54 / 1372
54 / 1372	60 / 1524


PRICING *

Gr. AA	Gr. A/ COM	Gr. 1
492	526	549
575	622	653
657	711	746
716	775	813
733	799	837
826	900	948
915	1001	1052
497	534	557
581	630	659
661	720	752
721	782	820
740	804	843
832	908	953
920	1009	1056
535	548	561
627	679	709
714	774	809
776	843	880
793	863	905
894	975	1023
989	1080	1135

If Mica is specified, add 37
If Frost is specified, add 85

KLTPWF

Fabric Bottom, Whiteboard Top



Fabric Bottom, Whiteboard Top allows a whiteboard on top section and a variety of fabric options on bottom section.

WHAT'S INCLUDED

1 screen.

NOTES

List Price for Panel fabric with different fabric grade combination will default on the higher grade of fabric chosen.

PRODUCT OPTIONS

Height	Width	Bottom Segment Front	Bottom Segment Back	Frame Finish
42, 48, 54	24, 30, 36, 42, 48, 54, 60	Grade AA Grade A/COM Grade 1	Grade AA Grade A/COM Grade 1	Foundation Mica

SAMPLE ORDER CODE

KLTPWF 42	36	R221	R221	Q
-----------	----	------	------	---

DIMENSIONS INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
48 / 1219	24 / 610
48 / 1219	30 / 762
48 / 1219	36 / 914
48 / 1219	42 / 1067
48 / 1219	48 / 1219
48 / 1219	54 / 1372
48 / 1219	60 / 1524
54 / 1372	24 / 610
54 / 1372	30 / 762
54 / 1372	36 / 914
54 / 1372	42 / 1067
54 / 1372	48 / 1219
54 / 1372	54 / 1372
54 / 1372	60 / 1524

PRICING *

Gr. AA	Gr. A/ COM	Gr. 1
536	575	600
628	680	712
717	778	816
782	848	889
800	872	915
902	985	1037
998	1094	1151
543	582	610
634	688	721
722	786	823
788	856	896
807	880	921
908	993	1042
1004	1104	1157
584	598	615
683	741	775
778	847	884
847	921	962
867	943	991
975	1067	1118
1078	1183	1243

If Mica frame is specified, add 19

* The above prices apply to panels finished in one fabric grade. If more than one fabric grade is specified on the screen, please refer to your specifying software for exact price.

Metal Bottom, Whiteboard Top allows a whiteboard on top section and metal on bottom section.

KLTPWM


Metal Bottom, Whiteboard Top

WHAT'S INCLUDED

1 screen.

NOTES

List Price for Metal Segments will default on Mica should both Foundation and Mica finishes be chosen for Bottom Segments.



PRODUCT OPTIONS

Height	Width	Bottom Segment Front	Bottom Segment Back	Frame Finish
42, 48, 54	24, 30, 36, 42, 48, 54, 60	Foundation Mica	Foundation Mica	Foundation Mica

SAMPLE ORDER CODE

KLTPWM 42	36	7	Q	Q
------------------	-----------	----------	----------	----------

**DIMENSIONS
INCHES / MM**

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
48 / 1219	24 / 610
48 / 1219	30 / 762
48 / 1219	36 / 914
48 / 1219	42 / 1067
48 / 1219	48 / 1219
48 / 1219	54 / 1372
48 / 1219	60 / 1524
54 / 1372	24 / 610
54 / 1372	30 / 762
54 / 1372	36 / 914
54 / 1372	42 / 1067
54 / 1372	48 / 1219
54 / 1372	54 / 1372
54 / 1372	60 / 1524

PRICING


Bottom Segment Front Foundation	Bottom Segment Front Mica
538	581
627	670
710	753
774	817
790	835
888	932
981	1025
544	588
633	675
717	762
765	809
798	842
900	942
994	1039
554	596
685	728
775	820
842	885
860	903
960	1004
1062	1107

If Mica frame is specified, add 37

thin panels

KLTPWFM

Fabric & Metal Bottom, Whiteboard Top



Fabric & Metal Bottom, Whiteboard Top allows a whiteboard on top and a variety of fabric options or metal on bottom section.

WHAT'S INCLUDED

1 screen.

NOTES

List Price for Panel fabric with different fabric grade combinations will default on the higher grade of fabric chosen.

List Price for Metal Segments will default on Mica should both Foundation and Mica finishes be chosen for Bottom Segments.

PRODUCT OPTIONS

Height	Width	Top Segment Back	Bottom Segment Front	Bottom Segment Back	Frame Finish
48	24, 30, 36, 42, 48, 54, 60	Grade AA Grade A/COM Grade 1	Foundation Mica	Grade AA Grade A/COM Grade 1	Foundation Mica

40

SAMPLE ORDER CODE

KLTPWFM 48	36	E329	7	R221	Q
------------	----	------	---	------	---

DIMENSIONS INCHES / MM

H	W
48 / 1219	24 / 610
48 / 1219	30 / 762
48 / 1219	36 / 914
48 / 1219	42 / 1067
48 / 1219	48 / 1219
48 / 1219	54 / 1372
48 / 1219	60 / 1524

PRICING *

Gr. AA	Gr. A/ COM	Gr. 1
535	576	602
627	675	710
715	768	805
779	828	868
799	857	897
900	966	1005
996	1072	1114

If Mica is specified, add 37

* The above prices apply to panels finished in one fabric grade. If more than one fabric grade is specified on the screen, please refer to your specifying software for exact price.

Fabric Bottom & Accessory Rail Top allows a variety of fabric options on bottom and middle sections and an Accessory Rail on top section.


WHAT'S INCLUDED

1 screen.

NOTES

List Price for Panel fabric with different fabric grade combinations will default on the higher grade of fabric chosen.

KLTPAFF Fabric Bottom & Accessory Rail Top



PRODUCT OPTIONS

Type	Height	Width	Fabric A	Fabric B	Frame Finish
1 Fabric A on the front, Fabric B on the back	48	24, 30, 36, 42, 48, 54, 60	Grade AA	Grade AA	Foundation
2 Fabric A on the top, Fabric B on the bottom			Grade A/COM	Grade A/COM	Mica
			Grade 1	Grade 1	

41

SAMPLE ORDER CODE

KLTPAFF 1	48	36	J351	X160	Q
------------------	-----------	-----------	-------------	-------------	----------

**DIMENSIONS
INCHES / MM**

H	W
48 / 1219	24 / 610
48 / 1219	30 / 762
48 / 1219	36 / 914
48 / 1219	42 / 1067
48 / 1219	48 / 1219
48 / 1219	54 / 1372
48 / 1219	60 / 1524

PRICING *


Gr. AA	Gr. A/ COM	Gr. 1
565	610	636
661	720	752
754	821	860
822	895	937
842	919	963
947	1037	1091
1047	1152	1209

If Mica frame is specified, add 19

* The above prices apply to panels finished in one fabric grade. If more than one fabric grade is specified on the screen, please refer to your specifying software for exact price.

thin panels

KLTPAFM Metal Bottom & Accessory Rail Top



Metal Bottom & Accessory Rail Top allows Accessory Rail on top section, Metal on bottom section and a variety of fabric options on the middle section.

WHAT'S INCLUDED

1 screen.

NOTES

List Price for Panel fabric with different fabric grade combinations will default on the higher grade of fabric chosen.

List Price for Metal Segments will default on Mica should both Foundation and Mica finishes be chosen for Bottom Segments.

PRODUCT OPTIONS

Height	Width	Mid Segment Front	Mid Segment Back	Bottom Segment Front	Bottom Segment Back	Frame Finish
48	24, 30, 36, 42, 48, 54, 60	Grade AA Grade A/COM Grade 1	Grade AA Grade A/COM Grade 1	Foundation Mica	Foundation Mica	Foundation Mica

SAMPLE ORDER CODE

KLTPAFM 48	36	J351	X160	7	Q	Q
-------------------	-----------	-------------	-------------	----------	----------	----------

DIMENSIONS INCHES / MM

H	W
48 / 1219	24 / 610
48 / 1219	30 / 762
48 / 1219	36 / 914
48 / 1219	42 / 1067
48 / 1219	48 / 1219
48 / 1219	54 / 1372
48 / 1219	60 / 1524

PRICING *

Gr. AA	Gr. A/ COM	Gr. 1
553	596	624
649	693	731
741	786	826
809	838	877
827	874	915
933	984	1009
1034	1089	1118

If Mica is specified, add 37

* The above prices apply to panels finished in one fabric grade. If more than one fabric grade is specified on the screen, please refer to your specifying software for exact price.

Fabric & Metal Bottom & Accessory Rail Top allows a variety of fabric options on bottom and middle sections with Accessory Rail on top section.

WHAT'S INCLUDED


1 screen.

NOTES

List Price for Panel fabric with different fabric grade combinations will default on the higher grade of fabric chosen.

List Price for Metal Segments will default on Mica should both Foundation and Mica finishes be chosen for Bottom Segments.

KLTPAFFM
Fabric & Metal Bottom & Accessory Rail Top



PRODUCT OPTIONS

Type	Height	Width	Fabric A	Fabric B	Bottom Segment Back	Frame Finish
1 Fabric A on the front, Fabric B on the back	48	24, 30, 36, 42, 48, 54, 60	Grade AA	Grade AA	Foundation	Foundation
2 Fabric A on the top, Fabric B on the bottom			Grade A/COM	Grade A/COM	Mica	Mica
			Grade 1	Grade 1		

SAMPLE ORDER CODE

KLTPAFFM 1	48	36	J351	X160	Q	Q
-------------------	-----------	-----------	-------------	-------------	----------	----------

DIMENSIONS INCHES / MM

PRICING *

H	W	Gr. AA	Gr. A/COM	Gr. 1
48 / 1219	24 / 610	559	602	630
48 / 1219	30 / 762	656	707	742
48 / 1219	36 / 914	747	804	843
48 / 1219	42 / 1067	814	866	905
48 / 1219	48 / 1219	835	896	938
48 / 1219	54 / 1372	941	1010	1049
48 / 1219	60 / 1524	1041	1121	1165

If Mica is specified, add 19

* The above prices apply to panels finished in one fabric grade. If more than one fabric grade is specified on the screen, please refer to your specifying software for exact price.

thin panel
connections & trims

thin panel connections & trims


PRODUCT MAP47

PRODUCT LISTING48

product map

KLT CCT 1 One Transit with Thin Panel Connector

Page 48
Height: 36" - 54"



Two-Way 90°



Three-Way 90°

KLT CCT 2 Two Transit with Thin Panel Connector

Page 49
Height: 36" - 54"




Three-Way 90°



Four-Way 90°


KLT CCT 9 0 Two-Way 180°

Page 50
Height: 36" - 54"




KLT CCT 0 0 Two-Way 180°

Page 51
Height: 36" - 54"




KLT CCT 3 Three-Way 180°

Page 52
Height: 36" - 54"




KLT CCT 4 Four-Way 90°

Page 53
Height: 36" - 54"



KLT CCT 1 2 Three-Way 120°

Page 54
Height: 36" - 54"



KLTCCT1 One Transit with Thin Panel Connector

The One Transit with Thin Panel Connector creates a full height connection between one Transit panel with one or two thin panel connected at a 90° angle.

WHAT'S INCLUDED

1 connector, 1 cap with 2 connector extrusion with 2 connector trims and hardwares.



PRODUCT OPTIONS

Height	Finish
36, 42, 48, 54	Foundation Mica

48

SAMPLE ORDER CODE

KLTCCT1 48	Q
------------	---

DIMENSIONS INCHES / MM

H
36 / 914
42 / 1067
48 / 1219
54 / 1372

PRICING

Foundation	Mica
148	153
153	157
158	164
165	175


The Two Transit with Thin Panel Connector creates a full height connection between two Transit panels with one or two thin panels connected at a 90° angle.

WHAT'S INCLUDED

1 connector, 1 cap with 2 connector extrusion with 2 connector trims and hardware.

K L T C C T 2

Two Transit with Thin Panel Connector



PRODUCT OPTIONS

Height	Finish
36, 42, 48, 54	Foundation Mica

SAMPLE ORDER CODE

KLTCCT2 48	Q
------------	---

**DIMENSIONS
INCHES / MM**

H
36 / 914
42 / 1067
48 / 1219
54 / 1372

PRICING

Foundation	Mica
148	153
153	157
158	164
165	175


KLTCCT90

Two-Way 90°

The Two-Way 90° connector creates and covers a full-height connection between two screens that are joined at a 90° angle.

WHAT'S INCLUDED

1 post connector, 1 cap, 2 vertical connectors and hardware.



PRODUCT OPTIONS

Height	Finish
36, 42, 48, 54	Foundation Mica

50

SAMPLE ORDER CODE

KLTCCT90 48	Q
-------------	---

DIMENSIONS INCHES / MM

H
36 / 914
42 / 1067
48 / 1219
54 / 1372

PRICING

Foundation	Mica
82	88
88	93
97	104
108	113


The Two-Way 180° connector creates and covers a full-height space between two screens that are connected side-by-side at an 180° angle.

KLTCCT00

Two-Way 180°

WHAT'S INCLUDED

1 vertical connector and hardwares



PRODUCT OPTIONS

Height
36, 42, 48, 54

51

SAMPLE ORDER CODE

KLTCCT00 48

**DIMENSIONS
INCHES / MM**

PRICING


H	
36 / 914	58
42 / 1067	63
48 / 1219	69
54 / 1372	74

KLTCCT3 Three-Way 180°

The Three-Way 180° connector creates and covers a full-height connection between three screens that are joined at an 180° angle side-by-side and the third screen meets at 90° angle.

WHAT'S INCLUDED

1 post connector, 1 cap, 3 vertical connectors and hardware.



PRODUCT OPTIONS

Height	Finish
36, 42, 48, 54	Foundation Mica

52

SAMPLE ORDER CODE

KLTCCT3 48	Q
------------	---

DIMENSIONS INCHES / MM

H
36 / 914
42 / 1067
48 / 1219
54 / 1372

PRICING


Foundation	Mica
97	104
108	113
115	120
123	129

The Four-Way 90° connector creates and covers a full-height connection between four screens that are joined at a 90° angle.

KLTCCT4 **Four-Way 90°**

WHAT'S INCLUDED

1 post connector, 1 cap, 3 vertical connectors and hardware.



PRODUCT OPTIONS

Height	Finish
36, 42, 48, 54	Foundation Mica

SAMPLE ORDER CODE

KLTCCT4 48	Q
-------------------	----------

DIMENSIONS INCHES / MM

H
36 / 914
42 / 1067
48 / 1219
54 / 1372

PRICING


Foundation	Mica
108	113
115	120
123	129
131	137

KLTCCT12 Three-Way 120°

The Three-Way 120° connector creates a full-height connection between three panels where three panels are connected at a 120°.

WHAT'S INCLUDED

1 post connector, 1 cap, 3 vertical connectors and hardware.



PRODUCT OPTIONS

Height	Finish
36, 42, 48, 54	Foundation Mica

54

SAMPLE ORDER CODE

KLTCCT12 48	Q
-------------	---

DIMENSIONS INCHES / MM

H
36 / 914
42 / 1067
48 / 1219
54 / 1372

PRICING

Foundation	Mica
101	108
111	116
118	126
127	133

elements

elements


PRODUCT MAP59

PRODUCT LISTING60

product map


K L T L H A Acoustic Element

Page 60
Height: 6" - 30" / Width: 24" - 60"




K L T L H M Metal Element

Page 61
Height: 9" - 27" / Width: 24" - 60"




K L T L G D Glazed Element, Double

Page 62
Height: 9" - 27" / Width: 24" - 60"




K L T L A E Accessory Element

Page 63
Height: 9" - 27" / Width: 24" - 60"




K L T L W E Whiteboard Element

Page 64
Height: 9" - 27" / Width: 24" - 60"




K L T A D S Access Door Element, Single

Page 65
Height: 15" / Width: 18" - 60"



K L T A D D Access Door Element, Double

Page 66
Height: 15" / Width: 36" - 60"




K L T L H A Acoustic Element

The Acoustic Element is a fabric-wrapped element with acoustic properties.

WHAT'S INCLUDED

1 element.



PRODUCT OPTIONS

Height	Width	Element Finish
06, 09, 12, 15, 21, 27, 30	24, 30, 36, 42, 48, 54, 60	Grade AA Grade A/COM Grade 1

SAMPLE ORDER CODE

KLTLHA 09	48	E324
------------------	-----------	-------------

DIMENSIONS INCHES / MM

H	W
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
12 / 305	24 / 610
12 / 305	30 / 762
12 / 305	36 / 914
12 / 305	42 / 1067
12 / 305	48 / 1219
12 / 305	54 / 1372
12 / 305	60 / 1524
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

PRICING

Gr. AA	Gr. A/ COM	Gr. 1
31	35	39
36	39	47
44	50	57
50	58	61
58	61	68
61	68	76
68	72	87
40	46	56
49	56	60
56	62	70
62	71	79
69	79	89
79	89	98
84	94	111
40	46	56
49	56	60
56	62	70
62	71	79
68	79	89
79	89	98
84	94	111
45	53	62
53	62	68
62	70	79
70	81	89
81	89	100
89	100	113
100	107	126

DIMENSIONS INCHES / MM

H	W
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
27 / 686	24 / 610
27 / 686	30 / 762
27 / 686	36 / 914
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524

PRICING


Gr. AA	Gr. A/ COM	Gr. 1
62	70	84
76	84	93
88	97	115
102	114	124
111	124	139
124	140	158
133	151	177
63	72	87
78	87	95
88	100	114
103	116	127
112	127	142
126	142	160
135	153	177
68	73	89
81	89	97
91	102	116
107	118	129
118	129	145
133	145	162
147	155	181

The Metal Element provides a metal finish for the panel surface.

WHAT'S INCLUDED

1 element.

K L T L H M
Metal Element



PRODUCT OPTIONS

Height	Width	Element Finish
09, 15, 21, 27	24, 30, 36, 42, 48, 54, 60	Foundation Mica

SAMPLE ORDER CODE

KLTLHM 09	48	Q
------------------	-----------	----------

**DIMENSIONS
INCHES / MM**

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

PRICING

Foundation	Mica
49	51
54	58
59	63
65	73
73	81
85	92
92	104
50	52
56	59
61	65
69	76
76	83
88	94
94	110

**DIMENSIONS
INCHES / MM**

H	W
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
27 / 686	24 / 610
27 / 686	30 / 762
27 / 686	36 / 914
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524

PRICING

Foundation	Mica
53	60
63	72
75	83
88	100
104	114
117	131
131	154
64	71
75	83
87	94
100	112
115	126
129	142
142	167


K L T L G D

Glazed Element, Double

The Glazed Element, Double finishes both sides of the panel and is made of a double panel of tempered glass.

WHAT'S INCLUDED

1 element, installation hardware.



PRODUCT OPTIONS

Height	Width	Frame Finish	Glass Finish
09, 15, 21, 27	24, 30, 36, 42, 48, 54, 60	Foundation Mica	5 Clear 6 Frost

SAMPLE ORDER CODE

KLTLGD 09	48	Q	5
------------------	-----------	----------	----------

DIMENSIONS INCHES / MM

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
27 / 686	24 / 610
27 / 686	30 / 762
27 / 686	36 / 914
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524

PRICING

Foundation		Mica	
Clear	Frost	Clear	Frost
184	203	196	217
199	216	213	229
213	237	227	255
241	265	258	281
268	296	286	319
296	329	317	352
326	358	348	382
301	330	320	352
319	351	339	375
337	371	360	399
381	418	405	446
429	472	458	503
429	519	458	589
473	569	504	637
383	419	415	450
405	445	440	480
430	474	504	511
484	535	523	578
544	599	633	648
606	865	652	714
654	721	708	781
415	450	446	487
442	482	474	517
465	506	504	552
523	571	565	625
588	640	633	701
654	715	705	772
704	767	763	843

The Accessory Element is designed to support Personal Organizers (PAX) and to facilitate organization of the workspace.


WHAT'S INCLUDED

1 element.

NOTES

Personal Organizers (PAX) is available from Complements: *Teknion's Ergonomics & Accessories* Program.

KLTLAE
Accessory Element



PRODUCT OPTIONS

Height	Width	Finish
09, 15, 21, 27	24, 30, 36, 42, 48, 54, 60	Foundation Mica

SAMPLE ORDER CODE

KLTLAE 09	48	Q
------------------	-----------	----------


DIMENSIONS
INCHES / MM

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
27 / 686	24 / 610
27 / 686	30 / 762
27 / 686	36 / 914
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524

PRICING

Foundation	Mica
138	186
157	205
176	225
199	246
222	269
262	309
300	347
156	211
178	231
199	255
225	280
251	305
296	351
338	394
191	257
218	283
239	311
274	340
306	372
362	427
414	480
204	274
233	302
260	329
292	362
326	398
386	457
440	512

K L T L W E Whiteboard Element



The Whiteboard Element serves as an erasable message board, providing a clean frameless design profile with a tray.

WHAT'S INCLUDED

1 element and tray for writing support and containment of ink dust.

NOTES

This product accepts magnets.

Only dry erase markers can be used.

The width of the tray equals the width of the element.

PRODUCT OPTIONS

Height	Width	Frame Finish
09, 15, 21, 27	24, 30, 36, 42, 48, 54, 60	Foundation Mica

SAMPLE ORDER CODE

64

KLTLWE 09	48	Q
------------------	-----------	----------

DIMENSIONS INCHES / MM

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

PRICING

Foundation	Mica
198	225
248	286
260	292
265	300
268	304
347	392
422	479
223	256
287	324
293	332
301	340
305	345
395	445
480	544

DIMENSIONS INCHES / MM

H	W
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
27 / 686	24 / 610
27 / 686	30 / 762
27 / 686	36 / 914
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524

PRICING


Foundation	Mica
245	281
315	356
324	366
330	375
335	379
434	490
529	598
269	307
348	391
356	402
363	413
369	417
477	539
580	657

The Access Door Element, Single is designed to facilitate organization of the workspace.

WHAT'S INCLUDED

1 element.

KLTADS
Access Door Element, Single



PRODUCT OPTIONS

Height	Width	Element Finish	Trim Finish
15	18, 24, 30, 36, 42, 48, 54, 60	Grade AA Grade A/COM Grade 1	Foundation

SAMPLE ORDER CODE

KLTADS 15	48	E324	G
------------------	-----------	-------------	----------

DIMENSIONS
INCHES / MM

H	W
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524


PRICING

Gr. AA	Gr. A/ COM	Gr. 1
64	69	73
69	83	88
83	91	95
91	103	110
103	112	118
112	120	124
122	131	135
133	147	153

KLTADD Access Door Element, Double

The Access Door Element, Double is designed to facilitate organization of the workspace.

WHAT'S INCLUDED
1 element.



PRODUCT OPTIONS

Height	Width	Element Finish	Trim Finish
15	36, 42, 48, 54, 60	Grade AA Grade A/COM Grade 1	Foundation

SAMPLE ORDER CODE

KLTADD 15	48	E324	G
------------------	-----------	-------------	----------

DIMENSIONS INCHES / MM

H	W
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

PRICING

Gr. AA	Gr. A/ COM	Gr. 1
133	140	147
136	145	154
148	155	167
158	167	176
170	176	187

worksurfaces

worksurfaces


PRODUCT MAP70

PRODUCT LISTING72

product map

K L T W R R Rectangular Worksurface

Page 72
Depth: 24" & 30" / Width: 24" - 60"




K L T W C R Radius Corner Worksurface with Return

Page 73
Depth: 24" & 30" / Width A: 36" - 48" / Width B: 48" - 60"




K L T T W S T Straight Transition Worksurface

Page 74
Depth A: 24" & 30" / Width: 36" - 72" / Depth B: 30" & 36"




K L T T W O R Outside Radius Worksurface

Page 76
Depth: 24" & 30" / Width: 36" - 72"




K L T T W S C Standard Corner Worksurface

Page 77
Depth: 19" & 30" / Width: 36" - 48"




K L T T W S R Standard Radius Corner Worksurface

Page 78
Depth: 24" & 30" / Width: 36" - 48"




K L T T W E S EDP Worksurface

Page 79
Depth A: 19" & 24" / Width: 24" - 72" / Depth B: 24" & 30"




K L T T W B S Bullet Top Worksurface

Page 80
Depth: 24" - 36" / Width: 48" - 72"




K L T T W D T D-Top Worksurface

Page 81
Depth: 24" & 30" / Width: 52" & 64"




K L T T W P S P-Top Worksurface

Page 82
Depth: 24" - 36" / Width: 60" - 72"




K L T T W M P Modified P-Top Worksurface

Page 83
Depth: 24" & 30" / Width: 36" - 72"



K L T T X G C Guest Corner Worksurface


Page 84
Depth: 15" & 24" / Width A: 36" - 48" / Width B: 60" - 72"




product map

K L T T W C S Straight Countertop


Page 85
Width: 18" - 72" / Depth: 15"

**K L T T W C B Bullet Countertop**


Page 86
Width: 18" - 72" / Depth: 15"

**K L T T W C D Double Bullet Countertop**


Page 87
Width: 18" - 72" / Depth: 15"

**K L T T W C A Angled Countertop**


Page 88
Width: 18" - 72" / Depth: 15"

**K L T T W R R Rectangular Worksurface**


Page 89
Depth: 24" & 30" / Width: 21" - 72"

**K L T T W C R Radius Corner Worksurface with Return**


Page 90
Depth: 24" & 30" / Width A: 36" - 48" /
Width B: 48" - 72"

**K L T T D V T Top for Pedestal**

Page 92
Depth: 24" & 30"

**K L T T F V Top for Lateral File**

Page 93
Width: 30" - 84"


**K L T W W C 120° Corner Worksurface**

Page 94
Depth: 24" & 30" / Width: 48" - 60"



K L T W R R

Rectangular Worksurface



The Rectangular Worksurface is a straight worksurface designed for use within a panel-mounted, semi-supported or freestanding environment.

WHAT'S INCLUDED

1 worksurface.

WHAT'S EXCLUDED

Panel-mounted worksurface is not included.

NOTES

To be used with Transit Lite thick and thin panel. Worksurface does not have gap.

PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style
24, 30	24, 30, 36, 42, 48, 54, 60	Source Laminate Foundation Laminate	6 Straight

SAMPLE ORDER CODE

KLTWRR 30	60	Y8	6
------------------	-----------	-----------	----------

DIMENSIONS INCHES / MM

D	W
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524

PRICING

Source Laminate	Foundation Laminate
207	257
218	266
242	302
248	310
252	314
348	436
392	490
225	281
229	286
274	342
282	351
307	385
388	484
405	510

The Radius Corner Worksurface with Return is a rectangular surface combined with a transitional corner which can be connected to a surface of a different depth within the panel environment.

WHAT'S INCLUDED

1 worksurface with return.


NOTES

This product does not accept a keyboard support.

Panel-mounted worksurfaces may not span more than 60" without additional support.

To be used with Transit Lite thick and thin panel. Worksurface does not have gap.

K L T W C R
Radius Corner Worksurface with Return



PRODUCT OPTIONS

Depth A	Width A	Width B	Orientation	Worksurface Finish	Edge Trim Style
24, 30	36, 42, 48	48, 54, 60	L Left (Shown) R Right	Source Laminate Foundation Laminate	6 Straight

SAMPLE ORDER CODE

KLTWCR 24	36	48	L	Y8	6
------------------	-----------	-----------	----------	-----------	----------

**DIMENSIONS
INCHES / MM**


Da	Wa	Wb
24 / 610	36 / 914	48 / 1219
24 / 610	36 / 914	54 / 1372
24 / 610	36 / 914	60 / 1524
24 / 610	42 / 1067	48 / 1219
24 / 610	42 / 1067	54 / 1372
24 / 610	42 / 1067	60 / 1524
24 / 610	48 / 1219	48 / 1219
24 / 610	48 / 1219	54 / 1372
24 / 610	48 / 1219	60 / 1524
30 / 762	36 / 914	48 / 1219
30 / 762	36 / 914	54 / 1372
30 / 762	36 / 914	60 / 1524
30 / 762	42 / 1067	48 / 1219
30 / 762	42 / 1067	54 / 1372
30 / 762	42 / 1067	60 / 1524
30 / 762	48 / 1219	48 / 1219
30 / 762	48 / 1219	54 / 1372
30 / 762	48 / 1219	60 / 1524

PRICING

Source Laminate	Foundation Laminate
617	771
647	809
647	809
627	782
658	822
658	822
676	842
688	861
694	867
627	782
658	822
658	822
651	814
651	814
651	814
642	803
664	829
664	829

K L T T W S T

Straight Transition Worksurface



The Straight Transition Worksurface is a rectangular work surface that transitions from one depth to another.

WHAT'S INCLUDED

1 worksurface.

WHAT'S EXCLUDED

If an Open End (TLOE) or a Flush End (TLFE) is not the primary support for the 36" deep end, a Semi-Suspended Post (TLSP) or xm Post Leg (TXPL) must be used as a secondary support in addition to the primary support.

Please see *Transit Price & Product Guide* for more information.

PRODUCT OPTIONS

Depth A	Width	Depth B	Orientation	Worksurface Finish	Edge Trim Style
24, 30	36, 39, 40, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72	30, 36	L Left (Shown) R Right	Source Laminate Foundation Laminate	6 Straight

SAMPLE ORDER CODE

C 24	42	36	L	FY	6
------	----	----	---	----	---

DIMENSIONS INCHES / MM

Da	W	Db
24 / 610	36 / 914	30 / 762
24 / 610	39 / 991	30 / 762
24 / 610	40 / 1016	30 / 762
24 / 610	42 / 1067	30 / 762
24 / 610	45 / 1143	30 / 762
24 / 610	48 / 1219	30 / 762
24 / 610	51 / 1295	30 / 762
24 / 610	54 / 1372	30 / 762
24 / 610	57 / 1448	30 / 762
24 / 610	60 / 1524	30 / 762
24 / 610	63 / 1600	30 / 762
24 / 610	66 / 1676	30 / 762
24 / 610	69 / 1753	30 / 762
24 / 610	72 / 1829	30 / 762

PRICING

Source Laminate	Foundation Laminate
367	458
380	474
380	474
383	479
390	487
396	494
487	610
497	621
506	633
529	660
592	739
596	745
599	749
611	762

Additional pricing is continued on the following page.

K L T T W S T
Straight Transition Worksurface
(Continued)

DIMENSIONS
INCHES / MM

Da	Wa	Wb
24 / 610	36 / 914	36 / 914
24 / 610	39 / 991	36 / 914
24 / 610	40 / 1016	36 / 914
24 / 610	42 / 1067	36 / 914
24 / 610	45 / 1143	36 / 914
24 / 610	48 / 1219	36 / 914
24 / 610	51 / 1295	36 / 914
24 / 610	54 / 1372	36 / 914
24 / 610	57 / 1448	36 / 914
24 / 610	60 / 1524	36 / 914
24 / 610	63 / 1600	36 / 914
24 / 610	66 / 1676	36 / 914
24 / 610	69 / 1753	36 / 914
24 / 610	72 / 1829	36 / 914
30 / 762	36 / 914	36 / 914
30 / 762	39 / 991	36 / 914
30 / 762	40 / 1016	36 / 914
30 / 762	42 / 1067	36 / 914
30 / 762	45 / 1143	36 / 914
30 / 762	48 / 1219	36 / 914
30 / 762	51 / 1295	36 / 914
30 / 762	54 / 1372	36 / 914
30 / 762	57 / 1448	36 / 914
30 / 762	60 / 1524	36 / 914
30 / 762	63 / 1600	36 / 914
30 / 762	66 / 1676	36 / 914
30 / 762	69 / 1753	36 / 914
30 / 762	72 / 1829	36 / 914

PRICING

Source Laminate	Foundation Laminate
411	513
452	565
452	565
467	583
483	602
507	634
637	795
648	810
663	827
685	856
704	879
709	885
711	888
724	904
437	545
479	597
479	597
493	616
510	636
545	682
672	840
685	856
698	871
731	913
750	937
754	943
757	947
769	960

KLTTWOR

Outside Radius Worksurface


The Outside Radius Worksurface is a worksurface which provides a rounded edge on one corner of a rectangular worksurface.

WHAT'S INCLUDED

1 worksurface.

WHAT'S EXCLUDED

Panel-mounted worksurface is not included.



PRODUCT OPTIONS

Depth	Width	Orientation	Worksurface Finish	Edge Trim Style
24, 30	36, 39, 40, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72	L Left (Shown) R Right	Source Laminate Foundation Laminate	6 Straight

SAMPLE ORDER CODE

KLTTWOR 30	60	R	PD	6
-------------------	-----------	----------	-----------	----------

DIMENSIONS INCHES / MM

H	W
24 / 610	36 / 914
24 / 610	39 / 991
24 / 610	42 / 1067
24 / 610	45 / 1143
24 / 610	48 / 1219
24 / 610	51 / 1295
24 / 610	54 / 1372
24 / 610	57 / 1448
24 / 610	60 / 1524
24 / 610	63 / 1600
24 / 610	66 / 1676
24 / 610	69 / 1753
24 / 610	72 / 1829

PRICING

Source Laminate	Foundation Laminate
222	275
290	362
301	375
307	383
317	396
372	464
383	479
395	493
407	509
467	583
474	592
478	596
471	601

DIMENSIONS INCHES / MM

H	W
30 / 762	36 / 914
30 / 762	39 / 991
30 / 762	42 / 1067
30 / 762	45 / 1143
30 / 762	48 / 1219
30 / 762	51 / 1295
30 / 762	54 / 1372
30 / 762	57 / 1448
30 / 762	60 / 1524
30 / 762	63 / 1600
30 / 762	66 / 1676
30 / 762	69 / 1753
30 / 762	72 / 1829


PRICING

Source Laminate	Foundation Laminate
290	362
362	452
372	464
383	479
395	493
467	583
474	592
478	596
482	601
555	693
562	703
567	707
574	716

The Standard Corner Worksurface is a panel-mounted surface for use in a 90° corner. This worksurface is ideal for the application of a keyboard tray.

KLTTWSC
Standard Corner Worksurface

WHAT'S INCLUDED
1 worksurface.



PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style
19, 24, 30	36, 40, 42, 45, 48	Source Laminate Foundation Laminate	6 Straight

SAMPLE ORDER CODE

KLTTWSC 30	48	FC	6
-------------------	-----------	-----------	----------

**DIMENSIONS
INCHES / MM**

H	W
19 / 483	36 / 914
19 / 483	40 / 1016
19 / 483	42 / 1067
19 / 483	45 / 1143
19 / 483	48 / 1219
24 / 610	36 / 914
24 / 610	40 / 1016
24 / 610	42 / 1067
24 / 610	45 / 1143
24 / 610	48 / 1219
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	45 / 1143
30 / 762	48 / 1219

PRICING

Source Laminate	Foundation Laminate
n/a	n/a
n/a	n/a
457	571
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
468	584
468	584
478	596
482	601
n/a	n/a
499	622
499	622
n/a	n/a
521	650


KLTTWSR

Standard Radius Corner Worksurface

The Standard Radius Corner Worksurface is a panel-mounted corner worksurface which provides a curved edge on the user edge.

WHAT'S INCLUDED

1 worksurface.



PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style
24, 30	36, 40, 42, 45, 48	Source Laminate Foundation Laminate	6 Straight

SAMPLE ORDER CODE

KLTTWSR 24	36	MB	6
-------------------	-----------	-----------	----------

78

DIMENSIONS INCHES / MM

H	W
24 / 610	36 / 914
24 / 610	40 / 1016
24 / 610	42 / 1067
24 / 610	45 / 1143
24 / 610	48 / 1219
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	45 / 1143
30 / 762	48 / 1219

PRICING

	Source Laminate	Foundation Laminate
24 / 36	457	570
24 / 40	525	656
24 / 42	525	656
24 / 45	550	687
24 / 48	558	698
30 / 36	n/a	n/a
30 / 40	580	725
30 / 42	580	725
30 / 45	596	745
30 / 48	620	775

The EDP Worksurface is a panel-mounted worksurface. It has an angled or curved end that is designed to be used adjacent to a corner worksurface to create a recessed area for a keyboard support or to provide a cockpit area.

KLTTWES
EDP Worksurface


WHAT'S INCLUDED

1 worksurface.

NOTES

Panel-mounted worksurfaces may not span more than 60" without additional support.

Depth 'A' should match depth of Standard Corner Worksurface (KLTTWSC).



PRODUCT OPTIONS

Profiles	Depth A	Width	Depth B	Orientation	Worksurface Finish	Edge Trim Style
1 Straight	19, 24	24, 30, 36, 42, 54, 60, 66, 72	24, 30	L Left	Source Laminate Foundation Laminate	6 Straight
2 Curved				R Right		

SAMPLE ORDER CODE

KLTTWES 1	24	48	30	L	WB	6
------------------	-----------	-----------	-----------	----------	-----------	----------

**DIMENSIONS
INCHES / MM**

Da	Wa	Wb
19 / 483	24 / 610	24 / 610
19 / 483	30 / 762	24 / 610
19 / 483	36 / 914	24 / 610
19 / 483	42 / 1067	24 / 610
19 / 483	54 / 1372	24 / 610
19 / 483	60 / 1524	24 / 610
19 / 483	66 / 1676	24 / 610
19 / 483	72 / 1829	24 / 610
19 / 483	24 / 610	30 / 762
19 / 483	30 / 762	30 / 762
19 / 483	36 / 914	30 / 762
19 / 483	42 / 1067	30 / 762
19 / 483	54 / 1372	30 / 762
19 / 483	60 / 1524	30 / 762
19 / 483	66 / 1676	30 / 762
19 / 483	72 / 1829	30 / 762
24 / 610	24 / 610	30 / 762
24 / 610	30 / 762	30 / 762
24 / 610	36 / 914	30 / 762
24 / 610	42 / 1067	30 / 762
24 / 610	54 / 1372	30 / 762
24 / 610	60 / 1524	30 / 762
24 / 610	66 / 1676	30 / 762
24 / 610	72 / 1829	30 / 762

PRICING

Source Laminate	Foundation Laminate
211	263
235	292
264	329
290	362
430	538
482	601
499	622
569	710
219	273
246	307
275	345
309	385
473	591
494	617
567	707
571	712
333	417
353	441
383	479
403	503
482	601
496	619
576	718
589	734

KLTTWBS

Bullet Top Worksurface


The Bullet Top Worksurface is designed to accommodate multiple guests on three sides in a semi-supported, panel-mounted or freestanding application.

WHAT'S INCLUDED

1 worksurface, 1 reinforcing bar, mounting hardware.

WHAT'S EXCLUDED

Worksurface support hardware must be ordered separately.



PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style
24, 30, 36	48, 54, 60, 66, 72	Source Laminate Foundation Laminate	6 Straight

SAMPLE ORDER CODE

KLTTWBS 24	72	FX	6
------------	----	----	---

DIMENSIONS INCHES / MM

H	W
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

PRICING

Source Laminate	Foundation Laminate
337	421
349	436
359	447
401	501
441	551
421	525
435	541
447	559
481	600
540	676
548	684
562	704
580	725
614	767
645	805

The D-Top Worksurface provides a conferencing area at the end of two parallel panel-mounted, semi-supported or freestanding worksurfaces.


WHAT'S INCLUDED

1 worksurface.

WHAT'S EXCLUDED

This product does not accept keyboard supports.

K L T T W D T
D-Top Worksurface



PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style
24, 30	52, 64	Source Laminate Foundation Laminate	6 Straight

SAMPLE ORDER CODE

KLTTWDT 24	52	LS	6
-------------------	-----------	-----------	----------

**DIMENSIONS
INCHES / MM**

H	W
24 / 610	52 / 1321
24 / 610	64 / 1626
30 / 762	52 / 1321
30 / 762	64 / 1626

PRICING

Source Laminate	Foundation Laminate
372	465
n/a	n/a
n/a	n/a
463	578

KLTTWPS

P-Top Worksurface


The P-Top Worksurface combines the features of a rectangular top with a round multiple guest end for meetings. This product can be used in a panel-mounted, semi-supported, or freestanding environment.

WHAT'S INCLUDED

1 worksurface.

WHAT'S EXCLUDED

Worksurface support hardware must be ordered separately.



PRODUCT OPTIONS

Depth	Width	Orientation	Worksurface Finish	Edge Trim Style
24, 30, 36	60, 66, 72	L Left R Right	Source Laminate Foundation Laminate	6 Straight

SAMPLE ORDER CODE

KLTTWPS 30	60	L	MG	6
-------------------	-----------	----------	-----------	----------

**DIMENSIONS
INCHES / MM**

H	W
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

PRICING

Source Laminate	Foundation Laminate
698	871
746	932
760	950
741	926
795	994
809	1011
810	1012
867	1083
882	1102

The Modified P-Top Worksurface dual depth worksurface combines the features of a rectangular top with a curved end ideal for conferencing. This item can be panel-mounted, semi-supported or used in freestanding applications.

K L T T W M P
Modified P-Top Worksurface

WHAT'S INCLUDED


1 worksurface.

WHAT'S EXCLUDED

Worksurface support hardware must be ordered separately.

NOTES

For freestanding applications, worksurface width must be 48" - 72".



PRODUCT OPTIONS

Depth	Width	Orientation	Worksurface Finish	Edge Trim Style
24, 30	36, 39, 42, 45, 48, 51, 54, 60, 63, 69, 72	L Left R Right	Source Laminate Foundation Laminate	6 Straight

SAMPLE ORDER CODE

KLTTWMP 24	42	L	MW	6
-------------------	-----------	----------	-----------	----------

**DIMENSIONS
INCHES / MM**

H	W
24 / 610	36 / 914
24 / 610	39 / 991
24 / 610	42 / 1067
24 / 610	45 / 1143
24 / 610	48 / 1219
24 / 610	51 / 1295
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	63 / 1600
24 / 610	69 / 1753
24 / 610	72 / 1829

PRICING

Source Laminate	Foundation Laminate
478	596
500	624
521	650
541	677
562	703
634	792
702	877
709	886
778	972
847	1059
849	1061

**DIMENSIONS
INCHES / MM**

H	W
30 / 762	36 / 914
30 / 762	39 / 991
30 / 762	42 / 1067
30 / 762	45 / 1143
30 / 762	48 / 1219
30 / 762	51 / 1295
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	63 / 1600
30 / 762	69 / 1753
30 / 762	72 / 1829

PRICING

Source Laminate	Foundation Laminate
506	633
530	661
553	690
576	721
598	747
668	835
739	923
744	928
812	1015
884	1105
886	1107

KLTTXGC

Guest Corner Worksurface

The Guest Corner Worksurface offers a deep corner for the placement of a computer monitor as well as a guest area at the opposite end.


WHAT'S INCLUDED

1 worksurface.

NOTES

This worksurface cannot be used in freestanding applications. If freestanding applications are required, please see *Deskings* in the *xm Price & Product Guide*.

Panel-mounted worksurfaces may not span more than 60" without additional support.



PRODUCT OPTIONS

Depth	Width A	Width B	Orientation	Worksurface Finish	Edge Trim Style
15, 24	36, 40, 42, 48	60, 66, 72	L Left R Right	Source Laminate Foundation Laminate	6 Straight

SAMPLE ORDER CODE

KLTTXGC 24	42	36	L	FY	6
------------	----	----	---	----	---

DIMENSIONS INCHES / MM

D	Wa	Wb
15 / 381	36 / 914	60 / 1524
15 / 381	36 / 914	66 / 1676
15 / 381	36 / 914	72 / 1829
15 / 381	40 / 1016	60 / 1524
15 / 381	40 / 1016	66 / 1676
15 / 381	40 / 1016	72 / 1829
15 / 381	42 / 1067	60 / 1524
15 / 381	42 / 1067	66 / 1676
15 / 381	42 / 1067	72 / 1829
15 / 381	48 / 1219	60 / 1524
15 / 381	48 / 1219	66 / 1676
15 / 381	48 / 1219	72 / 1829
24 / 610	36 / 914	60 / 1524
24 / 610	36 / 914	66 / 1676
24 / 610	36 / 914	72 / 1829
24 / 610	40 / 1016	60 / 1524
24 / 610	40 / 1016	66 / 1676
24 / 610	40 / 1016	72 / 1829
24 / 610	42 / 1067	60 / 1524
24 / 610	42 / 1067	66 / 1676
24 / 610	42 / 1067	72 / 1829
24 / 610	48 / 1219	60 / 1524
24 / 610	48 / 1219	66 / 1676
24 / 610	48 / 1219	72 / 1829

PRICING

Source Laminate	Foundation Laminate
713	891
767	957
829	1037
750	937
809	1011
874	1092
766	956
824	1029
890	1113
812	1015
872	1091
946	1182
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
842	1051
910	1137
n/a	n/a
859	1072
929	1161
n/a	n/a
909	1136
986	1232

The Straight Countertop may be mounted off-module alone or together with other countertop types to create transaction surfaces as required.


KLTTWCS
Straight Countertop

WHAT'S INCLUDED

1 countertop, panel-mounting hardware.

NOTES

Mounts over top trim.



PRODUCT OPTIONS

Width	Worksurface Finish	Edge Trim Style	Top Trim Style	Hardware Finish
18, 24, 30, 36, 42, 48, 54, 60, 72	Source Laminate Foundation Laminate	6 Straight	8 Metal 9 Flintwood	Foundation Mica

SAMPLE ORDER CODE

KLTTWCS 36	WB	6	8	E
-------------------	-----------	----------	----------	----------

**DIMENSIONS
INCHES / MM**

W
18 / 457
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
72 / 1829

PRICING

	Source Laminate	Foundation Laminate
	100	124
	106	131
	122	152
	141	176
	158	197
	170	212
	183	228
	199	249
	252	315

If Mica hardware is specified, add 5

KLTTWCB Bullet Countertop


The Bullet Countertop may be mounted off-module alone or together with other countertop types to create transaction surfaces as required. The curved end finishes the run.

WHAT'S INCLUDED

1 countertop, panel-mounting hardware.

NOTES

Mounts over top trim.



PRODUCT OPTIONS

Width	Worksurface Finish	Edge Trim Style	Top Trim Style	Hardware Finish
18, 24, 30, 36, 42, 48, 54, 60, 72	Source Laminate Foundation Laminate	6 Straight	8 Metal 9 Flintwood	Foundation Mica

SAMPLE ORDER CODE

KLTTWCB 36	FC	6	9	E
------------	----	---	---	---

86

DIMENSIONS INCHES / MM

W
18 / 457
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
72 / 1829

PRICING

	Source Laminate	Foundation Laminate
	115	145
	122	152
	134	168
	156	195
	183	228
	187	234
	192	239
	217	271
	265	330

If Mica hardware is specified, add 5

The Double Bullet Countertop mounts off-module and is for use as a stand-alone transaction surface.


WHAT'S INCLUDED

1 countertop, panel-mounting hardware.

NOTES

Mounts over top trim.

KLTTWCD
Double Bullet Countertop



PRODUCT OPTIONS

Width	Worksurface Finish	Edge Trim Style	Top Trim Style	Hardware Finish
18, 24, 30, 36, 42, 48, 54, 60, 72	Source Laminate Foundation Laminate	6 Straight	8 Metal 9 Flintwood	Foundation Mica

SAMPLE ORDER CODE

KLTTWCD 30	WB	6	9	E
-------------------	-----------	----------	----------	----------

DIMENSIONS
INCHES / MM

W
18 / 457
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
72 / 1829

PRICING

	Source Laminate	Foundation Laminate
	196	245
	202	251
	217	270
	239	300
	266	332
	269	335
	287	358
	303	378
	349	436

If Mica hardware is specified, add 5

K L T T W C A Angled Countertop


The Angled Countertop mounts off-module and can be used alone or together with other countertop types to create transaction surfaces for two-way 90° panel connection configurations.

WHAT'S INCLUDED

1 countertop, panel-mounting hardware.

NOTES

Mounts over top trim.



PRODUCT OPTIONS

Width	Orientation	Worksurface Finish	Edge Trim Style	Top Trim Style	Hardware Finish
18, 24, 30, 36, 42, 48, 54, 60, 72	L Left R Right	Source Laminate Foundation Laminate	6 Straight	8 Metal 9 Flintwood	Foundation Mica

SAMPLE ORDER CODE

KLTTWCA 42	L	MG	6	8	E
-------------------	----------	-----------	----------	----------	----------

DIMENSIONS INCHES / MM

W
18 / 457
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
72 / 1829

PRICING

	Source Laminate	Foundation Laminate
	190	236
	196	245
	204	255
	226	282
	235	292
	252	315
	266	331
	290	362
	314	392

If Mica hardware is specified, add 5

The Rectangular Worksurface is a straight worksurface designed for use within a panel-mounted, semi-supported or freestanding environment.


WHAT'S INCLUDED

1 worksurface.

WHAT'S EXCLUDED

Panel-mounted worksurface is not included.

K L T T W R R
Rectangular Worksurface



PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style
24, 30	21, 24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72	Source Laminate Foundation Laminate	6 Straight

SAMPLE ORDER CODE

KLTTWRR 30	39	LW	6
-------------------	-----------	-----------	----------

**DIMENSIONS
INCHES / MM**

H	W
24 / 610	21 / 533
24 / 610	24 / 610
24 / 610	27 / 686
24 / 610	30 / 762
24 / 610	33 / 838
24 / 610	36 / 914
24 / 610	39 / 990
24 / 610	42 / 1067
24 / 610	45 / 1143
24 / 610	48 / 1219
24 / 610	51 / 1295
24 / 610	54 / 1372
24 / 610	57 / 1448
24 / 610	60 / 1524
24 / 610	63 / 1600
24 / 610	66 / 1676
24 / 610	69 / 1753
24 / 610	72 / 1828

PRICING

Source Laminate	Foundation Laminate
203	252
206	257
208	261
213	265
226	283
241	301
245	306
248	309
250	312
252	314
313	391
348	435
371	463
392	490
405	506
424	530
424	530
425	531

**DIMENSIONS
INCHES / MM**


H	W
30 / 762	21 / 533
30 / 762	24 / 610
30 / 762	27 / 686
30 / 762	30 / 762
30 / 762	33 / 838
30 / 762	36 / 914
30 / 762	39 / 990
30 / 762	42 / 1067
30 / 762	45 / 1143
30 / 762	48 / 1219
30 / 762	51 / 1295
30 / 762	54 / 1372
30 / 762	57 / 1448
30 / 762	60 / 1524
30 / 762	63 / 1600
30 / 762	66 / 1676
30 / 762	69 / 1753
30 / 762	72 / 1828

PRICING

Source Laminate	Foundation Laminate
n/a	n/a
225	281
226	283
229	286
252	315
273	341
279	347
282	351
295	369
309	385
362	452
388	484
401	501
407	510
430	538
468	584
482	601
495	618

KLTTWCR

Radius Corner Worksurface with Return



The Radius Corner Worksurface with Return is a rectangular surface combined with a transitional corner which can be connected to a surface of a different depth within the panel environment.

WHAT'S INCLUDED

1 worksurface with return.

NOTES

This product does not accept a keyboard support.

Panel-mounted worksurfaces may not span more than 60" without additional support.

PRODUCT OPTIONS

Depth A	Width A	Width B	Orientation	Worksurface Finish	Edge Trim Style
24, 30	36, 40, 42, 48	48, 51, 54, 57, 60, 63, 66, 69, 72	L Left (Shown) R Right	Source Laminate Foundation Laminate	6 Straight

SAMPLE ORDER CODE

KLTTWCR 30	42	63	L	TB	6
------------	----	----	---	----	---

DIMENSIONS INCHES / MM

Da	Wa	Wb
24 / 610	36 / 914	48 / 1219
24 / 610	36 / 914	51 / 1295
24 / 610	36 / 914	54 / 1372
24 / 610	36 / 914	57 / 1448
24 / 610	36 / 914	60 / 1524
24 / 610	36 / 914	63 / 1600
24 / 610	36 / 914	66 / 1676
24 / 610	36 / 914	69 / 1753
24 / 610	36 / 914	72 / 1828
24 / 610	40 / 1016	48 / 1219
24 / 610	40 / 1016	51 / 1295
24 / 610	40 / 1016	54 / 1372
24 / 610	40 / 1016	57 / 1448
24 / 610	40 / 1016	60 / 1524
24 / 610	40 / 1016	63 / 1600
24 / 610	40 / 1016	66 / 1676
24 / 610	40 / 1016	69 / 1753
24 / 610	40 / 1016	72 / 1828

PRICING

Source Laminate	Foundation Laminate
617	771
638	797
647	809
647	809
647	809
664	828
678	846
678	846
684	855
626	782
647	809
657	821
657	821
657	821
673	841
688	860
688	860
693	866

DIMENSIONS INCHES / MM

Da	Wa	Wb
24 / 610	42 / 1067	48 / 1219
24 / 610	42 / 1067	51 / 1295
24 / 610	42 / 1067	54 / 1372
24 / 610	42 / 1067	57 / 1448
24 / 610	42 / 1067	60 / 1524
24 / 610	42 / 1067	63 / 1600
24 / 610	42 / 1067	66 / 1676
24 / 610	42 / 1067	69 / 1753
24 / 610	42 / 1067	72 / 1828
24 / 610	48 / 1219	48 / 1219
24 / 610	48 / 1219	51 / 1295
24 / 610	48 / 1219	54 / 1372
24 / 610	48 / 1219	57 / 1448
24 / 610	48 / 1219	60 / 1524
24 / 610	48 / 1219	63 / 1600
24 / 610	48 / 1219	66 / 1676
24 / 610	48 / 1219	69 / 1753
24 / 610	48 / 1219	72 / 1828

PRICING

Source Laminate	Foundation Laminate
626	782
647	809
657	821
657	821
657	821
673	841
688	860
688	860
693	866
n/a	n/a
684	855
688	860
688	860
693	866
693	866
693	866
693	866
699	872
704	879

Additional pricing is continued on the following page.

K L T T W C R
Radius Corner Worksurface
with Return (Continued)

DIMENSIONS
INCHES / MM

Da	Wa	Wb
30 / 762	36 / 914	48 / 1219
30 / 762	36 / 914	51 / 1295
30 / 762	36 / 914	54 / 1372
30 / 762	36 / 914	57 / 1448
30 / 762	36 / 914	60 / 1524
30 / 762	36 / 914	63 / 1600
30 / 762	36 / 914	66 / 1676
30 / 762	36 / 914	69 / 1753
30 / 762	36 / 914	72 / 1828
30 / 762	40 / 1016	48 / 1219
30 / 762	40 / 1016	51 / 1295
30 / 762	40 / 1016	54 / 1372
30 / 762	40 / 1016	57 / 1448
30 / 762	40 / 1016	60 / 1524
30 / 762	40 / 1016	63 / 1600
30 / 762	40 / 1016	66 / 1676
30 / 762	40 / 1016	69 / 1753
30 / 762	40 / 1016	72 / 1828

PRICING

Source Laminate	Foundation Laminate
626	782
647	809
657	821
657	821
657	821
673	841
688	860
688	860
693	866
651	814
651	814
651	814
651	814
651	814
725	905
725	905
725	905
725	905

DIMENSIONS
INCHES / MM

Da	Wa	Wb
30 / 762	42 / 1067	48 / 1219
30 / 762	42 / 1067	51 / 1295
30 / 762	42 / 1067	54 / 1372
30 / 762	42 / 1067	57 / 1448
30 / 762	42 / 1067	60 / 1524
30 / 762	42 / 1067	63 / 1600
30 / 762	42 / 1067	66 / 1676
30 / 762	42 / 1067	69 / 1753
30 / 762	42 / 1067	72 / 1828
30 / 762	48 / 1219	48 / 1219
30 / 762	48 / 1219	51 / 1295
30 / 762	48 / 1219	54 / 1372
30 / 762	48 / 1219	57 / 1448
30 / 762	48 / 1219	60 / 1524
30 / 762	48 / 1219	63 / 1600
30 / 762	48 / 1219	66 / 1676
30 / 762	48 / 1219	69 / 1753
30 / 762	48 / 1219	72 / 1828

PRICING

Source Laminate	Foundation Laminate
651	814
651	814
651	814
651	814
651	814
725	905
725	905
725	905
725	905
642	803
664	828
664	828
664	828
664	828
664	828
755	944
766	956
766	956
766	956

KLTTDVT Top for Pedestal


The Top for Pedestal is a rectangular surface combined with a transitional corner which can be connected to a surface of a different depth within the panel environment.

WHAT'S INCLUDED

1 worksurface.

NOTES

Need to be attached using double sided tape at site. Tape not included.



PRODUCT OPTIONS

Depth	Worksurface Finish	Edge Trim Style
24, 30	Source Laminate Foundation Laminate	6 Straight

SAMPLE ORDER CODE

KLTTDVT 24	LW	6
------------	----	---

92

DIMENSIONS INCHES / MM

W
24 / 610
30 / 762

PRICING

Source Laminate	Foundation Laminate
104	130
126	156

The Top for Lateral File is a rectangular surface combined with a transitional corner which can be connected to a surface of a different depth within the panel environment.


WHAT'S INCLUDED

1 worksurface.

NOTES

Need to be attached using double sided tape at site. Tape not included.

KL TTFV
Top for Lateral File



PRODUCT OPTIONS

Width	Worksurface Finish	Edge Trim Style
30, 36, 42, 60, 72, 84	Source Laminate Foundation Laminate	6 Straight

SAMPLE ORDER CODE

KL TTFV 42	LW	6
-------------------	-----------	----------

**DIMENSIONS
INCHES / MM**

W
30 / 762
36 / 914
42 / 1067
60 / 1524
72 / 1829
84 / 2134

PRICING

	Source Laminate	Foundation Laminate
	200	251
	239	298
	303	378
	382	478
	467	583
	556	694

KLTWWC

120° Corner Worksurface


The 120° Corner Worksurface is designed to use in 120° corners.

WHAT'S INCLUDED

1 worksurface.

NOTES

To be used with Transit Lite thick and thin panel. Worksurface does not have gap.



PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style
24, 30	48, 54, 60	Source Laminate Foundation Laminate	6 Straight

SAMPLE ORDER CODE

KLTWWC 30	48	R1	6
------------------	-----------	-----------	----------

94

DIMENSIONS INCHES / MM

H	W
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524

PRICING

Source Laminate	Foundation Laminate
937	1335
1076	1445
1193	1690
1000	1415
1143	1615
1267	1791

worksurface supports &
accessories

worksurface supports & accessories


PRODUCT MAP98

PRODUCT LISTING100

product map

KLTPLON Thin Panel On-Module Cantilever

Page 100
Depth: 20"




DHBRKT Worksurface Bracket

Page 101




KLTLO N On-Module Cantilever

Page 102




KLTLEFE Flush End

Page 103




KLTLEFL Fixed-Height Gable

Page 104




KLTLECL C-Leg

Page 105




KLTLOE Open End

Page 106




KLTLSM Semi-Suspended Monoleg

Page 107




KLTLS P Semi-Suspended Post

Page 108




KLTXP L xm Post Leg

Page 109




KLTLCB On-Module Corner Brackets

Page 110




KLTLEFP Flush Plates

Page 111



K L A C M P Modesty Panel

Page 112




worksurface supports & accessories

KLTPLO N Thin Panel On-Module Cantilever

The Thin Panel On-Module Cantilever is applied to support worksurfaces. It fits flush beneath panel-mounted worksurfaces to allow for knee clearance.

WHAT'S INCLUDED

1 cantilever with brackets & fasteners.



PRODUCT OPTIONS

Depth	Orientation	Finish
20	L Left R Right	Foundation Mica

SAMPLE ORDER CODE

KLTPLO N 20	R	P
-------------	---	---

PRICING


Foundation	Mica
58	63

The Worksurface Bracket supports worksurface at any location along the mid rail of the panel.

WHAT'S INCLUDED

1 worksurface bracket & mounting brackets.

D H B R K T Worksurface Bracket



PRODUCT OPTIONS

Finish

Foundation

Mica

SAMPLE ORDER CODE

DHBRKT G

PRICING

Foundation	Mica
8	12

worksurface supports & accessories

KLT L O N

On-Module Cantilever

The On-Module Cantilever is applied on-module (in the panel hingeway) to support worksurfaces. It fits flush beneath panel-mounted worksurfaces to allow knee clearance. It can be applied in a right hand, left hand or shared position.


WHAT'S INCLUDED

1 Cantilever with integral safety hook, 2 shared brackets, fasteners.

NOTES

Use Flush Plates (TLFP) in addition to the cantilever on 30" deep worksurfaces.

Use deepest cantilever on worksurface.



PRODUCT OPTIONS

Depth	Orientation	Finish
12, 17, 23	L Left R Right	Foundation Mica

SAMPLE ORDER CODE

KLT L O N 12	R	P
--------------	---	---

DIMENSIONS INCHES / MM

D
12 / 305
17 / 432
23 / 584

PRICING

Foundation	Mica
47	54
53	59
58	63

worksurface supports & accessories

The Flush End provides non-handed fully-enclosed height-adjustable support at the end of a run of panel-mounted worksurfaces, semi-supported worksurfaces, or with Transit freestanding units.

K L T L F E Flush End

WHAT'S INCLUDED

1 Flush End, fasteners, levelers, mounting kit (if specified).


NOTES

The FS Single Mounting Kit is finished to match the support.

Modesty panel required for freestanding application.

Mounting Kits may be retrofitted.

The Panel Mount Kit is Black.



PRODUCT OPTIONS

Depth	Finish	Mounting Kit
24, 30	Foundation Mica	1 Panel Mount 2 None

SAMPLE ORDER CODE

KLTLFE 24	P	1
------------------	----------	----------

DIMENSIONS INCHES / MM

D
24 / 610
30 / 762

PRICING

Foundation	Mica	Panel Mount
349	384	62
362	399	62

worksurface supports & accessories

KLTLFL

Fixed-Height Gable


The Fixed Height Gable is a non-handed support providing fully enclosed support at the end of a run of panel-mounted (on- or off-module) worksurfaces and Altos wall mounted worksurfaces.

WHAT'S INCLUDED

1 Gable, levelers, mounting kit (as specified), mounting hardware.

NOTES

Mounting Kits are Black.



PRODUCT OPTIONS

Depth	Mounting Kit	Hardware Finish	Gable Finish	Edge Trim Style
24, 30	1 Panel Mount Kit	Foundation	Source Laminate Foundation laminate	6 PVC Straight

SAMPLE ORDER CODE

KLTLFL 24	1	P	X2	6
-----------	---	---	----	---

DIMENSIONS INCHES / MM

D
24 / 610
30 / 762

PRICING

Source Laminate	Foundation Laminate
303	356
326	384

worksurface supports & accessories

The C-Leg provides non-handed, height-adjustable worksurface support within a panel-mounted, semi-supported or freestanding application.

KLTLCL C-Leg

WHAT'S INCLUDED

1 C-Leg, integral levelers, hardware, Mounting Kit (if specified).

NOTES

The FS Mounting Kit (TLCL3/4/5) is finished to match the support.


The Panel-Mounting Kit is finished in Black.

Modesty Panel required for freestanding applications.

Mounting Kits may be retrofitted.

Use flush plates in addition to cantilever on 30" deep worksurfaces.

Use deepest support on worksurfaces.



PRODUCT OPTIONS

Depth	Finish	Mounting Kit
15, 24, 30	Foundation Mica	1 Panel Mount Kit (Shown) 2 None

SAMPLE ORDER CODE

KLTLCL 24	P	1
-----------	---	---

DIMENSIONS INCHES / MM

D
15 / 381
24 / 610
30 / 762


PRICING

Foundation	Mica	Panel Mount Kit
362	399	62
377	410	62
389	425	n/a

worksurface supports & accessories

KLTLOE

Open End



The Open End is a non-handed, height-adjustable support. It provides support for semi-supported worksurfaces or freestanding tables.

WHAT'S INCLUDED

1 Open End, levelers, fasteners.

NOTES

Depth of open end must match depth of the worksurface.

Levelers are Black.

PRODUCT OPTIONS

Depth	Finish
24, 30, 36	Foundation Mica

SAMPLE ORDER CODE

KLTLOE 24	P
-----------	---

DIMENSIONS INCHES / MM

D
24 / 610
30 / 762
36 / 914

PRICING

Foundation	Mica
293	328
322	356
333	370

worksurface supports & accessories

The Semi-Suspended Monoleg provides height adjustable support to the free end of a panel-mounted or semi-supported worksurface such as a Bullet Top, D-Top, Cove or P-Top.


K L T L S M Semi-Suspended Monoleg

WHAT'S INCLUDED

1 Monoleg, integral leveler, fasteners.

NOTES

Cannot be used to create freestanding worksurfaces.



PRODUCT OPTIONS

Leg Finish	Leveler Finish
Foundation Mica	Foundation

SAMPLE ORDER CODE


KLTLSM Q	P
----------	---

PRICING

Foundation	Mica
209	245

K L T L S P

Semi-Suspended Post



The Semi-Suspended Post provides height-adjustable secondary support at the front of a worksurface 36" or deeper.

WHAT'S INCLUDED

1 Post, integral leveler, fasteners.

NOTES

Cannot be used to create freestanding worksurfaces.

Must be used with additional support.

PRODUCT OPTIONS

Post Finish		Leveler Finish	
Foundation		Foundation	
Mica			

SAMPLE ORDER CODE

K L T L S P Q	P
---------------	---

PRICING

Foundation	Mica
153	169

worksurface supports & accessories

The xm Post Leg non handed height adjustable secondary support used at the front of a worksurface as an aesthetic alternative to the Semi-Suspended Post Leg (TLSP).

KLTXPL xm Post Leg


WHAT'S INCLUDED

1 xm Post Leg (as specified) and mounting hardware.

NOTES

Cannot be used to create freestanding worksurfaces.

Levelers have an Anodized Aluminum finish.



PRODUCT OPTIONS

Leg Type	Finish
1 Fixed	Foundation
2 Adjustable	Mica

SAMPLE ORDER CODE

KLTXPL 1	P
----------	---

LEG TYPE

PRICING

	Foundation	Mica
1	119	1339
2	153	169

KLTLCB

On-Module Corner Brackets


On-Module Corner Brackets provide on-module worksurface support in a corner or at the end of a worksurface. It can be applied in a right or left hand position.

WHAT'S INCLUDED

2 brackets (left & right), with integral safety hook, 2 anti-dislodgement clips.

NOTES

This product can only be used with Acoustic Elements (THA), Tackable Elements (TTA) or Wood Elements (TFE).



Left

Right

PRODUCT OPTIONS

Finish

Foundation

Mica

SAMPLE ORDER CODE

KLTLCB Q

PRICING

Foundation	Mica
28	28

The Flush Plate ensures alignment between adjacent worksurfaces and is used in conjunction with other worksurface supports.


WHAT'S INCLUDED

2 Flush Plates, fasteners.

NOTES

This product is Black.

K L T L F P
Flush Plates



PRICING

40 / Pair

worksurface supports & accessories

KLACMP Modesty Panel

The Modesty Panel provides seated privacy to freestanding and semi-supported worksurfaces. It has an integral wire management tray and allows easy wire flow.


WHAT'S INCLUDED

1 Modesty Panel, wire tray, and mounting screws.

NOTES

Please see the worksurface dimensions page to determine the appropriate width of the Modesty Panel to be specified.

Wire tray and mounting hardware are Black.



PRODUCT OPTIONS

Width	Finish
15, 21, 24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60	Foundation Mica

SAMPLE ORDER CODE

KLACMP 24	P
-----------	---

DIMENSIONS INCHES / MM

W
15 / 381
21 / 533
24 / 610
27 / 686
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
48 / 1219
51 / 1295
54 / 1372
57 / 1448
60 / 1524

PRICING

Foundation	Mica
203	226
223	245
229	252
245	269
252	275
260	287
269	295
275	305
294	326
302	331
310	341
318	351
337	372
347	383
353	389

freestanding storage &
accessories


freestanding storage & accessories

PRODUCT MAP 123

PRODUCT LISTING 123


KLDSF Lateral File

Page 118
Width: 75cm & 90cm



KLDS S Storage Cabinet


Page 119
Width: 75cm & 90cm



KLKDN Pedestal

Page 120
Depth: 18", 22", 28" / Width: 15"

20.8" h 24" h 27.2" h 27.2" h




Box, File Pencil, Box, File Box, Box, File Large File, File

KLKDSN Mobile Pedestal with Seat

Page 121
Width: 15" / Depth: 22"

24.4" h 26" h




Small Box, File Box, File

KLKDNW Mobile Pedestal


Page 122
Width: 15" / Depth: 18", 22" & 28"


23.8" h 25.4" h 30.2" h 30.2" h



Box, File Pencil, Small Box, File Box, Box, File Large File, File

KLTK Lock & Keys

Page 123 



Lock Removal Key Numbered Keys Master Key Lock Core and Key

freestanding storage & accessories

KLDSF Lateral File

The Lateral Files are available in a variety of heights to provide high density filing and organized storage.


WHAT'S INCLUDED

1 lateral file, 2 hanging file bars per drawer, lock and keys.

NOTES

Counterweight must be specified separately and are required for all laterals not located under worksurfaces.

Drawer front finish matches case finish.



PRODUCT OPTIONS

Configuration	Width	Case & Frame Finish	Drawer Front Style	Key Style	Casters & Counterweights
20 Two-High (69cm)	08 75cm	Foundation	D1 Hard Front	K Keyed Alike	W2 Counterweight
30 Three-High (101cm)	09 90cm	Mica		R Keyed Randomly	
40 Four-High (132cm)					
50 Five-High (165cm)					

SAMPLE ORDER CODE

KLDSF 40	09	G	D1	K	W2
----------	----	---	----	---	----

DIMENSIONS CODE/CMS

W	TWO-HIGH		THREE-HIGH		FOUR HIGH		FIVE HIGH	
	Foundation	Mica	Foundation	Mica	Foundation	Mica	Foundation	Mica
08/75	645	781	891	1146	1146	1468	1485	1859
09/90	671	866	934	1189	1189	1520	1535	1910

If Counterweight is specified, add 246

freestanding storage & accessories

The Storage Cabinets are available in a variety of heights with or without adjustable shelves to provide enclosed storage.

K L D S S


Storage Cabinet

WHAT'S INCLUDED

1 storage cabinet, shelves (if specified), lock & keys, levelers.

NOTES

Cabinet walls are slotted in 2.5cm increments for shelf adjustment.



PRODUCT OPTIONS

Configuration	Width	Case & Frame Finish	Key Style
20 Two-High (69cm); doors, no shelf	08 75cm	Foundation	K Keyed Alike
21 Two-High (69cm); doors, 1 shelf	09 90cm	Mica	R Keyed Randomly
30 Three-High (101cm); doors, no shelves			
31 Three-High (101cm); doors, 2 shelves			
40 Four-High (132cm); doors, no shelves			
41 Four-High (132cm); doors, 3 shelves			
50 Five-High (164cm); doors, no shelves			
51 Five-High (164cm); doors, 4 shelves			

SAMPLE ORDER CODE

KLDSS 51	09	G	K
-----------------	-----------	----------	----------

DIMENSIONS CODE/CMS

W
08/75
09/90

PRICING

TWO-HIGH / NO SHELF

Foundation	Mica
439	513
450	551

TWO-HIGH / 1 SHELF

Foundation	Mica
483	571
496	607

THREE-HIGH / NO SHELF

Foundation	Mica
507	632
551	676

THREE-HIGH / 2 SHELVES

Foundation	Mica
597	747
640	791

FOUR-HIGH / NO SHELF

Foundation	Mica
595	745
638	788

FOUR-HIGH / 3 SHELVES

Foundation	Mica
729	916
772	960

FIVE-HIGH / NO SHELF


Foundation	Mica
676	850
713	976

FIVE-HIGH / 4 SHELVES

Foundation	Mica
856	1080
893	1116

freestanding storage & accessories

KLKDN Pedestal



The Pedestal provides storage below the worksurface and is available in four drawer configurations.

WHAT'S INCLUDED

1 pedestal, locks & keys, levelers or casters as specified and accessories as detailed.

	Drawer Combinations			
	BF	PBF	BBF	LF
Pencil Tray	1	1	1	n/a
Drawer Divider	1	1	1	n/a
Hanging File Bar	1	1	1	1

NOTES

Not all configurations are available as Xpress. Please see pricing for exact offering.

Box, box, file (BBF) and Large file, file (LF) pedestals with casters will not fit under standard 29" high worksurfaces.

Not all depths of pedestals can receive Casters & Counterweight (W1) option. If mobility is required, please see Mobile Pedestal (KLKDOWN).

PRODUCT OPTIONS

Drawer Configurations	Depth	Width	Case & Drawer Finish	Key Style	Worksurface Supporting	Casters & Counterweight
NBF Box, File	18, 22, 28	15	Foundation	K Keyed Alike	1 Yes	W1 Casters & Counterweight
PBF Pencil, Box, File			Mica	R Keyed Randomly	2 No	W2 Counterweight
BBF Box, Box, File						
NLF Large File, File						

SAMPLE ORDER CODE

KLKDN BBF	22	15	G	R	1	W2
------------------	-----------	-----------	----------	----------	----------	-----------

DIMENSIONS INCHES / MM

D
18 / 457
22 / 559
28 / 711

PRICING

BOX, FILE (BF)		PENCIL, BOX, FILE (PBF)		BOX, BOX, FILE (BBF)		LARGE FILE, FILE (LF)	
Foundation	Mica	Foundation	Mica	Foundation	Mica	Foundation	Mica
555	634	622	707	621	701	588	667
576	658	648	734	653	732	611	692
634	717	707	794	717	799	667	749

If counterweight is specified, add 74

If casters & counterweight are specified, add 152

The Mobile Pedestal with Seat provides personal storage and temporary casual seating within a workstation.

WHAT'S INCLUDED

1 pedestal with seat, 4 casters, 1 pencil tray, 1 hanging file bar, A4 letter conversion rails, counterweight, lock & keys.


NOTES

Top molded handle is available in Black.

Yardage requirement for com or col is 0.75 yards based on a pattern of repeat of no more than 4" horizontal or vertical. Larger repeats will require additional yardage.

KLKDSN

Mobile Pedestal with Seat



Small Box, File

Box, File

PRODUCT OPTIONS

Drawer Configurations		Depth	Width	Case & Drawer Finish	Seat Finish	Key Style
SF	Small Box, File	22	15	Foundation	Fabric	K Keyed Alike R Keyed Randomly
BF	Box, File			Mica	Leather	

SAMPLE ORDER CODE

KLKDSN BF	22	15	G	N101	K
-----------	----	----	---	------	---

DRAWER CONFIGURATIONS

PRICING

FOUNDATION CASE AND DRAWERS

	COM/ Grade 1	COM/ Grade 2	COL/ Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10
SF	1192	1229	1266	1317	1361	1414	1465	1509	1561	1577
BF	1205	1241	1279	1329	1375	1426	1478	1521	1574	1589
	Leather LA	Leather LB	Leather LC	Leather LD						
SF	1577	1628	1780	1831						
BF	1589	1641	1792	1842						

If Mica case and drawers for Small Box, File (SF) is specified, add 107

If Mica case and drawers for Box, File (BF) is specified, add 112


freestanding storage & accessories

KLKDW N Mobile Pedestal

Mobile Pedestals are equipped with large casters that allow for easy movement within a workstation.

WHAT'S INCLUDED

1 pedestal, 4 casters, locks & keys, and accessories as detailed.



	Drawer Combinations			
	BF	PSF	BBF	LF
Pencil Tray	1	1	1	n/a
Drawer Divider	1	1	1	n/a
Hanging File Bar	1	1	1	1

NOTES

Not all configurations are available as Xpress. Please see pricing for exact offering.

PRODUCT OPTIONS

Drawer Configurations	Depth	Width	Case & Drawer Finish	Key Style
NBF Box, File	18, 22, 28	15	Foundation	K Keyed Alike R Keyed Randomly
PSF Pencil, Small Box, File			Mica	
BBF Box, Box, File				
NLF Large File, File				

SAMPLE ORDER CODE

KLKDOWN BBF	22	15	G	R
--------------------	-----------	-----------	----------	----------

DIMENSIONS INCHES / MM

D
18 / 457
22 / 559
28 / 711

PRICING

BOX, FILE (BF)		PENCIL, SMALL BOX, FILE (PSF)		BOX, BOX, FILE (BBF)		LARGE FILE, FILE (LF)	
Foundation	Mica	Foundation	Mica	Foundation	Mica	Foundation	Mica
721	800	808	893	788	870	763	841
749	830	841	926	829	908	794	872
825	904	922	1001	910	991	868	943



Lock & Keys

WHAT'S INCLUDED

Style K: 2 Keys (1 package) with number as specified, on a ring. (1 of the keys has a jacket.)

Style M: 1 Master Key.

Style R: 1 Lock Removal Key.

Style C: 1 Lock Core and Keys.


NOTES

The Numbered Keys are additional keys or replacement keys for lost or misplaced keys.

The Master Key unlocks any storage unit.

The Lock Removal Key removes lock cores from storage units.

Lock Cores and Keys are replacements for those currently installed.



PRODUCT OPTIONS

Style	
K	Numbered Key
M	Master Key
R	Lock Removal Key
C	Lock Core & Key

SAMPLE ORDER CODE

KLTK K

KEY TYPE	PRICING
K	6
M	6
R	6
C	22

fabrics & finishes

teknion

www.teknion.com

teknion asia hq:
Lot 761 Jalan Haji Sirat
Off Jalan Meru,
42100 Klang, Selangor
Malaysia
Tel 603-3342-4345

in canada:
1150 Flint Road
Toronto, Ontario
M3J 2J5 Canada
Tel 866.teknion
866.835.6466

in the usa:
350 Fellowship Road
Mt Laurel, New Jersey
08054 usa
Tel 877.teknion
877.835.6466

other offices located in:
Europe, South and Central America
Middle East and Russia
For regional contact information
go to www.teknion.com

my 06
©Teknion 2019

®, ™ trade marks of Teknion
Corporation and/or its subsidiaries or
licensed to it. Patents may be pending.

Some products may not be available
in all markets. Contact your
local Teknion Representative for
availability.