teknion sanna lightbar



sanna lightbar

02

The Sanna Lightbar provides a truly hi-performance lighting experience via its simple and elegant form, 360 degree adjustment and full-range dim control that transform it from a companion ambient light to a work-focused task light. It creates a lighting experience to complement the mood, task or time of day.

Sanna Lightbar's linear LED light is cleverly integrated into its sophisticated swing-arm mechanism, which hovers across a horizontal plane below the user's line of sight. Ergonomic and glare-free, it allows the user to articulate maximum light coverage across a surprisingly wide area on the desktop, then fold it away to half its size and provide a controlled ambient light.







01 home position

The signature position which gave Sanna Lightbar its name, the home position features a precise gap between the light engine and reach, allowing a thin bar of light to escape. oz companion position

The light engine positions towards or At full articulation, the light engine away from the user to help facilitate the task at hand. Alternating between providing an accurate level of high positions and dimming levels creates many diverse moods.

03 focus position

hovers over a large surface area quality, focused LED light.

04 light shade

The reach arm that articulates the light engine features a hollow design, acting as a shade element when Sanna Lightbar is in its home position.

05 mounting options

Supporting application and placement requirements, Sanna Lightbar is offered with a freestanding base, mount-through or edge clamp option. sanna lightbar finishes


Sanna Lightbar is available in three curated color palettes, each classic yet offering distinction for aesthetic integration with other furnishings.

The freestanding base features an upholstered insert for convenient placement of personal items or work tools.





specifications



01 optical switch

- Full range dim control from 100 percent to 10 percent with swipe selection of 100/50/0
- 6 hour automatic shut off timer

oz high output LED light engine

- 3000K color temperature
- 50,000 hours
- 8w power consumption
- 120/220V 60HZ voltage
- 2500 lux illuminance
- 90+CRI
- 610 lumens
- 75 lumens/watt

03 reach cut out


• Creates a unique ambient experience allowing only a portion of the light to reach the surface 04 woven cord

- Cord length 6 feet
- Lock and turn into power adapater
- Available as a DC connection option



dimensions

width: 23"



teknion

www.teknion.com

IN CANADA
II50 Flint Road
Toronto, Ontario
M3J 2J5 Canada
Tel 866.teknion
866.835.6466

IN THE USA
350 Fellowship Road
Mt Laurel, New Jersey
08054 USA
Tel 877.teknion
877.835.6466

OTHER OFFICES LOCATED IN Europe, South and Central America, Middle East, Asia and Russia For regional contact information go to www.teknion.com

CAN/US/INT 06-20
©Teknion 2020
®, TM trade marks of Teknion
Corporation and/or its subsidiaries or
licensed to it. Patents may be pending.

Brochure Design: Vanderbyl Design Printed in Canada.