

complements (asia pacific)

teknion's ergonomics &
accessories program

10.23.2023



teknion

complements Designed to

support health and productivity at work, the

Complements Ergonomics & Accessories

Program offers paper flow, lighting and

organizational products that integrate with all

Teknion furniture to enhance individual and

group workspaces.

The Complements program comprises

Ergonomic Accessories such as keyboard

solutions, work displays and Work Flow

Accessories that keep documents and

supplies close at hand and display various

personal items. Task Lighting directs light to the task at hand and electrical products support the use of technology. Teknion has also partnered with international industry designers to further expand Complements with innovative, environmentally friendly products that bring the functional beauty of European residential furniture to the workplace.

contents

WHERE TO FIND THE INFORMATION YOU NEED	3
ELECTRICAL OVERVIEW	6
PRODUCT LIST	9

update summary

Please be advised that information has been updated within the Complements (Asia Pacific) Price & Application Guide. To highlight these updates, a summary has been created for your reference.

UPDATE

The following USB option have been update on the following product:

- Netbox Smart 2-Gang (KLCNBSM2)
- Netbox Smart 3-Gang (KLCNBSM3)
- Netbox Smart 4-Gang (KLCNBSM4)

Please note, first orders for new products will be accepted on October 23, 2023. All software will also be updated by October 23, 2023. If you have any questions regarding the information enclosed, please contact your Teknion Customer Service Representative.

where to find the information you need

Teknion provides an array of tools and information resources to help you get things done simply and easily. From product pricing to application guidelines to online planning suggestions, you will find what you need when you need it.

guide contents

This guide contains all the information you need to order this product through your specification software. The Introduction section provides everything you need to get started, including an index for product reference. The Application Guide section contains detailed specification guidelines, application and planning information to help you plan your project correctly. The Price Guide sections provide detailed pricing and specification information by product type. Available online at www.teknion.com.

where to find the information you need

All Teknion marketing materials are available online at www.teknion.com, including:

price & product guide

application guide

planning tool

installation guides

fabrics & finishes

product photography & drawings

weights & volumes

order forms

warranty/terms & conditions of sale

xpress program guide

teknion forms

The following forms are available online at www.teknion.com, to help you specify and place your order if required:

teknipaint

If you require a custom paint color match, you must submit a TekniPaint form.

using your own material (COM)

If you wish to use your own material on fabric-covered products, you must submit a completed COM form including a sample upholstery and safety testing. A COM Order Information Sheet must also be submitted. This form captures all relevant ordering and tracking information. A COM Request for Yardage Calculation form may be sent to Teknion for preliminary yardage requirements.

placing a manual order

Complete an Order Cover Sheet with the information we need to fill your order. This is the most important step. If the Order Cover Sheet is not complete and correct, the order may be delayed.

key requirements

If you require that certain pieces share the same locks you will need to specify Set of Keys Alike (SOKL) located in the Price and Product Guide.

user feedback

How is our marketing material working for you?

Feedback from the user is very important to the quality of Teknion's marketing material. We ask that if you have suggestions on how you think we could improve content OR if you have found an error, that you contact your Teknion Technical Services department.



index

Section Contents	Product Code	Page No.
Introduction		
Electrical Overview		6
Certifications & Approvals		7
Electrics		
Distribution Box	KLC LTB	10
Netbox M 2-Gang	KLCNB2	11
Netbox M 3-Gang	KLCNB3	12
Netbox M 4-Gang	KLCNB4	13
Netbox Axial 4-Gang	KLCNBA4	14
Netbox Axial 5-Gang	KLCNBA5	15
Netbox Axial 6-Gang	KLCNBA6	16
Netbox Rail 3-Gang	KLCNBR3	17
Netbox Rail 4-Gang	KLCNBR4	18
Netbox Rail 5-Gang	KLCNBR5	19
Netbox Rail 6-Gang	KLCNBR6	20
Netbox Turn 4-Gang	KLCNBT4	21
Netbox Turn 5-Gang	KLCNBT5	22
Netbox Turn 6-Gang	KLCNBT6	23
Profilebox 3-Gang	KLCPB3	24
Profilebox 4-Gang	KLCPB4	25
Profilebox 5-Gang	KLCPB5	26
Profilebox 6-Gang	KLCPB6	27
Starter Cable	KLCSC	28
Connector Cable	KLCCC	29
Connector	KLCGST	30
Netbox Smart 2-gang	KLCNBSM2	31
Netbox Smart 3-gang	KLCNBSM3	32
Netbox Smart 4-gang	KLCNBSM4	33

electrical overview

Complements offers a variety of electrical and communication components to accommodate all electrical needs.



Nextbox Turn (KLCNBT)

- The netbox turn comfort shown in an open and closed position.
- NETBOX Turn are built-in units.
- Rotate -manually for the former and at the touch of a button for the latter – in order to either expose or conceal the socket outlets.
- When rotated to the “closed” position, the unit sits flush with the surface into which it is mounted.



Nextbox Axial (KLCNBA)

- The netbox axial comfort can be utilised in a “closed” position
- NETBOX Axial is a built-in solutions that close flat and flushed against their mounted surface.
- Accessible from the front to reveal the power, voice and data sockets when required – pivoting upwards for the former and at a touch of a button for the latter.
- Advantage of remaining closed
- The outlets are positioned below the table surface



Nextbox Rail (KLCNBR)

- The unit is easily built into panel, cubicle and partition systems.
- Maximizes the use of space in workstations, most commonly office spaces with panels, cubicles and partitions.
- The modular surface-mounted unit can be easily built into these systems, and then fixed with screws from behind.



Nextbox M (KLCNB)

- Standard socket box for power, data and voice, the NETBOX M is a functional and cost efficient electrification solution available in 2-, 3- or 4-gang configurations.
- Can be installed and used in many situations, and may be mounted on any given surfaces or concealed within partitions and cable trays.



Nextbox Profilebox (KLCPB)

- Ideal for concealed installations.
- The unit can be customized to include surge protection, separate earth, power cleaners, switches and separate power circuits.
- Detachable plastic clamps allow the netbox profilebox to be affixed to any surface with ease.



Distribution Box (KLCLTB)

- The light terminal box is ideal for the cabling in a lighting system or a workstation.
- Enables you to manage your cable network effectively and efficiently.
- The “Plug and Play” technology permits you to save time if you have to relocate or change the configuration of your installation.

certifications & approvals

Material Information

Plastics:

- Self-extinguishing according to UL 94 (FR)
- Low concentration of heavy metal

Markings and approvals



Recycling



CE



geeignet für
Möbeleinsatz



geeignet für
Hohlräume



VDE



ÖVE



Demko



NEMKO



SEMKO



FIMKO



KEMA / KEUR



TÜV / GS



ENEC 05



CEBEC



IMQ



Taff - Tecken



SIRIM




PSB

CONTENTS

KLCLTB	DISTRIBUTION BOX	10
KLCNB2	NETBOX M 2-GANG	11
KLCNB3	NETBOX M 3-GANG	12
KLCNB4	NETBOX M 4-GANG	13
KLCNBA4	NETBOX AXIAL 4-GANG.	14
KLCNBA5	NETBOX AXIAL 5-GANG.	15
KLCNBA6	NETBOX AXIAL 6-GANG.	16
KLCNBR3	NETBOX RAIL 3-GANG.	17
KLCNBR4	NETBOX RAIL 4-GANG.	18
KLCNBR5	NETBOX RAIL 5-GANG.	19
KLCNBR6	NETBOX RAIL 6-GANG.	20
KLCNBT4	NETBOX TURN 4-GANG.	21
KLCNBT5	NETBOX TURN 5-GANG.	22
KLCNBT6	NETBOX TURN 6-GANG.	23
KLCPB3	PROFILEBOX 3-GANG.	24
KLCPB4	PROFILEBOX 4-GANG.	25
KLCPB5	PROFILEBOX 5-GANG.	26
KLCPB6	PROFILEBOX 6-GANG.	27
KLCSC	STARTER CABLE.	28
KLCCC	CONNECTOR CABLE	29
KLCGST	CONNECTOR	30
KLCNBSM2	NETBOX SMART 2-GANG	31
KLCNBSM3	NETBOX SMART 3-GANG	32
KLCNBSM4	NETBOX SMART 4-GANG	33

KLCLTB Distribution Box



WHAT'S INCLUDED

1 Distribution Box.

NOTES

Can substitute other distributors (e.g in light system).
Internal switching possible.

PRODUCT OPTIONS

Type
13 1:3

SAMPLE ORDER CODE

KLCLTB 13

PRICING

124

KLCNB2 Netbox M 2-Gang

WHAT'S INCLUDED

1 Netbox M 2-Gang.

NOTES

Standard module for power, telephone and data transmission.


Connectable through connector system.

Data (D0) is available only if power (P2) is specified.

Data (D2) is available only if power (P1) is specified.

Data (D4) is available only if power (P0) is specified.

Country is not available only if power (P0) is specified.



PRODUCT OPTIONS

Power	Country	Data	Data Brand
P0 0 Power	01 GB	D0 0 Data	SYS Systemax Blanking Plate
P1 1 Power	02 Schuko	D2 2 Data	AMP AMP Blanking Plate
P2 2 Power	03 IND-EU	D4 4 Data	
	04 Thailand		
	05 USA		
	06 Australia		
	07 International		
	08 China		
	09 India 3 Pin		
	10 Philippines		
	11 Indonesia		

SAMPLE ORDER CODE

KLCNB2 P1	01	D2	AMP
------------------	-----------	-----------	------------

**DIMENSIONS
CODE / CM**

P0
P1
P2


PRICING

	0 Data	2 Data	4 Data
P0	n/a	n/a	129
P1	n/a	232	n/a
P2	200	n/a	n/a

If Systemax Data Brand is specified add 8.

KLCNB3

Netbox M 3-Gang



WHAT'S INCLUDED

1 Netbox M 3-Gang.

NOTES

Standard module for power, telephone and data transmission.

Connectable through connector system.

Data (D0) is available only if power (P3) is specified.

Data (D2) is available only if power (P2) is specified.

PRODUCT OPTIONS

Power	Country	Data	Data Brand
P2 2 Power	01 GB	D0 0 Data	SYS Systemax Blanking Plate
P3 3 Power	02 Schuko	D2 2 Data	AMP AMP Blanking Plate
	03 IND-EU		
	04 Thailand		
	05 USA		
	06 Australia		
	07 International		
	08 China		
	09 India 3 Pin		
	10 Philippines		
	11 Indonesia		

SAMPLE ORDER CODE

KLCNB3 P2	01	D2	AMP
-----------	----	----	-----

DIMENSIONS CODE / CM

P2
P3

PRICING

0 Data	2 Data
n/a	304
238	n/a

If Systemax Data Brand is specified add 8.

KLCNB4 Netbox M 4-Gang

WHAT'S INCLUDED

1 Netbox M 4-Gang.

NOTES


Standard module for power, telephone and data transmission.

Connectable through connector system.

Data (D0) is available only if power (P4) is specified.

Data (D2) & (D1) is available only if power (P3) is specified.

Data (D4) & (D3) is available only if power (P2) is specified.



PRODUCT OPTIONS

Power	Country	Data	Data Brand
P2 2 Power	01 GB	D0 0 Data	SYS Systimax Blanking Plate
P3 3 Power	02 Schuko	D1 1 Data	AMP AMP Blanking Plate
P4 4 Power	03 IND-EU	D2 2 Data	
	04 Thailand	D3 3 Data	
	05 USA	D4 4 Data	
	06 Australia		
	07 International		
	08 China		
	09 India 3 Pin		
	10 Philippines		
	11 Indonesia		

SAMPLE ORDER CODE

KLCNB4 P2	01	D4	AMP
------------------	-----------	-----------	------------

**DIMENSIONS
CODE / CM**

P2
P3
P4


PRICING

0 Data	1 Data	2 Data	3 Data	4 Data
n/a	n/a	n/a	304	304
n/a	336	336	n/a	n/a
295	n/a	n/a	n/a	n/a

If Systimax Data Brand is specified add 8.

KLCNBA4

Netbox Axial 4-Gang



WHAT'S INCLUDED

1 Netbox Axial 4-Gang.

NOTES

- Unhindered work process possible when netbox is not used.
- Outlets are positioned below table surface.
- Cable outlet with rubber lips.
- Data (D0) is available only if power (P4) is specified.
- Data (D2) & (D1) is available only if power (P3) is specified.
- Data (D4) & (D3) is available only if power (P2) is specified.

PRODUCT OPTIONS

Power	Country	Data	Data Brand
P2 2 Power	01 GB	D0 0 Data	SYS Systimax Blanking Plate
P3 3 Power	02 Schuko	D1 1 Data	AMP AMP Blanking Plate
P4 4 Power	03 IND-EU	D2 2 Data	
	04 Thailand	D3 3 Data	
	05 USA	D4 4 Data	
	06 Australia		
	07 International		
	08 China		
	09 India 3 Pin		
	10 Philippines		
	11 Indonesia		

SAMPLE ORDER CODE

KLCNBA4 P2	01	D4	AMP
-------------------	-----------	-----------	------------

DIMENSIONS CODE / CM

P2
P3
P4

PRICING

	0 Data	1 Data	2 Data	3 Data	4 Data
P2	n/a	n/a	n/a	681	681
P3	n/a	703	703	n/a	n/a
P4	723	n/a	n/a	n/a	n/a

If Systimax Data Brand is specified add 8.


KLCNBA5 Netbox Axial 5-Gang

WHAT'S INCLUDED

1 Netbox Axial 5-Gang.

NOTES

Unhindered work process possible when netbox is not used.
 Outlets are postponed below table surface.
 Cable outlet with rubber lips.
 Netbox Axial 5 gang comes with 5 outlet.
 Data (D0) is available only if power (P5) is specified.
 Data (D2) & (D1) is available only if power (P4) is specified.
 Data (D4) & (D3) is available only if power (P3) is specified.



PRODUCT OPTIONS

Power	Country	Data	Data Brand
P3 3 Power	01 GB	D0 0 Data	SYS Systimax Blanking Plate
P4 4 Power	02 Schuko	D1 1 Data	AMP AMP Blanking Plate
P5 5 Power	03 IND-EU	D2 2 Data	
	04 Thailand	D3 3 Data	
	05 USA	D4 4 Data	
	06 Australia		
	07 International		
	08 China		
	09 India 3 Pin		
	10 Philippines		
	11 Indonesia		

SAMPLE ORDER CODE

KLCNB5 P3	01	D4	AMP
------------------	-----------	-----------	------------

**DIMENSIONS
CODE / CM**

P3
P4
P5


PRICING

0 Data	1 Data	2 Data	3 Data	4 Data
n/a	n/a	n/a	738	738
n/a	730	730	n/a	n/a
735	n/a	n/a	n/a	n/a

If Systimax Data Brand is specified add 8.

KLCNBA6

Netbox Axial 6-Gang



WHAT'S INCLUDED

1 Netbox Axial 6-Gang.

NOTES

- Unhindered work process possible when netbox is not used.
- Outlets are postponed below table surface.
- Cable outlet with rubber lips.
- Netbox Axial 6 gang comes with 6 outlet.
- Data (D0) is available only if power (P6) is specified.
- Data (D2) & (D1) is available only if power (P5) is specified.
- Data (D4) & (D3) is available only if power (P4) is specified.

PRODUCT OPTIONS

Power	Country	Data	Data Brand
P4 4 Power	01 GB	D0 0 Data	SYS Systemax Blanking Plate
P5 5 Power	02 Schuko	D1 1 Data	AMP AMP Blanking Plate
P6 6 Power	03 IND-EU	D2 2 Data	
	04 Thailand	D3 3 Data	
	05 USA	D4 4 Data	
	06 Australia		
	07 International		
	08 China		
	09 India 3 Pin		
	10 Philippines		
	11 Indonesia		

SAMPLE ORDER CODE

KLCNBA6 P4	01	D4	AMP
------------	----	----	-----

DIMENSIONS CODE / CM

P4
P5
P6

PRICING

	0 Data	1 Data	2 Data	3 Data	4 Data
P4	n/a	n/a	n/a	813	813
P5	n/a	831	831	n/a	n/a
P6	813	n/a	n/a	n/a	n/a

If Systemax Data Brand is specified add 8.


KLCNBR3 Netbox Rail 3-Gang

WHAT'S INCLUDED

1 Netbox Rail 3-Gang.

NOTES

Aluminium body.
 Suitable for surface mounting.
 Netbox rail 3 gang comes with 3 outlet.
 Data (D0) is available only if power (P3) is specified.
 Data (D2) is available only if power (P2) is specified.



PRODUCT OPTIONS

Power	Country	Data	Data Brand
P2 2 Power	01 GB	D0 0 Data	SYS Systemax Blanking Plate
P3 3 Power	02 Schuko	D2 2 Data	AMP AMP Blanking Plate
	03 IND-EU		
	04 Thailand		
	05 USA		
	06 Australia		
	07 International		
	08 China		
	09 India 3 Pin		
	10 Philippines		
	11 Indonesia		

SAMPLE ORDER CODE

KLCNBR3 P2	01	D2	AMP
-------------------	-----------	-----------	------------

**DIMENSIONS
CODE / CM**

P2
P3


PRICING

	0 Data	2 Data
P2	n/a	336
P3	304	n/a

If Systemax Data Brand is specified add 8.

KLCNBR4

Netbox Rail 4-Gang



WHAT'S INCLUDED

1 Netbox Rail 4-Gang.

NOTES

Aluminium body.

Suitable for surface mounting.

Netbox Rail 4 gang comes with 4 outlet.

Data (D0) is available only if Power (P4) is specified.

Data (D2) & (D1) is available only if Power (P3) is specified.

Data (D4) & (D3) is available only if Power (P2) is specified.

PRODUCT OPTIONS

Power	Country	Data	Data Brand
P2 2 Power	01 GB	D0 0 Data	SYS Systimax Blanking Plate
P3 3 Power	02 Schuko	D1 1 Data	AMP AMP Blanking Plate
P4 4 Power	03 IND-EU	D2 2 Data	
	04 Thailand	D3 3 Data	
	05 USA	D4 4 Data	
	06 Australia		
	07 International		
	08 China		
	09 India 3 Pin		
	10 Philippines		
	11 Indonesia		

SAMPLE ORDER CODE

KLCNBR4 P2	01	D4	AMP
-------------------	-----------	-----------	------------

DIMENSIONS CODE / CM

P2
P3
P4

PRICING

	0 Data	1 Data	2 Data	3 Data	4 Data
P2	n/a	n/a	n/a	358	358
P3	n/a	370	370	n/a	n/a
P4	358	n/a	n/a	n/a	n/a

If Systimax Data Brand is specified add 8.


KLCNBR5 Netbox Rail 5-Gang

WHAT'S INCLUDED

1 Netbox Rail 5-Gang.

NOTES

Aluminium body.
 Suitable for surface mounting.
 Netbox Rail 5 gang comes with 5 outlet.
 Data (D0) is available only if power (P5) is specified.
 Data (D2) & (D1) is available only if power (P4) is specified.
 Data (D4) & (D3) is available only if power (P3) is specified.



PRODUCT OPTIONS

Power	Country	Data	Data Brand
P3 3 Power	01 GB	D0 0 Data	SYS Systimax Blanking Plate
P4 4 Power	02 Schuko	D1 1 Data	AMP AMP Blanking Plate
P5 5 Power	03 IND-EU	D2 2 Data	
	04 Thailand	D3 3 Data	
	05 USA	D4 4 Data	
	06 Australia		
	07 International		
	08 China		
	09 India 3 Pin		
	10 Philippines		
	11 Indonesia		

SAMPLE ORDER CODE

KLCNBR5 P3	01	D4	AMP
-------------------	-----------	-----------	------------

**DIMENSIONS
CODE / CM**

P3
P4
P5


PRICING

0 Data	1 Data	2 Data	3 Data	4 Data
n/a	n/a	n/a	421	421
n/a	443	443	n/a	n/a
413	n/a	n/a	n/a	n/a

If Systimax Data Brand is specified add 8.

KLCNBR6

Netbox Rail 6-Gang



WHAT'S INCLUDED

1 Netbox Rail 6-Gang.

NOTES

Aluminium body.

Suitable for surface mounting.

Netbox rail 6 gang comes with 6 outlet.

Data (D0) is available only if power (P6) is specified.

Data (D2) & (D1) is available only if power (P5) is specified.

Data (D4) & (D3) is available only if power (P4) is specified.

PRODUCT OPTIONS

Power	Country	Data	Data Brand
P4 4 Power	01 GB	D0 0 Data	SYS Systimax Blanking Plate
P5 5 Power	02 Schuko	D1 1 Data	AMP AMP Blanking Plate
P6 6 Power	03 IND-EU	D2 2 Data	
	04 Thailand	D3 3 Data	
	05 USA	D4 4 Data	
	06 Australia		
	07 International		
	08 China		
	09 India 3 Pin		
	10 Philippines		
	11 Indonesia		

SAMPLE ORDER CODE

KLCNBR6 P4	01	D4	AMP
-------------------	-----------	-----------	------------

DIMENSIONS CODE / CM

P4
P5
P6

PRICING

	0 Data	1 Data	2 Data	3 Data	4 Data
P4	n/a	n/a	n/a	467	467
P5	n/a	478	478	n/a	n/a
P6	476	n/a	n/a	n/a	n/a

If Systimax Data Brand is specified add 8.


KLCNBT4 Netbox Turn 4-Gang

WHAT'S INCLUDED

1 Netbox Turn 4-Gang.

NOTES

Planar surface when box is closed and open.
 Unhindered work process possible when netbox is not used.
 Netbox Turn 4 gang comes with 4 outlet.
 Data (D0) is available only if power (P4) is specified.
 Data (D2) & (D1) is available only if power (P3) is specified.
 Data (D4) & (D3) is available only if power (P2) is specified.
 Data Brand is NOT available if data (D0) is specified.



PRODUCT OPTIONS

Power	Country	Data	Data Brand
P2 2 Power	01 GB	D0 0 Data	SYS Systimax Blanking Plate
P3 3 Power	02 Schuko	D1 1 Data	AMP AMP Blanking Plate
P4 4 Power	03 IND-EU	D2 2 Data	
	04 Thailand	D3 3 Data	
	05 USA	D4 4 Data	
	06 Australia		
	07 International		
	08 China		
	09 India 3 Pin		
	10 Philippines		
	11 Indonesia		

SAMPLE ORDER CODE

KLCNBT4 P2	01	D4	AMP
-------------------	-----------	-----------	------------

**DIMENSIONS
CODE / CM**

P2
P3
P4


PRICING

0 Data	1 Data	2 Data	3 Data	4 Data
n/a	n/a	n/a	746	746
n/a	780	780	n/a	n/a
746	n/a	n/a	n/a	n/a

If Systimax Data Brand is specified add 8.

KLCNBT5

Netbox Turn 5-Gang



WHAT'S INCLUDED

1 Netbox Turn 5-Gang.

NOTES

Planar surface when box is closed and open.

Unhindered work process possible when netbox is not used.

Netbox Turn 5 gang comes with 5 outlet.

Data (D0) is available only if power (P5) is specified.

Data (D2) & (D1) is available only if power (P4) is specified.

Data (D4) & (D3) is available only if power (P3) is specified.

Data Brand is NOT available if data (D0) is specified.

PRODUCT OPTIONS

Power	Country	Data	Data Brand
P3 3 Power	01 GB	D0 0 Data	SYS Systimax Blanking Plate
P4 4 Power	02 Schuko	D1 1 Data	AMP AMP Blanking Plate
P5 5 Power	03 IND-EU	D2 2 Data	
	04 Thailand	D3 3 Data	
	05 USA	D4 4 Data	
	06 Australia		
	07 International		
	08 China		
	09 India 3 Pin		
	10 Philippines		
	11 Indonesia		

SAMPLE ORDER CODE

KLCNBT5 P3	01	D4	AMP
-------------------	-----------	-----------	------------

DIMENSIONS CODE / CM

P3
P4
P5

PRICING

	0 Data	1 Data	2 Data	3 Data	4 Data
P3	n/a	n/a	n/a	817	817
P4	n/a	790	790	n/a	n/a
P5	817	n/a	n/a	n/a	n/a

If Systimax Data Brand is specified add 8.


KLCNBT6 Netbox Turn 6-Gang

WHAT'S INCLUDED

1 Netbox Turn 6-Gang.

NOTES

Planar surface when box is closed and open.
 Unhindered work process possible when netbox is not used.
 Netbox Turn 6 gang comes with 6 outlet.
 Data (D0) is available only if power (P6) is specified.
 Data (D2) & (D1) is available only if power (P5) is specified.
 Data (D4) & (D3) is available only if power (P4) is specified.
 Data Brand is NOT available if data (D0) is specified.



PRODUCT OPTIONS

Power	Country	Data	Data Brand
P4 4 Power	01 GB	D0 0 Data	SYS Systimax Blanking Plate
P5 5 Power	02 Schuko	D1 1 Data	AMP AMP Blanking Plate
P6 6 Power	03 IND-EU	D2 2 Data	
	04 Thailand	D3 3 Data	
	05 USA	D4 4 Data	
	06 Australia		
	07 International		
	08 China		
	09 India 3 Pin		
	10 Philippines		
	11 Indonesia		

SAMPLE ORDER CODE

KLCNBT6 P4	01	D4	AMP
-------------------	-----------	-----------	------------

**DIMENSIONS
CODE / CM**

P4
P5
P6


PRICING

	0 Data	1 Data	2 Data	3 Data	4 Data
P4	n/a	n/a	n/a	886	886
P5	n/a	913	913	n/a	n/a
P6	886	n/a	n/a	n/a	n/a

If Systimax Data Brand is specified add 8.

KLCPB3

Profilebox 3-Gang



WHAT'S INCLUDED

1 Profilebox 3-Gang.

NOTES

Individual configuration.
 Several separate power circuit possible.
 Data (D0) is available only if power (P3) is specified.
 Data (D2) is available only if power (P2) is specified.
 Data Brand is NOT available if data (D0) is specified.

PRODUCT OPTIONS

Power	Country	Data	Data Brand
P2 2 Power	01 GB	D0 0 Data	SYS Systemax Blanking Plate
P3 3 Power	02 Schuko	D2 2 Data	AMP AMP Blanking Plate
	03 IND-EU		
	04 Thailand		
	05 USA		
	06 Australia		
	07 International		
	08 China		
	09 India 3 Pin		
	10 Philippines		
	11 Indonesia		

SAMPLE ORDER CODE

KLCPB3 P2	01	D2	AMP
-----------	----	----	-----

DIMENSIONS CODE / CM


P2
P3

PRICING

0 Data	2 Data
n/a	336
304	n/a

If Systemax Data Brand is specified add 8.

KLCPB4 Profilebox 4-Gang



WHAT'S INCLUDED

1 Profilebox 4-Gang.

NOTES

Individual configuration.
 Several separate power circuit possible.
 Netbox profile 4 gang comes with 4 outlet.
 Data (D0) is available only if power (P4) is specified.
 Data (D2) & (D1) is available only if power (P3) is specified.
 Data (D4) & (D3) is available only if power (P2) is specified.
 Data Brand is NOT available if data (D0) is specified.

PRODUCT OPTIONS

Power	Country	Data	Data Brand
P2 2 Power	01 GB	D0 0 Data	SYS Systimax Blanking Plate
P3 3 Power	02 Schuko	D1 1 Data	AMP AMP Blanking Plate
P4 4 Power	03 IND-EU	D2 2 Data	
	04 Thailand	D3 3 Data	
	05 USA	D4 4 Data	
	06 Australia		
	07 International		
	08 China		
	09 India 3 Pin		
	10 Philippines		
	11 Indonesia		

SAMPLE ORDER CODE

KLCPB4 P2	01	D4	AMP
------------------	-----------	-----------	------------

**DIMENSIONS
CODE / CM**

P2
P3
P4


PRICING

0 Data	1 Data	2 Data	3 Data	4 Data
n/a	n/a	n/a	367	367
n/a	391	391	n/a	n/a
367	n/a	n/a	n/a	n/a

If Systimax Data Brand is specified add 8.

KLCPB5

Profilebox 5-Gang



WHAT'S INCLUDED

1 Profilebox 5-Gang.

NOTES

Individual configuration.

Several separate power circuit possible.

Profilebox 5 gang comes with 5 outlet.

Data (D0) is available only if power (P5) is specified.

Data (D2) & (D1) is available only if power (P4) is specified.

Data (D4) & (D3) is available only if power (P3) is specified.

Data Brand is NOT available if data (D0) is specified.

PRODUCT OPTIONS

Power	Country	Data	Data Brand
P3 3 Power	01 GB	D0 0 Data	SYS Systimax Blanking Plate
P4 4 Power	02 Schuko	D1 1 Data	AMP AMP Blanking Plate
P5 5 Power	03 IND-EU	D2 2 Data	
	04 Thailand	D3 3 Data	
	05 USA	D4 4 Data	
	06 Australia		
	07 International		
	08 China		
	09 India 3 Pin		
	10 Philippines		
	11 Indonesia		

SAMPLE ORDER CODE

KLCPB5 P3	01	D4	AMP
------------------	-----------	-----------	------------

DIMENSIONS CODE / CM

P3
P4
P5

PRICING

	0 Data	1 Data	2 Data	3 Data	4 Data
P3	n/a	n/a	n/a	421	421
P4	n/a	443	443	n/a	n/a
P5	421	n/a	n/a	n/a	n/a

If Systimax Data Brand is specified add 8.


KLCPB6 Profilebox 6-Gang

WHAT'S INCLUDED

1 Profilebox 6-Gang.

NOTES

Individual configuration.
 Several separate power circuit possible.
 Profilebox 6 gang comes with 6 outlet.
 Data (D0) is available only if power (P6) is specified.
 Data (D2) & (D1) is available only if power (P5) is specified.
 Data (D4) & (D3) is available only if power (P4) is specified.
 Data Brand is NOT available if data (D0) is specified.



PRODUCT OPTIONS

Power	Country	Data	Data Brand
P4 4 Power	01 GB	D0 0 Data	SYS Systemax Blanking Plate
P5 5 Power	02 Schuko	D1 1 Data	AMP AMP Blanking Plate
P6 6 Power	03 IND-EU	D2 2 Data	
	04 Thailand	D3 3 Data	
	05 USA	D4 4 Data	
	06 Australia		
	07 International		
	08 China		
	09 India 3 Pin		
	10 Philippines		
	11 Indonesia		

SAMPLE ORDER CODE

KLCPB6 P4	01	D4	AMP
------------------	-----------	-----------	------------

**DIMENSIONS
CODE / CM**


P4
P5
P6

PRICING

0 Data	1 Data	2 Data	3 Data	4 Data
n/a	n/a	n/a	467	467
n/a	500	500	n/a	n/a
467	n/a	n/a	n/a	n/a

If Systemax Data Brand is specified add 8.

KLCSC Starter Cable



WHAT'S INCLUDED

The Power input Cable bring power from the workstation.
1 input power cable with strain relief.

NOTES

Country of installation is required when Plug option is chosen.

PRODUCT OPTIONS

Plug Options	Length	Type	Country
1 Hard Wire	010 100cm	R Raw	01 GB
2 Plug	020 200cm	U UPS	02 Schuko
	030 300cm		03 IND-EU
			04 Thailand
			05 USA
			06 Australia
			07 China
			09 India 3 Pin
			10 Philippines
			11 Indonesia

SAMPLE ORDER CODE

KLCSC 1	010	R	01
----------------	------------	----------	-----------

**DIMENSIONS
CODE / CM**

010
020
030

PRICING

	RAW (R)	UPS (U)
010	66	107
020	99	129
030	97	129

KLCCC Connector Cable

WHAT'S INCLUDED

Interconnecting Power Cable routes power between outlet boxes and carries it through.

1 interconnecting power cable.



PRODUCT OPTIONS

Length	Type
010 100cm	R Raw
020 200cm	U UPS
030 300cm	

SAMPLE ORDER CODE

KLCCC 010	R
------------------	----------

**DIMENSIONS
CODE / CM**

PRICING

	RAW (R)	UPS (U)
010	66	129
020	66	131
030	88	142

KLCGST Connector



WHAT'S INCLUDED

The connector is used to join two harnesses when a single harness length is not enough.
1 connector.

PRODUCT OPTIONS

Configuration		Type
M Male		R Raw
F Female		U UPS

SAMPLE ORDER CODE

KLCGST M	R
-----------------	----------

DIMENSIONS CODE / CM

	PRICING	
	RAW (R)	UPS (U)
Male (M)	32	66
Female (F)	32	66

KLCNBSM2


Netbox Smart 2-Gang

WHAT'S INCLUDED

Netbox with self adhesive comes with 3m long starter cable.

NOTES

Side Cover finish to be defaulted as per module finish.
Self adhesive can be easily removed without damaging the surface.



PRODUCT OPTIONS

Power	Country	USB Charger	Frame & Module Finish
P1 1 Power	01 GB	U0 0 USB	SB Silver Black
P2 2 Power	02 Schuko	C2 USB C + USB A	SW Silver White
	03 IND-EU		CB Champagne Black
	04 Thailand		CW Champagne White
	05 USA		BB Black Black
	06 Australia		WW White White
	07 International		
	08 China		
	09 India 3 Pin		
	10 Philippines		
	11 Indonesia		

SAMPLE ORDER CODE

KLCNBSM2 P1	01	C2	SB
--------------------	-----------	-----------	-----------


DIMENSIONS
CODE / CM

	PRICING	
	0 USB	USB C
P1	n/a	1025
P2	422	n/a

If Black Frame, Black Module or White Frame, White Module is specified add 61.

KLCNBSM3

Netbox Smart 3-Gang



WHAT'S INCLUDED

Netbox with self adhesive comes with 3m long starter cable.

NOTES

Side Cover finish to be defaulted as per module finish.

Self adhesive can be easily removed without damaging the surface.

PRODUCT OPTIONS

Power	Data	Country	Data Brand	USB Charger	Frame & Module Finish
P2 2 Power	D0 0 Data	01 GB	SYS Systemax Blanking Plate	U0 0 USB	SB Silver Black
P3 3 Power	D2 2 Data	02 Schuko	AMP AMP Blanking Plate	C2 USB C + USB A	SW Silver White
		03 IND-EU			CB Champagne Black
		04 Thailand			CW Champagne White
		05 USA			BB Black Black
		06 Australia			WW White White
		07 International			
		08 China			
		09 India 3 Pin			
		10 Philippines			
		11 Indonesia			

SAMPLE ORDER CODE

KLCNBSM3 P2	D2	01	AMP	U0	SB
--------------------	-----------	-----------	------------	-----------	-----------

DIMENSIONS CODE / CM

POWER	DATA
P2	D0
P2	D2
P3	D0

PRICING

AMP	SYS	0 USB	USB C
n/a	1025	n/a	1114
449	458	0	n/a
n/a	n/a	484	n/a

If Black Frame, Black Module or White Frame, White Module is specified add 61.


KLCNBSM4 Netbox Smart 4-Gang

WHAT'S INCLUDED

Netbox with self adhesive comes with 3m long starter cable.

NOTES

Side Cover finish to be defaulted as per module finish.
Self adhesive can be easily removed without damaging the surface.
Netbox Smart 4-Gang, 2 Power, 2 Data (P2, D2) only available for C2.



PRODUCT OPTIONS

Power	Data	Country	Data Brand	USB Charger	Frame & Module Finish
P2 2 Power	D0 0 Data	01 GB	SYS Systimax Blanking Plate	U0 0 USB	SB Silver Black
P3 3 Power	D2 2 Data	02 Schuko	AMP AMP Blanking Plate	C2 USB C + USB A	SW Silver White
P4 4 Power		03 IND-EU		C4 2x USB C + USB A	CB Champagne Black
		04 Thailand			CW Champagne White
		05 USA			BB Black Black
		06 Australia			WW White White
		07 International			
		08 China			
		09 India 3 Pin			
		10 Philippines			
		11 Indonesia			

SAMPLE ORDER CODE

KLCNBSM4 P2	D2	01	AMP	C2	SB
--------------------	-----------	-----------	------------	-----------	-----------

**DIMENSIONS
CODE / CM**

POWER	DATA
P2	D0
P2	D2
P3	D0
P3	D2
P4	D0

PRICING

AMP	SYS	0 USB	USB C	2x USB C
n/a	n/a	n/a	n/a	1506
484	495	n/a	897	n/a
n/a	n/a	n/a	1201	n/a
522	530	0	n/a	n/a
n/a	n/a	548	n/a	n/a

If Black Frame, Black Module or White Frame, White Module is specified add 61.

teknion

www.teknion.com

IN ASIA

Lot 761 Jalan Haji Sirat
Klang, Selangor
42100 Malaysia
Tel 603.3342.4345
603.3342.3466

IN CANADA

1150 Flint Road
Toronto, Ontario
M3J 2J5 Canada
Tel 866.teknion
866.835.6466

IN THE USA

350 Fellowship Road
Mt Laurel, New Jersey
08054 USA
Tel 877.teknion
877.8335.6466

OTHER OFFICES LOCATED IN

Europe, South and Central America,
Middle East and Russia
For regional contact information
go to www.teknion.com

MY IO

© Teknion 2023
®, ™ trade marks of Teknion Corporation
and/or its subsidiaries or licensed to it.
Patents may be pending.