

complements (asia pacific)

teknion's ergonomics &
accessories program

06.23.2025



teknion

complements Designed to

support health and productivity at work, the

Complements Ergonomics & Accessories

Program offers paper flow, lighting and

organizational products that integrate with all

Teknion furniture to enhance individual and

group workspaces.

The Complements program comprises

Ergonomic Accessories such as keyboard

solutions, work displays and Work Flow

Accessories that keep documents and

supplies close at hand and display various

personal items. Task Lighting directs light to the task at hand and electrical products support the use of technology. Teknion has also partnered with international industry designers to further expand Complements with innovative, environmentally friendly products that bring the functional beauty of European residential furniture to the workplace.

contents

| | |
|--|---|
| WHERE TO FIND THE INFORMATION YOU NEED | 3 |
| ELECTRICAL OVERVIEW | 6 |
| PRODUCT LIST | 9 |

update summary

Please be advised that information has been updated within the Complements (Asia Pacific) Price & Application Guide. To highlight these updates, a summary has been created for your reference.

UPDATE

Change description for (C2) from “USBC+USBA” to “2X USBC” at USB charger option on the following product:

- Netbox Smart 2-Gang (KLCNBSM2)
- Netbox Smart 3-Gang (KLCNBSM3)
- Netbox Smart 4-Gang (KLCNBSM4)

Please note, first orders for new products will be accepted on June 23, 2025. All software will also be updated by June 23, 2025. If you have any questions regarding the information enclosed, please contact your Teknion Customer Service Representative.

where to find the information you need

Teknion provides an array of tools and information resources to help you get things done simply and easily. From product pricing to application guidelines to online planning suggestions, you will find what you need when you need it.

guide contents

This guide contains all the information you need to order this product through your specification software. The Introduction section provides everything you need to get started, including an index for product reference. The Application Guide section contains detailed specification guidelines, application and planning information to help you plan your project correctly. The Price Guide sections provide detailed pricing and specification information by product type. Available online at www.teknion.com.

where to find the information you need

All Teknion marketing materials are available online at www.teknion.com, including:

price & product guide

application guide

planning tool

installation guides

fabrics & finishes

product photography & drawings

weights & volumes

order forms

warranty/terms & conditions of sale

xpress program guide

teknion forms

The following forms are available online at www.teknion.com, to help you specify and place your order if required:

teknipaint

If you require a custom paint color match, you must submit a TekniPaint form.

using your own material (COM)

If you wish to use your own material on fabric-covered products, you must submit a completed COM form including a sample upholstery and safety testing. A COM Order Information Sheet must also be submitted. This form captures all relevant ordering and tracking information. A COM Request for Yardage Calculation form may be sent to Teknion for preliminary yardage requirements.

placing a manual order

Complete an Order Cover Sheet with the information we need to fill your order. This is the most important step. If the Order Cover Sheet is not complete and correct, the order may be delayed.

key requirements

If you require that certain pieces share the same locks you will need to specify Set of Keys Alike (SOKL) located in the Price and Product Guide.

user feedback

How is our marketing material working for you?

Feedback from the user is very important to the quality of Teknion's marketing material. We ask that if you have suggestions on how you think we could improve content OR if you have found an error, that you contact your Teknion Technical Services department.



index

| Section Contents | Product Code | Page No. |
|----------------------------|--------------|----------|
| Introduction | | |
| Electrical Overview | | 6 |
| Certifications & Approvals | | 7 |
| Electrics | | |
| Distribution Box | KLCLTB | 10 |
| Netbox M 2-Gang | KLCNB2 | 11 |
| Netbox M 3-Gang | KLCNB3 | 12 |
| Netbox M 4-Gang | KLCNB4 | 13 |
| Netbox Axial 4-Gang | KLCNBA4 | 14 |
| Netbox Axial 5-Gang | KLCNBA5 | 15 |
| Netbox Axial 6-Gang | KLCNBA6 | 16 |
| Netbox Rail 3-Gang | KLCNBR3 | 17 |
| Netbox Rail 4-Gang | KLCNBR4 | 18 |
| Netbox Rail 5-Gang | KLCNBR5 | 19 |
| Netbox Rail 6-Gang | KLCNBR6 | 20 |
| Netbox Turn 4-Gang | KLCNBT4 | 21 |
| Netbox Turn 5-Gang | KLCNBT5 | 22 |
| Netbox Turn 6-Gang | KLCNBT6 | 23 |
| Profilebox 3-Gang | KLCPB3 | 24 |
| Profilebox 4-Gang | KLCPB4 | 25 |
| Profilebox 5-Gang | KLCPB5 | 26 |
| Profilebox 6-Gang | KLCPB6 | 27 |
| Starter Cable | KLCSC | 28 |
| Connector Cable | KLCCC | 29 |
| Connector | KLCGST | 30 |
| Netbox Smart 2-Gang | KLCNBSM2 | 31 |
| Netbox Smart 3-Gang | KLCNBSM3 | 32 |
| Netbox Smart 4-Gang | KLCNBSM4 | 33 |

electrical overview

Complements offers a variety of electrical and communication components to accommodate all electrical needs.



Nextbox Turn (KLCNBT)

- The netbox turn comfort shown in an open and closed position.
- NETBOX Turn are built-in units.
- Rotate -manually for the former and at the touch of a button for the latter – in order to either expose or conceal the socket outlets.
- When rotated to the “closed” position, the unit sits flush with the surface into which it is mounted.



Nextbox Axial (KLCNBA)

- The netbox axial comfort can be utilised in a “closed” position
- NETBOX Axial is a built-in solutions that close flat and flushed against their mounted surface.
- Accessible from the front to reveal the power, voice and data sockets when required – pivoting upwards for the former and at a touch of a button for the latter.
- Advantage of remaining closed
- The outlets are positioned below the table surface



Nextbox Rail (KLCNBR)

- The unit is easily built into panel, cubicle and partition systems.
- Maximizes the use of space in workstations, most commonly office spaces with panels, cubicles and partitions.
- The modular surface-mounted unit can be easily built into these systems, and then fixed with screws from behind.



Nextbox M (KLCNB)

- Standard socket box for power, data and voice, the NETBOX M is a functional and cost efficient electrification solution available in 2-, 3- or 4-gang configurations.
- Can be installed and used in many situations, and may be mounted on any given surfaces or concealed within partitions and cable trays.



Nextbox Profilebox (KLCPB)

- Ideal for concealed installations.
- The unit can be customized to include surge protection, separate earth, power cleaners, switches and separate power circuits.
- Detachable plastic clamps allow the netbox profilebox to be affixed to any surface with ease.



Distribution Box (KLCLTB)

- The light terminal box is ideal for the cabling in a lighting system or a workstation.
- Enables you to manage your cable network effectively and efficiently.
- The “Plug and Play” technology permits you to save time if you have to relocate or change the configuration of your installation.

certifications & approvals

Material Information

Plastics:

- Self-extinguishing according to UL 94 (FR)
- Low concentration of heavy metal

Markings and approvals



Recycling



CE



geeignet für
Möbeleinsatz



geeignet für
Hohlräume



VDE



ÖVE



Demko



NEMKO



SEMKO



FIMKO



KEMA / KEUR



TÜV / GS



ENEC 05



CEBEC



IMQ



Taff - Tecken



SIRIM




PSB

CONTENTS

| | | |
|----------|-------------------------------|----|
| KLCLTB | DISTRIBUTION BOX | 10 |
| KLCNB2 | NETBOX M 2-GANG | 11 |
| KLCNB3 | NETBOX M 3-GANG | 12 |
| KLCNB4 | NETBOX M 4-GANG | 13 |
| KLCNBA4 | NETBOX AXIAL 4-GANG. | 14 |
| KLCNBA5 | NETBOX AXIAL 5-GANG. | 15 |
| KLCNBA6 | NETBOX AXIAL 6-GANG. | 16 |
| KLCNBR3 | NETBOX RAIL 3-GANG. | 17 |
| KLCNBR4 | NETBOX RAIL 4-GANG. | 18 |
| KLCNBR5 | NETBOX RAIL 5-GANG. | 19 |
| KLCNBR6 | NETBOX RAIL 6-GANG. | 20 |
| KLCNBT4 | NETBOX TURN 4-GANG. | 21 |
| KLCNBT5 | NETBOX TURN 5-GANG. | 22 |
| KLCNBT6 | NETBOX TURN 6-GANG. | 23 |
| KLCPB3 | PROFILEBOX 3-GANG. | 24 |
| KLCPB4 | PROFILEBOX 4-GANG. | 25 |
| KLCPB5 | PROFILEBOX 5-GANG. | 26 |
| KLCPB6 | PROFILEBOX 6-GANG. | 27 |
| KLCSC | STARTER CABLE. | 28 |
| KLCCC | CONNECTOR CABLE | 29 |
| KLCGST | CONNECTOR | 30 |
| KLCNBSM2 | NETBOX SMART 2-GANG | 31 |
| KLCNBSM3 | NETBOX SMART 3-GANG | 32 |
| KLCNBSM4 | NETBOX SMART 4-GANG | 33 |

KLCLTB Distribution Box



WHAT'S INCLUDED

1 Distribution Box.

NOTES

Can substitute other distributors (e.g in light system).
Internal switching possible.

PRODUCT OPTIONS

| Type |
|--------|
| 13 1:3 |

SAMPLE ORDER CODE

| |
|-----------|
| KLCLTB 13 |
|-----------|

PRICING

| |
|-----|
| 129 |
|-----|

KLCNB2 Netbox M 2-Gang

WHAT'S INCLUDED

1 Netbox M 2-Gang.

NOTES

Standard module for power, telephone and data transmission.


Connectable through connector system.

Data (D0) is available only if power (P2) is specified.

Data (D2) is available only if power (P1) is specified.

Data (D4) is available only if power (P0) is specified.

Country is not available only if power (P0) is specified.



PRODUCT OPTIONS

| Power | Country | Data | Data Brand |
|-------------------|-------------------------|------------------|------------------------------------|
| P0 0 Power | 01 GB | D0 0 Data | SYS Systemax Blanking Plate |
| P1 1 Power | 02 Schuko | D2 2 Data | AMP AMP Blanking Plate |
| P2 2 Power | 03 IND-EU | D4 4 Data | |
| | 04 Thailand | | |
| | 05 Japan | | |
| | 06 Australia | | |
| | 07 International | | |
| | 08 China | | |
| | 09 India 3 Pin | | |
| | 10 Philippines | | |
| | 11 Indonesia | | |

SAMPLE ORDER CODE

| | | | |
|------------------|-----------|-----------|------------|
| KLCNB2 P1 | 01 | D2 | AMP |
|------------------|-----------|-----------|------------|

**DIMENSIONS
CODE / CM**

| |
|----|
| P0 |
| P1 |
| P2 |


PRICING

| | 0 Data | 2 Data | 4 Data |
|----|---------------|---------------|---------------|
| P0 | n/a | n/a | 134 |
| P1 | n/a | 241 | n/a |
| P2 | 208 | n/a | n/a |

If Systemax Data Brand is specified add 8.

KLCNB3

Netbox M 3-Gang



WHAT'S INCLUDED

1 Netbox M 3-Gang.

NOTES

Standard module for power, telephone and data transmission.

Connectable through connector system.

Data (D0) is available only if power (P3) is specified.

Data (D2) is available only if power (P2) is specified.

PRODUCT OPTIONS

| Power | Country | Data | Data Brand |
|------------|------------------|-----------|-----------------------------|
| P2 2 Power | 01 GB | D0 0 Data | SYS Systemax Blanking Plate |
| P3 3 Power | 02 Schuko | D2 2 Data | AMP AMP Blanking Plate |
| | 03 IND-EU | | |
| | 04 Thailand | | |
| | 05 Japan | | |
| | 06 Australia | | |
| | 07 International | | |
| | 08 China | | |
| | 09 India 3 Pin | | |
| | 10 Philippines | | |
| | 11 Indonesia | | |

SAMPLE ORDER CODE

| | | | |
|-----------|----|----|-----|
| KLCNB3 P2 | 01 | D2 | AMP |
|-----------|----|----|-----|

DIMENSIONS CODE / CM

| |
|----|
| P2 |
| P3 |

PRICING

| | 0 Data | 2 Data |
|----|--------|--------|
| P2 | n/a | 316 |
| P3 | 247 | n/a |

If Systemax Data Brand is specified add 8.

KLCNB4 Netbox M 4-Gang

WHAT'S INCLUDED

1 Netbox M 4-Gang.

NOTES


Standard module for power, telephone and data transmission.

Connectable through connector system.

Data (D0) is available only if power (P4) is specified.

Data (D2) & (D1) is available only if power (P3) is specified.

Data (D4) & (D3) is available only if power (P2) is specified.



PRODUCT OPTIONS

| Power | Country | Data | Data Brand |
|-------------------|-------------------------|------------------|------------------------------------|
| P2 2 Power | 01 GB | D0 0 Data | SYS Systimax Blanking Plate |
| P3 3 Power | 02 Schuko | D1 1 Data | AMP AMP Blanking Plate |
| P4 4 Power | 03 IND-EU | D2 2 Data | |
| | 04 Thailand | D3 3 Data | |
| | 05 Japan | D4 4 Data | |
| | 06 Australia | | |
| | 07 International | | |
| | 08 China | | |
| | 09 India 3 Pin | | |
| | 10 Philippines | | |
| | 11 Indonesia | | |

SAMPLE ORDER CODE

| | | | |
|------------------|-----------|-----------|------------|
| KLCNB4 P2 | 01 | D4 | AMP |
|------------------|-----------|-----------|------------|

**DIMENSIONS
CODE / CM**

| |
|----|
| P2 |
| P3 |
| P4 |


PRICING

| 0 Data | 1 Data | 2 Data | 3 Data | 4 Data |
|--------|--------|--------|--------|--------|
| n/a | n/a | n/a | 316 | 316 |
| n/a | 349 | 349 | n/a | n/a |
| 307 | n/a | n/a | n/a | n/a |

If Systimax Data Brand is specified add 8.

KLCNBA4

Netbox Axial 4-Gang



WHAT'S INCLUDED

1 Netbox Axial 4-Gang.

NOTES

- Unhindered work process possible when netbox is not used.
- Outlets are positioned below table surface.
- Cable outlet with rubber lips.
- Data (D0) is available only if power (P4) is specified.
- Data (D2) & (D1) is available only if power (P3) is specified.
- Data (D4) & (D3) is available only if power (P2) is specified.

PRODUCT OPTIONS

| Power | Country | Data | Data Brand |
|-------------------|-------------------------|------------------|------------------------------------|
| P2 2 Power | 01 GB | D0 0 Data | SYS Systimax Blanking Plate |
| P3 3 Power | 02 Schuko | D1 1 Data | AMP AMP Blanking Plate |
| P4 4 Power | 03 IND-EU | D2 2 Data | |
| | 04 Thailand | D3 3 Data | |
| | 05 Japan | D4 4 Data | |
| | 06 Australia | | |
| | 07 International | | |
| | 08 China | | |
| | 09 India 3 Pin | | |
| | 10 Philippines | | |
| | 11 Indonesia | | |

SAMPLE ORDER CODE

| | | | |
|-------------------|-----------|-----------|------------|
| KLCNBA4 P2 | 01 | D4 | AMP |
|-------------------|-----------|-----------|------------|

DIMENSIONS CODE / CM

| DIMENSIONS CODE / CM | PRICING | | | | |
|-------------------------|---------|--------|--------|--------|--------|
| | 0 Data | 1 Data | 2 Data | 3 Data | 4 Data |
| P2 | n/a | n/a | n/a | 708 | 708 |
| P3 | n/a | 730 | 730 | n/a | n/a |
| P4 | 751 | n/a | n/a | n/a | n/a |

If Systimax Data Brand is specified add 8.


KLCNBA5 Netbox Axial 5-Gang

WHAT'S INCLUDED

1 Netbox Axial 5-Gang.

NOTES

Unhindered work process possible when netbox is not used.
 Outlets are postponed below table surface.
 Cable outlet with rubber lips.
 Netbox Axial 5 gang comes with 5 outlet.
 Data (D0) is available only if power (P5) is specified.
 Data (D2) & (D1) is available only if power (P4) is specified.
 Data (D4) & (D3) is available only if power (P3) is specified.



PRODUCT OPTIONS

| Power | Country | Data | Data Brand |
|-------------------|-------------------------|------------------|------------------------------------|
| P3 3 Power | 01 GB | D0 0 Data | SYS Systimax Blanking Plate |
| P4 4 Power | 02 Schuko | D1 1 Data | AMP AMP Blanking Plate |
| P5 5 Power | 03 IND-EU | D2 2 Data | |
| | 04 Thailand | D3 3 Data | |
| | 05 Japan | D4 4 Data | |
| | 06 Australia | | |
| | 07 International | | |
| | 08 China | | |
| | 09 India 3 Pin | | |
| | 10 Philippines | | |
| | 11 Indonesia | | |

SAMPLE ORDER CODE

| | | | |
|------------------|-----------|-----------|------------|
| KLCNB5 P3 | 01 | D4 | AMP |
|------------------|-----------|-----------|------------|

**DIMENSIONS
CODE / CM**

| |
|----|
| P3 |
| P4 |
| P5 |


PRICING

| 0 Data | 1 Data | 2 Data | 3 Data | 4 Data |
|--------|--------|--------|--------|--------|
| n/a | n/a | n/a | 767 | 767 |
| n/a | 758 | 758 | n/a | n/a |
| 764 | n/a | n/a | n/a | n/a |

If Systimax Data Brand is specified add 8.

KLCNBA6

Netbox Axial 6-Gang



WHAT'S INCLUDED

1 Netbox Axial 6-Gang.

NOTES

- Unhindered work process possible when netbox is not used.
- Outlets are postponed below table surface.
- Cable outlet with rubber lips.
- Netbox Axial 6 gang comes with 6 outlet.
- Data (D0) is available only if power (P6) is specified.
- Data (D2) & (D1) is available only if power (P5) is specified.
- Data (D4) & (D3) is available only if power (P4) is specified.

PRODUCT OPTIONS

| Power | Country | Data | Data Brand |
|------------|------------------|-----------|-----------------------------|
| P4 4 Power | 01 GB | D0 0 Data | SYS Systemax Blanking Plate |
| P5 5 Power | 02 Schuko | D1 1 Data | AMP AMP Blanking Plate |
| P6 6 Power | 03 IND-EU | D2 2 Data | |
| | 04 Thailand | D3 3 Data | |
| | 05 Japan | D4 4 Data | |
| | 06 Australia | | |
| | 07 International | | |
| | 08 China | | |
| | 09 India 3 Pin | | |
| | 10 Philippines | | |
| | 11 Indonesia | | |

SAMPLE ORDER CODE

| | | | |
|------------|----|----|-----|
| KLCNBA6 P4 | 01 | D4 | AMP |
|------------|----|----|-----|

DIMENSIONS CODE / CM

| |
|----|
| P4 |
| P5 |
| P6 |

PRICING

| | 0 Data | 1 Data | 2 Data | 3 Data | 4 Data |
|----|--------|--------|--------|--------|--------|
| P4 | n/a | n/a | n/a | 845 | 845 |
| P5 | n/a | 863 | 863 | n/a | n/a |
| P6 | 845 | n/a | n/a | n/a | n/a |

If Systemax Data Brand is specified add 8.


KLCNBR3 Netbox Rail 3-Gang

WHAT'S INCLUDED

1 Netbox Rail 3-Gang.

NOTES

Aluminium body.
 Suitable for surface mounting.
 Netbox rail 3 gang comes with 3 outlet.
 Data (D0) is available only if power (P3) is specified.
 Data (D2) is available only if power (P2) is specified.



PRODUCT OPTIONS

| Power | Country | Data | Data Brand |
|-------------------|-------------------------|------------------|------------------------------------|
| P2 2 Power | 01 GB | D0 0 Data | SYS Systimax Blanking Plate |
| P3 3 Power | 02 Schuko | D2 2 Data | AMP AMP Blanking Plate |
| | 03 IND-EU | | |
| | 04 Thailand | | |
| | 05 Japan | | |
| | 06 Australia | | |
| | 07 International | | |
| | 08 China | | |
| | 09 India 3 Pin | | |
| | 10 Philippines | | |
| | 11 Indonesia | | |

SAMPLE ORDER CODE

| | | | |
|-------------------|-----------|-----------|------------|
| KLCNBR3 P2 | 01 | D2 | AMP |
|-------------------|-----------|-----------|------------|

**DIMENSIONS
CODE / CM**

| |
|----|
| P2 |
| P3 |


PRICING

| | 0 Data | 2 Data |
|----|---------------|---------------|
| P2 | n/a | 349 |
| P3 | 316 | n/a |

If Systimax Data Brand is specified add 8.

KLCNBR4

Netbox Rail 4-Gang



WHAT'S INCLUDED

1 Netbox Rail 4-Gang.

NOTES

Aluminium body.

Suitable for surface mounting.

Netbox Rail 4 gang comes with 4 outlet.

Data (D0) is available only if Power (P4) is specified.

Data (D2) & (D1) is available only if Power (P3) is specified.

Data (D4) & (D3) is available only if Power (P2) is specified.

PRODUCT OPTIONS

| Power | Country | Data | Data Brand |
|-------------------|-------------------------|------------------|------------------------------------|
| P2 2 Power | 01 GB | D0 0 Data | SYS Systimax Blanking Plate |
| P3 3 Power | 02 Schuko | D1 1 Data | AMP AMP Blanking Plate |
| P4 4 Power | 03 IND-EU | D2 2 Data | |
| | 04 Thailand | D3 3 Data | |
| | 05 Japan | D4 4 Data | |
| | 06 Australia | | |
| | 07 International | | |
| | 08 China | | |
| | 09 India 3 Pin | | |
| | 10 Philippines | | |
| | 11 Indonesia | | |

SAMPLE ORDER CODE

| | | | |
|-------------------|-----------|-----------|------------|
| KLCNBR4 P2 | 01 | D4 | AMP |
|-------------------|-----------|-----------|------------|

DIMENSIONS CODE / CM

| |
|----|
| P2 |
| P3 |
| P4 |

PRICING

| | 0 Data | 1 Data | 2 Data | 3 Data | 4 Data |
|----|--------|--------|--------|--------|--------|
| P2 | n/a | n/a | n/a | 372 | 372 |
| P3 | n/a | 384 | 384 | n/a | n/a |
| P4 | 372 | n/a | n/a | n/a | n/a |

If Systimax Data Brand is specified add 8.


KLCNBR5 Netbox Rail 5-Gang

WHAT'S INCLUDED

1 Netbox Rail 5-Gang.

NOTES

Aluminium body.
 Suitable for surface mounting.
 Netbox Rail 5 gang comes with 5 outlet.
 Data (D0) is available only if power (P5) is specified.
 Data (D2) & (D1) is available only if power (P4) is specified.
 Data (D4) & (D3) is available only if power (P3) is specified.



PRODUCT OPTIONS

| Power | Country | Data | Data Brand |
|-------------------|-------------------------|------------------|------------------------------------|
| P3 3 Power | 01 GB | D0 0 Data | SYS Systimax Blanking Plate |
| P4 4 Power | 02 Schuko | D1 1 Data | AMP AMP Blanking Plate |
| P5 5 Power | 03 IND-EU | D2 2 Data | |
| | 04 Thailand | D3 3 Data | |
| | 05 Japan | D4 4 Data | |
| | 06 Australia | | |
| | 07 International | | |
| | 08 China | | |
| | 09 India 3 Pin | | |
| | 10 Philippines | | |
| | 11 Indonesia | | |

SAMPLE ORDER CODE

| | | | |
|-------------------|-----------|-----------|------------|
| KLCNBR5 P3 | 01 | D4 | AMP |
|-------------------|-----------|-----------|------------|

**DIMENSIONS
CODE / CM**

| |
|----|
| P3 |
| P4 |
| P5 |


PRICING

| 0 Data | 1 Data | 2 Data | 3 Data | 4 Data |
|--------|--------|--------|--------|--------|
| n/a | n/a | n/a | 437 | 437 |
| n/a | 460 | 460 | n/a | n/a |
| 429 | n/a | n/a | n/a | n/a |

If Systimax Data Brand is specified add 8.

KLCNBR6

Netbox Rail 6-Gang



WHAT'S INCLUDED

1 Netbox Rail 6-Gang.

NOTES

Aluminium body.

Suitable for surface mounting.

Netbox rail 6 gang comes with 6 outlet.

Data (D0) is available only if power (P6) is specified.

Data (D2) & (D1) is available only if power (P5) is specified.

Data (D4) & (D3) is available only if power (P4) is specified.

PRODUCT OPTIONS

| Power | Country | Data | Data Brand |
|-------------------|-------------------------|------------------|------------------------------------|
| P4 4 Power | 01 GB | D0 0 Data | SYS Systimax Blanking Plate |
| P5 5 Power | 02 Schuko | D1 1 Data | AMP AMP Blanking Plate |
| P6 6 Power | 03 IND-EU | D2 2 Data | |
| | 04 Thailand | D3 3 Data | |
| | 05 Japan | D4 4 Data | |
| | 06 Australia | | |
| | 07 International | | |
| | 08 China | | |
| | 09 India 3 Pin | | |
| | 10 Philippines | | |
| | 11 Indonesia | | |

SAMPLE ORDER CODE

| | | | |
|-------------------|-----------|-----------|------------|
| KLCNBR6 P4 | 01 | D4 | AMP |
|-------------------|-----------|-----------|------------|

DIMENSIONS CODE / CM


| |
|----|
| P4 |
| P5 |
| P6 |

PRICING

| | 0 Data | 1 Data | 2 Data | 3 Data | 4 Data |
|----|---------------|---------------|---------------|---------------|---------------|
| P4 | n/a | n/a | n/a | 485 | 485 |
| P5 | n/a | 497 | 497 | n/a | n/a |
| P6 | 495 | n/a | n/a | n/a | n/a |

If Systimax Data Brand is specified add 8.

KLCNBT4 Netbox Turn 4-Gang



WHAT'S INCLUDED

1 Netbox Turn 4-Gang.

NOTES

Planar surface when box is closed and open.
 Unhindered work process possible when netbox is not used.
 Netbox Turn 4 gang comes with 4 outlet.
 Data (D0) is available only if power (P4) is specified.
 Data (D2) & (D1) is available only if power (P3) is specified.
 Data (D4) & (D3) is available only if power (P2) is specified.
 Data Brand is NOT available if data (D0) is specified.

PRODUCT OPTIONS

| Power | Country | Data | Data Brand |
|-------------------|-------------------------|------------------|------------------------------------|
| P2 2 Power | 01 GB | D0 0 Data | SYS Systimax Blanking Plate |
| P3 3 Power | 02 Schuko | D1 1 Data | AMP AMP Blanking Plate |
| P4 4 Power | 03 IND-EU | D2 2 Data | |
| | 04 Thailand | D3 3 Data | |
| | 05 Japan | D4 4 Data | |
| | 06 Australia | | |
| | 07 International | | |
| | 08 China | | |
| | 09 India 3 Pin | | |
| | 10 Philippines | | |
| | 11 Indonesia | | |

SAMPLE ORDER CODE

| | | | |
|-------------------|-----------|-----------|------------|
| KLCNBT4 P2 | 01 | D4 | AMP |
|-------------------|-----------|-----------|------------|

**DIMENSIONS
CODE / CM**

| |
|----|
| P2 |
| P3 |
| P4 |


PRICING

| 0 Data | 1 Data | 2 Data | 3 Data | 4 Data |
|---------------|---------------|---------------|---------------|---------------|
| n/a | n/a | n/a | 775 | 775 |
| n/a | 810 | 810 | n/a | n/a |
| 775 | n/a | n/a | n/a | n/a |

If Systimax Data Brand is specified add 8.

KLCNBT5

Netbox Turn 5-Gang



WHAT'S INCLUDED

1 Netbox Turn 5-Gang.

NOTES

Planar surface when box is closed and open.

Unhindered work process possible when netbox is not used.

Netbox Turn 5 gang comes with 5 outlet.

Data (D0) is available only if power (P5) is specified.

Data (D2) & (D1) is available only if power (P4) is specified.

Data (D4) & (D3) is available only if power (P3) is specified.

Data Brand is NOT available if data (D0) is specified.

PRODUCT OPTIONS

| Power | Country | Data | Data Brand |
|-------------------|-------------------------|------------------|------------------------------------|
| P3 3 Power | 01 GB | D0 0 Data | SYS Systimax Blanking Plate |
| P4 4 Power | 02 Schuko | D1 1 Data | AMP AMP Blanking Plate |
| P5 5 Power | 03 IND-EU | D2 2 Data | |
| | 04 Thailand | D3 3 Data | |
| | 05 Japan | D4 4 Data | |
| | 06 Australia | | |
| | 07 International | | |
| | 08 China | | |
| | 09 India 3 Pin | | |
| | 10 Philippines | | |
| | 11 Indonesia | | |

SAMPLE ORDER CODE

| | | | |
|-------------------|-----------|-----------|------------|
| KLCNBT5 P3 | 01 | D4 | AMP |
|-------------------|-----------|-----------|------------|

DIMENSIONS CODE / CM

| |
|----|
| P3 |
| P4 |
| P5 |

PRICING

| | 0 Data | 1 Data | 2 Data | 3 Data | 4 Data |
|----|--------|--------|--------|--------|--------|
| P3 | n/a | n/a | n/a | 849 | 849 |
| P4 | n/a | 821 | 821 | n/a | n/a |
| P5 | 849 | n/a | n/a | n/a | n/a |

If Systimax Data Brand is specified add 8.


KLCNBT6 Netbox Turn 6-Gang

WHAT'S INCLUDED

1 Netbox Turn 6-Gang.

NOTES

Planar surface when box is closed and open.
 Unhindered work process possible when netbox is not used.
 Netbox Turn 6 gang comes with 6 outlet.
 Data (D0) is available only if power (P6) is specified.
 Data (D2) & (D1) is available only if power (P5) is specified.
 Data (D4) & (D3) is available only if power (P4) is specified.
 Data Brand is NOT available if data (D0) is specified.



PRODUCT OPTIONS

| Power | Country | Data | Data Brand |
|-------------------|-------------------------|------------------|------------------------------------|
| P4 4 Power | 01 GB | D0 0 Data | SYS Systimax Blanking Plate |
| P5 5 Power | 02 Schuko | D1 1 Data | AMP AMP Blanking Plate |
| P6 6 Power | 03 IND-EU | D2 2 Data | |
| | 04 Thailand | D3 3 Data | |
| | 05 Japan | D4 4 Data | |
| | 06 Australia | | |
| | 07 International | | |
| | 08 China | | |
| | 09 India 3 Pin | | |
| | 10 Philippines | | |
| | 11 Indonesia | | |

SAMPLE ORDER CODE

| | | | |
|-------------------|-----------|-----------|------------|
| KLCNBT6 P4 | 01 | D4 | AMP |
|-------------------|-----------|-----------|------------|

**DIMENSIONS
CODE / CM**

| |
|----|
| P4 |
| P5 |
| P6 |


PRICING

| | 0 Data | 1 Data | 2 Data | 3 Data | 4 Data |
|----|---------------|---------------|---------------|---------------|---------------|
| P4 | n/a | n/a | n/a | 921 | 921 |
| P5 | n/a | 949 | 949 | n/a | n/a |
| P6 | 921 | n/a | n/a | n/a | n/a |

If Systimax Data Brand is specified add 8.

KLCPB3

Profilebox 3-Gang



WHAT'S INCLUDED

1 Profilebox 3-Gang.

NOTES

Individual configuration.
 Several separate power circuit possible.
 Data (D0) is available only if power (P3) is specified.
 Data (D2) is available only if power (P2) is specified.
 Data Brand is NOT available if data (D0) is specified.

PRODUCT OPTIONS

| Power | Country | Data | Data Brand |
|------------|------------------|-----------|-----------------------------|
| P2 2 Power | 01 GB | D0 0 Data | SYS Systemax Blanking Plate |
| P3 3 Power | 02 Schuko | D2 2 Data | AMP AMP Blanking Plate |
| | 03 IND-EU | | |
| | 04 Thailand | | |
| | 05 Japan | | |
| | 06 Australia | | |
| | 07 International | | |
| | 08 China | | |
| | 09 India 3 Pin | | |
| | 10 Philippines | | |
| | 11 Indonesia | | |

SAMPLE ORDER CODE

| | | | |
|-----------|----|----|-----|
| KLCPB3 P2 | 01 | D2 | AMP |
|-----------|----|----|-----|

DIMENSIONS CODE / CM


| |
|----|
| P2 |
| P3 |

PRICING

| 0 Data | 2 Data |
|--------|--------|
| n/a | 349 |
| 316 | n/a |

If Systemax Data Brand is specified add 8.

KLCPB4 Profilebox 4-Gang



WHAT'S INCLUDED

1 Profilebox 4-Gang.

NOTES

Individual configuration.
 Several separate power circuit possible.
 Netbox profile 4 gang comes with 4 outlet.
 Data (D0) is available only if power (P4) is specified.
 Data (D2) & (D1) is available only if power (P3) is specified.
 Data (D4) & (D3) is available only if power (P2) is specified.
 Data Brand is NOT available if data (D0) is specified.

PRODUCT OPTIONS

| Power | Country | Data | Data Brand |
|-------------------|-------------------------|------------------|------------------------------------|
| P2 2 Power | 01 GB | D0 0 Data | SYS Systimax Blanking Plate |
| P3 3 Power | 02 Schuko | D1 1 Data | AMP AMP Blanking Plate |
| P4 4 Power | 03 IND-EU | D2 2 Data | |
| | 04 Thailand | D3 3 Data | |
| | 05 Japan | D4 4 Data | |
| | 06 Australia | | |
| | 07 International | | |
| | 08 China | | |
| | 09 India 3 Pin | | |
| | 10 Philippines | | |
| | 11 Indonesia | | |

SAMPLE ORDER CODE

| | | | |
|------------------|-----------|-----------|------------|
| KLCPB4 P2 | 01 | D4 | AMP |
|------------------|-----------|-----------|------------|

**DIMENSIONS
CODE / CM**

| |
|----|
| P2 |
| P3 |
| P4 |


PRICING

| 0 Data | 1 Data | 2 Data | 3 Data | 4 Data |
|--------|--------|--------|--------|--------|
| n/a | n/a | n/a | 381 | 381 |
| n/a | 406 | 406 | n/a | n/a |
| 381 | n/a | n/a | n/a | n/a |

If Systimax Data Brand is specified add 8.

KLCPB5

Profilebox 5-Gang



WHAT'S INCLUDED

1 Profilebox 5-Gang.

NOTES

Individual configuration.

Several separate power circuit possible.

Profilebox 5 gang comes with 5 outlet.

Data (D0) is available only if power (P5) is specified.

Data (D2) & (D1) is available only if power (P4) is specified.

Data (D4) & (D3) is available only if power (P3) is specified.

Data Brand is NOT available if data (D0) is specified.

PRODUCT OPTIONS

| Power | Country | Data | Data Brand |
|-------------------|-------------------------|------------------|------------------------------------|
| P3 3 Power | 01 GB | D0 0 Data | SYS Systimax Blanking Plate |
| P4 4 Power | 02 Schuko | D1 1 Data | AMP AMP Blanking Plate |
| P5 5 Power | 03 IND-EU | D2 2 Data | |
| | 04 Thailand | D3 3 Data | |
| | 05 Japan | D4 4 Data | |
| | 06 Australia | | |
| | 07 International | | |
| | 08 China | | |
| | 09 India 3 Pin | | |
| | 10 Philippines | | |
| | 11 Indonesia | | |

SAMPLE ORDER CODE

| | | | |
|------------------|-----------|-----------|------------|
| KLCPB5 P3 | 01 | D4 | AMP |
|------------------|-----------|-----------|------------|

DIMENSIONS CODE / CM

| | PRICING | | | | |
|----|---------|--------|--------|--------|--------|
| | 0 Data | 1 Data | 2 Data | 3 Data | 4 Data |
| P3 | n/a | n/a | n/a | 437 | 437 |
| P4 | n/a | 460 | 460 | n/a | n/a |
| P5 | 437 | n/a | n/a | n/a | n/a |

If Systimax Data Brand is specified add 8.


KLCPB6 Profilebox 6-Gang

WHAT'S INCLUDED

1 Profilebox 6-Gang.

NOTES

- Individual configuration.
- Several separate power circuit possible.
- Profilebox 6 gang comes with 6 outlet.
- Data (D0) is available only if power (P6) is specified.
- Data (D2) & (D1) is available only if power (P5) is specified.
- Data (D4) & (D3) is available only if power (P4) is specified.
- Data Brand is NOT available if data (D0) is specified.



PRODUCT OPTIONS

| Power | Country | Data | Data Brand |
|-------------------|-------------------------|------------------|------------------------------------|
| P4 4 Power | 01 GB | D0 0 Data | SYS Systemax Blanking Plate |
| P5 5 Power | 02 Schuko | D1 1 Data | AMP AMP Blanking Plate |
| P6 6 Power | 03 IND-EU | D2 2 Data | |
| | 04 Thailand | D3 3 Data | |
| | 05 Japan | D4 4 Data | |
| | 06 Australia | | |
| | 07 International | | |
| | 08 China | | |
| | 09 India 3 Pin | | |
| | 10 Philippines | | |
| | 11 Indonesia | | |

SAMPLE ORDER CODE

| | | | |
|------------------|-----------|-----------|------------|
| KLCPB6 P4 | 01 | D4 | AMP |
|------------------|-----------|-----------|------------|

**DIMENSIONS
CODE / CM**


| |
|----|
| P4 |
| P5 |
| P6 |

PRICING

| 0 Data | 1 Data | 2 Data | 3 Data | 4 Data |
|--------|--------|--------|--------|--------|
| n/a | n/a | n/a | 485 | 485 |
| n/a | 520 | 520 | n/a | n/a |
| 485 | n/a | n/a | n/a | n/a |

If Systemax Data Brand is specified add 8.

KLCSC Starter Cable



WHAT'S INCLUDED

The Power input Cable bring power from the workstation.
1 input power cable with strain relief.

NOTES

Country of installation is required when Plug option is chosen.

PRODUCT OPTIONS

| Plug Options | Length | Type | Country |
|--------------|------------------|--------------|-----------------------|
| 1 Hard Wire | 010 100cm | R Raw | 01 GB |
| 2 Plug | 020 200cm | U UPS | 02 Schuko |
| | 030 300cm | | 03 IND-EU |
| | | | 04 Thailand |
| | | | 05 Japan |
| | | | 06 Australia |
| | | | 07 China |
| | | | 09 India 3 Pin |
| | | | 10 Philippines |
| | | | 11 Indonesia |

SAMPLE ORDER CODE

| | | | |
|----------------|------------|----------|-----------|
| KLCSC 1 | 010 | R | 01 |
|----------------|------------|----------|-----------|

**DIMENSIONS
CODE / CM**

| |
|-----|
| 010 |
| 020 |
| 030 |

PRICING

| | RAW (R) | UPS (U) |
|-----|---------|---------|
| 010 | 69 | 111 |
| 020 | 103 | 134 |
| 030 | 101 | 134 |

KLCCC Connector Cable

WHAT'S INCLUDED

Interconnecting Power Cable routes power between outlet boxes and carries it through.

1 interconnecting power cable.



PRODUCT OPTIONS

| Length | Type |
|------------------|--------------|
| 010 100cm | R Raw |
| 020 200cm | U UPS |
| 030 300cm | |

SAMPLE ORDER CODE

| | |
|------------------|----------|
| KLCCC 010 | R |
|------------------|----------|

**DIMENSIONS
CODE / CM**

PRICING

| | RAW (R) | UPS (U) |
|-----|----------------|----------------|
| 010 | 69 | 134 |
| 020 | 69 | 136 |
| 030 | 91 | 148 |

KLCGST Connector



WHAT'S INCLUDED

The connector is used to join two harnesses when a single harness length is not enough.
1 connector.

PRODUCT OPTIONS

| Configuration | | Type |
|-----------------|--|--------------|
| M Male | | R Raw |
| F Female | | U UPS |

SAMPLE ORDER CODE

| | |
|-----------------|----------|
| KLCGST M | R |
|-----------------|----------|

DIMENSIONS CODE / CM

| |
|------------|
| Male (M) |
| Female (F) |

PRICING

| | RAW (R) | UPS (U) |
|------------|---------|---------|
| Male (M) | 33 | 69 |
| Female (F) | 33 | 69 |


KLCNBSM2 Netbox Smart 2-Gang

WHAT'S INCLUDED

Netbox with self adhesive comes with 3m long starter cable.

NOTES

Side Cover finish to be defaulted as per module finish.
Self adhesive can be easily removed without damaging the surface.



PRODUCT OPTIONS

| Power | Country | USB Charger | Frame & Module Finish |
|-------------------|-------------------------|--------------------|---------------------------|
| P1 1 Power | 01 GB | U0 0 USB | SB Silver Black |
| P2 2 Power | 02 Schuko | C2 2X USB C | SW Silver White |
| | 03 IND-EU | | CB Champagne Black |
| | 04 Thailand | | CW Champagne White |
| | 05 Japan | | BB Black Black |
| | 06 Australia | | WW White White |
| | 07 International | | |
| | 08 China | | |
| | 09 India 3 Pin | | |
| | 10 Philippines | | |
| | 11 Indonesia | | |

SAMPLE ORDER CODE

| | | | |
|--------------------|-----------|-----------|-----------|
| KLCNBSM2 P1 | 01 | C2 | SB |
|--------------------|-----------|-----------|-----------|



**DIMENSIONS
CODE / CM**

| | PRICING | |
|----|----------------|--------------|
| | 0 USB | USB C |
| P1 | n/a | 1065 |
| P2 | 438 | n/a |

If Black Frame, Black Module or White Frame, White Module is specified add 63.

KLCNBSM3

Netbox Smart 3-Gang



WHAT'S INCLUDED

Netbox with self adhesive comes with 3m long starter cable.

NOTES

Side Cover finish to be defaulted as per module finish.

Self adhesive can be easily removed without damaging the surface.

PRODUCT OPTIONS

| Power | Data | Country | Data Brand | USB Charger | Frame & Module Finish |
|------------|-----------|------------------|-----------------------------|-------------|-----------------------|
| P2 2 Power | D0 0 Data | 01 GB | SYS Systemax Blanking Plate | U0 0 USB | SB Silver Black |
| P3 3 Power | D2 2 Data | 02 Schuko | AMP AMP Blanking Plate | C2 2X USB C | SW Silver White |
| | | 03 IND-EU | | | CB Champagne Black |
| | | 04 Thailand | | | CW Champagne White |
| | | 05 Japan | | | BB Black Black |
| | | 06 Australia | | | WW White White |
| | | 07 International | | | |
| | | 08 China | | | |
| | | 09 India 3 Pin | | | |
| | | 10 Philippines | | | |
| | | 11 Indonesia | | | |

SAMPLE ORDER CODE

| | | | | | |
|--------------------|-----------|-----------|------------|-----------|-----------|
| KLCNBSM3 P2 | D2 | 01 | AMP | U0 | SB |
|--------------------|-----------|-----------|------------|-----------|-----------|

DIMENSIONS CODE / CM

| POWER | DATA |
|-------|------|
| P2 | D0 |
| P2 | D2 |
| P3 | D0 |

PRICING

| AMP | SYS | 0 USB | USB C |
|-----|------|-------|-------|
| n/a | 1065 | n/a | 1157 |
| 467 | 476 | 0 | n/a |
| n/a | n/a | 503 | n/a |

If Black Frame, Black Module or White Frame, White Module is specified add 63.


KLCNBSM4 Netbox Smart 4-Gang

WHAT'S INCLUDED

Netbox with self adhesive comes with 3m long starter cable.

NOTES

Side Cover finish to be defaulted as per module finish.
Self adhesive can be easily removed without damaging the surface.
Netbox Smart 4-Gang, 2 Power, 2 Data (P2, D2) only available for C2.



PRODUCT OPTIONS

| Power | Data | Country | Data Brand | USB Charger | Frame & Module Finish |
|-------------------|------------------|-------------------------|------------------------------------|--------------------|---------------------------|
| P2 2 Power | D0 0 Data | 01 GB | SYS Systimax Blanking Plate | U0 0 USB | SB Silver Black |
| P3 3 Power | D2 2 Data | 02 Schuko | AMP AMP Blanking Plate | C2 2X USB C | SW Silver White |
| P4 4 Power | | 03 IND-EU | | C4 4X USB C | CB Champagne Black |
| | | 04 Thailand | | | CW Champagne White |
| | | 05 Japan | | | BB Black Black |
| | | 06 Australia | | | WW White White |
| | | 07 International | | | |
| | | 08 China | | | |
| | | 09 India 3 Pin | | | |
| | | 10 Philippines | | | |
| | | 11 Indonesia | | | |

SAMPLE ORDER CODE

| | | | | | |
|--------------------|-----------|-----------|------------|-----------|-----------|
| KLCNBSM4 P2 | D2 | 01 | AMP | C2 | SB |
|--------------------|-----------|-----------|------------|-----------|-----------|

**DIMENSIONS
CODE / CM**

| POWER | DATA |
|-------|------|
| P2 | D0 |
| P2 | D2 |
| P3 | D0 |
| P3 | D2 |
| P4 | D0 |

PRICING

| AMP | SYS | 0 USB | USB C | 2x USB C |
|-----|-----|-------|-------|----------|
| n/a | n/a | n/a | n/a | 1565 |
| 503 | 514 | n/a | 932 | n/a |
| n/a | n/a | n/a | 1248 | n/a |
| 542 | 551 | 0 | n/a | n/a |
| n/a | n/a | 569 | n/a | n/a |

If Black Frame, Black Module or White Frame, White Module is specified add 63.

teknion

www.teknion.com

CAN/US/INT 06-23
©Teknion 2025

®, ™ trade marks of Teknion Corporation
and/or its subsidiaries or licensed to it.
Patents may be pending.

Some products may not be available in
all markets. Contact your local Teknion
Representative for availability.

JUN25-AIH-PG