

complements (asia pacific)

teknion's ergonomics &
accessories program

12.13.2021



teknion

complements Designed to

support health and productivity at work, the

Complements Ergonomics & Accessories

Program offers paper flow, lighting and

organizational products that integrate with all

Teknion furniture to enhance individual and

group workspaces.

The Complements program comprises

Ergonomic Accessories such as keyboard

solutions, work displays and Work Flow

Accessories that keep documents and

supplies close at hand and display various

personal items. Task Lighting directs light to the task at hand and electrical products support the use of technology. Teknion has also partnered with international industry designers to further expand Complements with innovative, environmentally friendly products that bring the functional beauty of European residential furniture to the workplace.

contents

WHERE TO FIND THE INFORMATION YOU NEED	3
ELECTRICAL OVERVIEW	6
PRODUCT LIST	9

update summary

Please be advised that information has been updated within the Complements (Asia Pacific) Price & Application Guide. To highlight these updates, a summary has been created for your reference.

UPDATE

All pricing has been increased by 4.1%

Please note, first orders for new products will be accepted on December 13, 2021. All software will also be updated by December 13, 2021. If you have any questions regarding the information enclosed, please contact your Teknion Customer Service Representative.

where to find the information you need

Teknion provides an array of tools and information resources to help you get things done simply and easily. From product pricing to application guidelines to online planning suggestions, you will find what you need when you need it.

guide contents

This guide contains all the information you need to order this product through your specification software. The Introduction section provides everything you need to get started, including an index for product reference. The Application Guide section contains detailed specification guidelines, application and planning information to help you plan your project correctly. The Price Guide sections provide detailed pricing and specification information by product type. Available online at www.teknion.com.

where to find the information you need

All Teknion marketing materials are available online at www.teknion.com, including:

price & product guide

application guide

planning tool

installation guides

fabrics & finishes

product photography & drawings

weights & volumes

order forms

warranty/terms & conditions of sale

xpress program guide

teknion forms

The following forms are available online at www.teknion.com, to help you specify and place your order if required:

teknipaint

If you require a custom paint color match, you must submit a TekniPaint form.

using your own material (COM)

If you wish to use your own material on fabric-covered products, you must submit a completed COM form including a sample upholstery and safety testing. A COM Order Information Sheet must also be submitted. This form captures all relevant ordering and tracking information. A COM Request for Yardage Calculation form may be sent to Teknion for preliminary yardage requirements.

placing a manual order

Complete an Order Cover Sheet with the information we need to fill your order. This is the most important step. If the Order Cover Sheet is not complete and correct, the order may be delayed.

key requirements

If you require that certain pieces share the same locks you will need to specify Set of Keys Alike (SOKL) located in the Price and Product Guide.

user feedback

How is our marketing material working for you?

Feedback from the user is very important to the quality of Teknion's marketing material. We ask that if you have suggestions on how you think we could improve content OR if you have found an error, that you contact your Teknion Technical Services department.

index

Section Contents	Product Code	Page No.
Introduction		
Electrical Overview		6
Certifications & Approvals		7
Electrics		
Distribution Box	KLC LTB	10
Netbox M 2-Gang	KLCNB2	11
Netbox M 3-Gang	KLCNB3	12
Netbox M 4-Gang	KLCNB4	13
Netbox Axial 4-Gang	KLCNBA4	14
Netbox Axial 5-Gang	KLCNBA5	15
Netbox Axial 6-Gang	KLCNBA6	16
Netbox Rail 3-Gang	KLCNBR3	17
Netbox Rail 4-Gang	KLCNBR4	18
Netbox Rail 5-Gang	KLCNBR5	19
Netbox Rail 6-Gang	KLCNBR6	20
Netbox Turn 4-Gang	KLCNBT4	21
Netbox Turn 5-Gang	KLCNBT5	22
Netbox Turn 6-Gang	KLCNBT6	23
Profilebox 3-Gang	KLCPB3	24
Profilebox 4-Gang	KLCPB4	25
Profilebox 5-Gang	KLCPB5	26
Profilebox 6-Gang	KLCPB6	27
Starter Cable	KLCSC	28
Connector Cable	KLCCC	29
Connector	KLCGST	29
Netbox Smart 2-gang	KLCNBSM2	30
Netbox Smart 3-gang	KLCNBSM3	31
Netbox Smart 4-gang	KLCNBSM4	32

electrical overview

Complements offers a variety of electrical and communication components to accommodate all electrical needs.



Nextbox Turn (KLCNBT)

- The netbox turn comfort shown in an open and closed position.
- NETBOX Turn are built-in units.
- Rotate -manually for the former and at the touch of a button for the latter – in order to either expose or conceal the socket outlets.
- When rotated to the “closed” position, the unit sits flush with the surface into which it is mounted.



Nextbox Axial (KLCNBA)

- The netbox axial comfort can be utilised in a “closed” position
- NETBOX Axial is a built-in solutions that close flat and flushed against their mounted surface.
- Accessible from the front to reveal the power, voice and data sockets when required – pivoting upwards for the former and at a touch of a button for the latter.
- Advantage of remaining closed
- The outlets are positioned below the table surface



Nextbox Rail (KLCNBR)

- The unit is easily built into panel, cubicle and partition systems.
- Maximizes the use of space in workstations, most commonly office spaces with panels, cubicles and partitions.
- The modular surface-mounted unit can be easily built into these systems, and then fixed with screws from behind.



Nextbox M (KLCNB)

- Standard socket box for power, data and voice, the NETBOX M is a functional and cost efficient electrification solution available in 2-, 3- or 4-gang configurations.
- Can be installed and used in many situations, and may be mounted on any given surfaces or concealed within partitions and cable trays.



Nextbox Profilebox (KLCPB)

- Ideal for concealed installations.
- The unit can be customized to include surge protection, separate earth, power cleaners, switches and separate power circuits.
- Detachable plastic clamps allow the netbox profilebox to be affixed to any surface with ease.



Distribution Box (KLCLTB)

- The light terminal box is ideal for the cabling in a lighting system or a workstation.
- Enables you to manage your cable network effectively and efficiently.
- The “Plug and Play” technology permits you to save time if you have to relocate or change the configuration of your installation.

certifications & approvals

Material Information

Plastics:

- Self-extinguishing according to UL 94 (FR)
- Low concentration of heavy metal

Markings and approvals



Recycling



CE



geeignet für
Möbeleinsatz



geeignet für
Hohlräume



VDE



ÖVE



Demko



NEMKO



SEMKO



FIMKO



KEMA / KEUR



TÜV / GS



ENEC 05



CEBEC



IMQ



Taff - Tecken



SIRIM




PSB

CONTENTS

KLCLTB	DISTRIBUTION BOX	10
KLCNB2	NETBOX M 2-GANG	11
KLCNB3	NETBOX M 3-GANG	12
KLCNB4	NETBOX M 4-GANG	13
KLCNBA4	NETBOX AXIAL 4-GANG.	14
KLCNBA5	NETBOX AXIAL 5-GANG.	15
KLCNBA6	NETBOX AXIAL 6-GANG.	16
KLCNBR3	NETBOX RAIL 3-GANG.	17
KLCNBR4	NETBOX RAIL 4-GANG.	18
KLCNBR5	NETBOX RAIL 5-GANG.	19
KLCNBR6	NETBOX RAIL 6-GANG.	20
KLCNBT4	NETBOX TURN 4-GANG.	21
KLCNBT5	NETBOX TURN 5-GANG.	22
KLCNBT6	NETBOX TURN 6-GANG.	23
KLCPB3	PROFILEBOX 3-GANG.	24
KLCPB4	PROFILEBOX 4-GANG.	25
KLCPB5	PROFILEBOX 5-GANG.	26
KLCPB6	PROFILEBOX 6-GANG.	27
KLCSC	STARTER CABLE.	28
KLCCC	CONNECTOR CABLE	29
KLCGST	CONNECTOR	29
KLCNBSM2	NETBOX SMART 2-GANG	30
KLCNBSM3	NETBOX SMART 3-GANG	31
KLCNBSM4	NETBOX SMART 4-GANG	32

KLCLTB Distribution Box



What's included

1 Distribution Box.

Notes

Can substitute other distributors (e.g in light system).
Internal switching possible.

Options

Type

13 1:3

Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price
13 1:3	107

KLCNB2 Netbox M 2-Gang

What's included

1 Netbox M 2-Gang.

Notes

Standard module for power, telephone and data transmission.


Connectable through connector system.

Data (D0) is available only if power (P2) is specified.

Data (D2) is available only if power (P1) is specified.

Data (D4) is available only if power (P0) is specified.

Country is not available only if power (P0) is specified.



Options

Power

PO 0 Power | P1 1 Power | P2 2 Power

Country

01 GB | 02 Schuko-N | 03 Ind-EU
 04 Thailand | 05 USA | 06 Australia
 07 International | 08 China | 09 India 3 Pin
 10 Philippines | 11 Indonesia

Data

DO 0 Data | D2 2 Data | D4 4 Data

Data Brand

SYS Systemax Blanking plate | AMP AMP Blanking plate


Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price		
	0 Data	2 Data	4 Data
P0 0 Power	N/A	N/A	111
P1 1 Power	N/A	200	N/A
P2 2 Power	172	N/A	N/A

If Systemax Data Brand is specified add 7.

KLCNB3

Netbox M 3-Gang



What's included

1 Netbox M 3-Gang.

Notes

Standard module for power, telephone and data transmission.

Connectable through connector system.

Data (D0) is available only if power (P3) is specified.

Data (D2) is available only if power (P2) is specified.

Options

Power

P2 2 Power | P3 3 Power

Country

01 GB		02 Schuko-N		03 Ind-EU
04 Thailand		05 USA		06 Australia
07 International		08 China		09 India 3 Pin
10 Philippines		11 Indonesia		

Data

DO 0 Data | D2 2 Data

Data Brand

SYS Systemax Blanking plate | AMP AMP Blanking plate

.....
Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price	
	0 Data	2 Data
P2 2 Power	N/A	262
P3 3 Power	205	N/A

If Systemax Data Brand is specified add 7.

KLCNB4 Netbox M 4-Gang


What's included

1 Netbox M 4-Gang.

Notes

Standard module for power, telephone and data transmission.
Connectable through connector system.

Data (D0) is available only if power (P4) is specified.
Data (D2) & (D1) is available only if power (P3) is specified.
Data (D4) & (D3) is available only if power (P2) is specified.



Options

Power

P2 2 Power | P3 3 Power | P4 4 Power

Country

01 GB | 02 Schuko-N | 03 Ind-EU
04 Thailand | 05 USA | 06 Australia
07 International | 08 China | 09 India 3 Pin
10 Philippines | 11 Indonesia

Data

DO 0 Data | D1 1 Data | D2 2 Data
D3 3 Data | D4 4 Data

Data Brand

SYS Systemax Blanking plate | AMP AMP Blanking plate


Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price				
	0 Data	1 Data	2 Data	3 Data	4 Data
P2 2 Power	N/A	N/A	N/A	262	262
P3 3 Power	N/A	290	290	N/A	N/A
P4 4 Power	254	N/A	N/A	N/A	N/A

If Systemax Data Brand is specified add 7.

KLCNBA4

Netbox Axial 4-Gang



What's included
1 Netbox Axial 4-Gang.

Notes
Unhindered work process possible when netbox is not used.
Outlets are positioned below table surface.
Cable outlet with rubber lips.
Data (D0) is available only if power (P4) is specified.
Data (D2) & (D1) is available only if power (P3) is specified.
Data (D4) & (D3) is available only if power (P2) is specified.

Options					
Power					
P2	2 Power		P3	3 Power	P4 4 Power
Country					
01	GB		02	Schuko-N	03 Ind-EU
04	Thailand		05	USA	06 Australia
07	International		08	China	09 India 3 Pin
10	Philippines		11	Indonesia	
Data					
DO	0 Data		D1	1 Data	D2 2 Data
D3	3 Data		D4	4 Data	
Data Brand					
SYS	Systemax Blanking plate		AMP	AMP Blanking plate	

Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price				
	0 Data	1 Data	2 Data	3 Data	4 Data
P2 2 Power	N/A	N/A	N/A	587	587
P3 3 Power	N/A	606	606	N/A	N/A
P4 4 Power	623	N/A	N/A	N/A	N/A

If Systemax Data Brand is specified add 7.


KLCNBA5 Netbox Axial 5-Gang

What's included

1 Netbox Axial 5-Gang.

Notes

Unhindered work process possible when netbox is not used.
 Outlets are postponed below table surface.
 Cable outlet with rubber lips.
 Netbox Axial 5 gang comes with 5 outlet.
 Data (D0) is available only if power (P5) is specified.
 Data (D2) & (D1) is available only if power (P4) is specified.
 Data (D4) & (D3) is available only if power (P3) is specified.



Options

Power

P3 3 Power | P4 4 Power | P5 5 Power

Country

01 GB | 02 Schuko-N | 03 Ind-EU
 04 Thailand | 05 USA | 06 Australia
 07 International | 08 China | 09 India 3 Pin
 10 Philippines | 11 Indonesia

Data

DO 0 Data | D1 1 Data | D2 2 Data
 D3 3 Data | D4 4 Data

Data Brand

SYS Systemax Blanking plate | AMP AMP Blanking plate


Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price				
	0 Data	1 Data	2 Data	3 Data	4 Data
P3 3 Power	N/A	N/A	N/A	636	636
P4 4 Power	N/A	629	629	N/A	N/A
P5 5 Power	634	N/A	N/A	N/A	N/A

If Systemax Data Brand is specified add 7.

KLCNBA6

Netbox Axial 6-Gang



What's included
1 Netbox Axial 6-Gang.

Notes
Unhindered work process possible when netbox is not used.
Outlets are postponed below table surface.
Cable outlet with rubber lips.
Netbox Axial 6 gang comes with 6 outlet.
Data (D0) is available only if power (P6) is specified.
Data (D2) & (D1) is available only if power (P5) is specified.
Data (D4) & (D3) is available only if power (P4) is specified.

Options

Power

P4 4 Power | P5 5 Power | P6 6 Power

Country

01 GB | 02 Schuko-N | 03 Ind-EU
04 Thailand | 05 USA | 06 Australia
07 International | 08 China | 09 India 3 Pin
10 Philippines | 11 Indonesia

Data

DO 0 Data | D1 1 Data | D2 2 Data
D3 3 Data | D4 4 Data

Data Brand

SYS Systemax Blanking plate | AMP AMP Blanking plate

Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price				
	0 Data	1 Data	2 Data	3 Data	4 Data
P4 4 Power	N/A	N/A	N/A	701	701
P5 5 Power	N/A	716	716	N/A	N/A
P6 6 Power	701	N/A	N/A	N/A	N/A

If Systemax Data Brand is specified add 7.


KLCNBR3 Netbox Rail 3-Gang

What's included

1 Netbox Rail 3-Gang.

Notes

Aluminium body.
 Suitable for surface mounting.
 Netbox rail 3 gang comes with 3 outlet.
 Data (D0) is available only if power (P3) is specified.
 Data (D2) is available only if power (P2) is specified.



Options

Power

P2 2 Power | P3 3 Power

Country

01 GB | 02 Schuko-N | 03 Ind-EU
 04 Thailand | 05 USA | 06 Australia
 07 International | 08 China | 09 India 3 Pin
 10 Philippines | 11 Indonesia

Data

DO 0 Data | D2 2 Data

Data Brand

SYS Systemax Blanking plate | AMP AMP Blanking plate


Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price	
	0 Data	2 Data
P2 2 Power	N/A	290
P3 3 Power	262	N/A

If Systemax Data Brand is specified add 7.

KLCNBR4

Netbox Rail 4-Gang



What's included
1 Netbox Rail 4-Gang.

Notes
Aluminium body.
Suitable for surface mounting.
Netbox rail 4 gang comes with 4 outlet.
Data (D0) is available only if Power (P4) is specified.
Data (D2) & (D1) is available only if Power (P3) is specified.
Data (D4) & (D3) is available only if Power (P2) is specified.

Options					
Power					
P2	2 Power		P3	3 Power	P4 4 Power
Country					
01	GB		02	Schuko-N	03 Ind-EU
04	Thailand		05	USA	06 Australia
07	International		08	China	09 India 3 Pin
10	Philippines		11	Indonesia	
Data					
DO	0 Data		D1	1 Data	D2 2 Data
D3	3 Data		D4	4 Data	
Data Brand					
SYS	Systemax Blanking plate		AMP	AMP Blanking plate	

Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price				
	0 Data	1 Data	2 Data	3 Data	4 Data
P2 2 Power	N/A	N/A	N/A	309	309
P3 3 Power	N/A	319	319	N/A	N/A
P4 4 Power	309	N/A	N/A	N/A	N/A

If Systemax Data Brand is specified add 7.


KLCNBR5 Netbox Rail 5-Gang

What's included

1 Netbox Rail 5-Gang.

Notes

Unhindered work process possible when netbox is not used.
 Outlets are postponed below table surface.
 Cable outlet with rubber lips.
 Netbox Arial 5 gang comes with 5 outlet.
 Data (D0) is available only if power (P5) is specified.
 Data (D2) & (D1) is available only if power (P4) is specified.
 Data (D4) & (D3) is available only if power (P3) is specified.



Options

Power

P3 3 Power | P4 4 Power | P5 5 Power

Country

01 GB | 02 Schuko-N | 03 Ind-EU
 04 Thailand | 05 USA | 06 Australia
 07 International | 08 China | 09 India 3 Pin
 10 Philippines | 11 Indonesia

Data

DO 0 Data | D1 1 Data | D2 2 Data
 D3 3 Data | D4 4 Data

Data Brand

SYS Systemax Blanking plate | AMP AMP Blanking plate


Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price				
	0 Data	1 Data	2 Data	3 Data	4 Data
P3 3 Power	N/A	N/A	N/A	363	363
P4 4 Power	N/A	382	382	N/A	N/A
P5 5 Power	356	N/A	N/A	N/A	N/A

If Systemax Data Brand is specified add 7.

KLCNBR6

Netbox Rail 6-Gang



What's included
1 Netbox Rail 6-Gang.

Notes
Aluminium body.
Suitable for surface mounting.
Netbox rail 6 gang comes with 6 outlet.
Data (D0) is available only if power (P6) is specified.
Data (D2) & (D1) is available only if power (P5) is specified.
Data (D4) & (D3) is available only if power (P4) is specified.

Options

Power		
P4 4 Power		P5 5 Power
		P6 6 Power
Country		
01 GB		02 Schuko-N
04 Thailand		05 USA
07 International		08 China
10 Philippines		11 Indonesia
03 Ind-EU		06 Australia
		09 India 3 Pin
Data		
DO 0 Data		D1 1 Data
D3 3 Data		D4 4 Data
		D2 2 Data
Data Brand		
SYS Systemax Blanking plate		AMP AMP Blanking plate

.....
Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price				
	0 Data	1 Data	2 Data	3 Data	4 Data
P4 4 Power	N/A	N/A	N/A	403	403
P5 5 Power	N/A	412	412	N/A	N/A
P6 6 Power	410	N/A	N/A	N/A	N/A

If Systemax Data Brand is specified add 7.


KLCNBT4 Netbox Turn 4-Gang

What's included

1 Netbox Turn 4-Gang.

Notes

Planar surface when box is closed and open.
 Unhindered work process possible when netbox is not used.
 Netbox Turn 4 gang comes with 4 outlet.
 Data (D0) is available only if power (P4) is specified.
 Data (D2) & (D1) is available only if power (P3) is specified.
 Data (D4) & (D3) is available only if power (P2) is specified.
 Data Brand is NOT available if data (D0) is specified.



Options

Power

P2 2 Power | P3 3 Power | P4 4 Power

Country

01 GB | 02 Schuko-N | 03 Ind-EU
 04 Thailand | 05 USA | 06 Australia
 07 International | 08 China | 09 India 3 Pin
 10 Philippines | 11 Indonesia

Data

DO 0 Data | D1 1 Data | D2 2 Data
 D3 3 Data | D4 4 Data

Data Brand

SYS Systemax Blanking plate | AMP AMP Blanking plate


Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price				
	0 Data	1 Data	2 Data	3 Data	4 Data
P2 2 Power	N/A	N/A	N/A	643	643
P3 3 Power	N/A	672	672	N/A	N/A
P4 4 Power	643	N/A	N/A	N/A	N/A

If Systemax Data Brand is specified add 7.

KLCNBT5

Netbox Turn 5-Gang



What's included
1 Netbox Turn 5-Gang.

Notes
Planar surface when box is closed and open.
Unhindered work process possible when netbox is not used.
Netbox Turn 5 gang comes with 5 outlet.
Data (D0) is available only if power (P5) is specified.
Data (D2) & (D1) is available only if power (P4) is specified.
Data (D4) & (D3) is available only if power (P3) is specified.
Data Brand is NOT available if data (D0) is specified.

Options					
Power					
P3	3 Power		P4	4 Power	P5 5 Power
Country					
01	GB		02	Schuko-N	03 Ind-EU
04	Thailand		05	USA	06 Australia
07	International		08	China	09 India 3 Pin
10	Philippines		11	Indonesia	
Data					
DO	0 Data		D1	1 Data	D2 2 Data
D3	3 Data		D4	4 Data	
Data Brand					
SYS	Systemax Blanking plate		AMP	AMP Blanking plate	

Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price				
	0 Data	1 Data	2 Data	3 Data	4 Data
P3 3 Power	N/A	N/A	N/A	704	704
P4 4 Power	N/A	681	681	N/A	N/A
P5 5 Power	704	N/A	N/A	N/A	N/A

If Systemax Data Brand is specified add 7.


KLCNBT6 Netbox Turn 6-Gang

What's included

1 Netbox Turn 6-Gang.

Notes

Planar surface when box is closed and open.
 Unhindered work process possible when netbox is not used.
 Netbox Turn 6 gang comes with 6 outlet.
 Data (D0) is available only if power (P6) is specified.
 Data (D2) & (D1) is available only if power (P5) is specified.
 Data (D4) & (D3) is available only if power (P4) is specified.
 Data Brand is NOT available if data (D0) is specified.



Options

Power

P4 4 Power | P5 5 Power | P6 6 Power

Country

01 GB | 02 Schuko-N | 03 Ind-EU
 04 Thailand | 05 USA | 06 Australia
 07 International | 08 China | 09 India 3 Pin
 10 Philippines | 11 Indonesia

Data

DO 0 Data | D1 1 Data | D2 2 Data
 D3 3 Data | D4 4 Data

Data Brand

SYS Systemax Blanking plate | AMP AMP Blanking plate


Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price				
	0 Data	1 Data	2 Data	3 Data	4 Data
P4 4 Power	N/A	N/A	N/A	764	764
P5 5 Power	N/A	787	787	N/A	N/A
P6 6 Power	764	N/A	N/A	N/A	N/A

If Systemax Data Brand is specified add 7.

KLCPB3

Profilebox 3-Gang



What's included

1 Profilebox 3-Gang.

Notes

Individual configuration.

Several separate power circuit possible.

Data (D0) is available only if power (P3) is specified.

Data (D2) is available only if power (P2) is specified.

Data Brand is NOT available if data (D0) is specified.

Options

Power

P2 2 Power | P3 3 Power

Country

01 GB		02 Schuko-N		03 Ind-EU
04 Thailand		05 USA		06 Australia
07 International		08 China		09 India 3 Pin
10 Philippines		11 Indonesia		

Data

DO 0 Data | D2 2 Data

Data Brand

SYS Systemax Blanking plate | AMP AMP Blanking plate

Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price	
	0 Data	2 Data
P2 2 Power	N/A	290
P3 3 Power	262	N/A

If Systemax Data Brand is specified add 7.

KLCPB4 Profilebox 4-Gang

What's included

1 Profilebox 4-Gang.

Notes

Individual configuration.

Several separate power circuit possible.


Netbox profile 4 gang comes with 4 outlet.

Data (D0) is available only if power (P4) is specified.

Data (D2) & (D1) is available only if power (P3) is specified.

Data (D4) & (D3) is available only if power (P2) is specified.

Data Brand is NOT available if data (D0) is specified.



Options

Power

P2 2 Power | P3 3 Power | P4 4 Power

Country

01 GB | 02 Schuko-N | 03 Ind-EU
 04 Thailand | 05 USA | 06 Australia
 07 International | 08 China | 09 India 3 Pin
 10 Philippines | 11 Indonesia

Data

DO 0 Data | D1 1 Data | D2 2 Data
 D3 3 Data | D4 4 Data

Data Brand

SYS Systemax Blanking plate | AMP AMP Blanking plate


Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price				
	0 Data	1 Data	2 Data	3 Data	4 Data
P2 2 Power	N/A	N/A	N/A	316	316
P3 3 Power	N/A	337	337	N/A	N/A
P4 4 Power	316	N/A	N/A	N/A	N/A

If Systemax Data Brand is specified add 7.

KLCPB5

Profilebox 5-Gang



What's included

1 Profilebox 5-Gang.

Notes

Individual configuration.
 Several separate power circuit possible.
 Profilebox 5 gang comes with 5 outlet.
 Data (D0) is available only if power (P5) is specified.
 Data (D2) & (D1) is available only if power (P4) is specified.
 Data (D4) & (D3) is available only if power (P3) is specified.
 Data Brand is NOT available if data (D0) is specified.

Options

Power

P3 3 Power | P4 4 Power | P5 5 Power

Country

01 GB | 02 Schuko-N | 03 Ind-EU
 04 Thailand | 05 USA | 06 Australia
 07 International | 08 China | 09 India 3 Pin
 10 Philippines | 11 Indonesia

Data

DO 0 Data | D1 1 Data | D2 2 Data
 D3 3 Data | D4 4 Data

Data Brand

SYS Systemax Blanking plate | AMP AMP Blanking plate

Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price				
	0 Data	1 Data	2 Data	3 Data	4 Data
P3 3 Power	N/A	N/A	N/A	363	363
P4 4 Power	N/A	382	382	N/A	N/A
P5 5 Power	363	N/A	N/A	N/A	N/A

If Systemax Data Brand is specified add 7.


KLCPB6 Profilebox 6-Gang

What's included

1 Profilebox 6-Gang.

Notes

Individual configuration.
 Several separate power circuit possible.
 Profilebox 6 gang comes with 6 outlet.
 Data (D0) is available only if power (P6) is specified.
 Data (D2) & (D1) is available only if power (P5) is specified.
 Data (D4) & (D3) is available only if power (P4) is specified.
 Data Brand is NOT available if data (D0) is specified.



Options

Power

P4 4 Power | P5 5 Power | P6 6 Power

Country

01 GB | 02 Schuko-N | 03 Ind-EU
 04 Thailand | 05 USA | 06 Australia
 07 International | 08 China | 09 India 3 Pin
 10 Philippines | 11 Indonesia

Data

DO 0 Data | D1 1 Data | D2 2 Data
 D3 3 Data | D4 4 Data

Data Brand


SYS Systemax Blanking plate | AMP AMP Blanking plate

Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price				
	0 Data	1 Data	2 Data	3 Data	4 Data
P4 4 Power	N/A	N/A	N/A	403	403
P5 5 Power	N/A	431	431	N/A	N/A
P6 6 Power	403	N/A	N/A	N/A	N/A

If Systemax Data Brand is specified add 7.

KLCSC Starter Cable



What's included

The Power input Cable bring power from the workstation.
1 input power cable with strain relief.

Notes

Country of installation is required when Plug option is chosen.

Options

Plug option

1 Hard Wire | 2 Plug

Length

010 100cm | 020 200cm | 030 300cm

Power Type

S Standard | U UPS

Country

01 GB | 02 Schuko-N | 03 Ind-EU
04 Thailand | 05 USA | 06 Australia
07 China | 09 India 3 Pin
10 Philippines | 11 Indonesia


Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price (Hard Wire & Plug)	
	RAW	UPS
010 100cm	57	92
020 200cm	85	111
030 300cm	84	111

KLCCC Connector Cable

What's included

Interconnecting Power Cable routes power between outlet boxes and carries it through.
1 interconnecting power cable.



Options

Length

010 100cm | 020 200cm | 030 300cm

Power Type

S Standard | U UPS


Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price (Connector Cable)	
	RAW	UPS
010 100cm	57	111
020 200cm	57	113
030 300cm	76	122

KLCGST Connector

What's included

The connector is used to join two harnesses when a single harness length is not enough.
1 connector.



Options

Configuration

M Male | F Female

Power Type


S Standard | U UPS

Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price (Hard Wire & Plug)	
	RAW	UPS
M Male	28	57
F Female	28	57

KLCNBSM2

Netbox Smart 2-Gang



What's included

Netbox with self adhesive comes with 3m long starter cable.

Notes

Side Cover finish to be defaulted as per module finish.

Self adhesive can be easily removed without damaging the surface.

Options

Power

P1 1 Power | P2 2 Power

Country

01 GB | 02 Schuko-N | 03 Ind-EU
 04 Thailand | 05 USA | 06 Australia
 07 International | 08 China | 09 India 3 Pin
 10 Philippines | 11 Indonesia

USB Charger

U0 0 USB | U2 2 USB

Frame & Module Finish

SB Silver Black | SW Silver White | CB Champagne Black
 CW Champagne White | BB Black Black | WW White White

Please add the desired code(s) from above to the end of your product option code below.

Product Options	Price	
	0 USB	2 USB
P1 1 Power	N/A	678
P2 2 Power	364	N/A

If Black Frame, Black Module or White Frame, White Module is specified add 53.


KLCNBSM3 Netbox Smart 3-Gang

What's included

Netbox with self adhesive comes with 3m long starter cable.

Notes

Side Cover finish to be defaulted as per module finish.
Self adhesive can be easily removed without damaging the surface.



Options

Power

P2 2 Power | P3 3 Power

Data

D0 0 Data | D2 2 Data

Country

01 GB | 02 Schuko-N | 03 Ind-EU
04 Thailand | 05 USA | 06 Australia
07 International | 08 China | 09 India 3 Pin
10 Philippines | 11 Indonesia

Data Brand

SYS systimax Blanking plate | AMP AMP Blanking plate

USB Charger

U0 0 USB | U2 2 USB

Frame & Module Finish

SB Silver Black | SW Silver White | CB Champagne Black
CW Champagne White | BB Black Black | WW White White


Please add the desired code(s) from above to the end of your product option code below.

Product Options		Price			
		AMP	Systimax	0 USB	2 USB
P2 2 Power	D0 0 Data	N/A	N/A	N/A	730
P2 2 Power	D2 2 Data	387	395	0	N/A
P3 3 Power	D0 0 Data	N/A	N/A	417	N/A

If Black Frame, Black Module or White Frame, White Module is specified add 53.

KLCNBSM4

Netbox Smart 4-Gang



What's included

Netbox with self adhesive comes with 3m long starter cable.

Notes

Side Cover finish to be defaulted as per module finish.

Self adhesive can be easily removed without damaging the surface.

Netbox Smart 4-Gang, 2 Power, 2 Data (P2,D2) only available for 2 USB.

Options

Power

P2 2 Power | P3 3 Power | P4 4 Power

Data

D0 0 Data | D2 2 Data

Country

01 GB | 02 Schuko-N | 03 Ind-EU
 04 Thailand | 05 USA | 06 Australia
 07 International | 08 China | 09 India 3 Pin
 10 Philippines | 11 Indonesia

Data Brand

SYS systimax Blanking plate | AMP AMP Blanking plate

USB Charger

U0 0 USB | U2 2 USB | U4 4 USB

Frame & Module Finish

SB Silver Black | SW Silver White | CB Champagne Black
 CW Champagne White | BB Black Black | WW White White

Please add the desired code(s) from above to the end of your product option code below.

Product Options		Price				
		AMP	Systimax	0 USB	2 USB	4 USB
P2 2 Power	D0 0 Data	N/A	N/A	N/A	N/A	1088
P3 3 Power	D0 0 Data	N/A	N/A	N/A	791	N/A
P3 3 Power	D2 2 Data	450	457	0	N/A	N/A
P4 4 Power	D0 0 Data	N/A	N/A	472	N/A	N/A

If Black Frame, Black Module or White Frame, White Module is specified add 53.

Product Options		Price	
		AMP	Systimax
P2 2 Power	D2 2 Data	417	427

If 2 USB is specified add 315.

If Black Frame, Black Module or White Frame, White Module is specified add 53

teknion

www.teknion.com

IN ASIA

Lot 761 Jalan Haji Sirat
Klang, Selangor
42100 Malaysia
Tel 603.3342.4345
603.3342.3466

IN CANADA

1150 Flint Road
Toronto, Ontario
M3J 2J5 Canada
Tel 866.teknion
866.835.6466

IN THE USA

350 Fellowship Road
Mt Laurel, New Jersey
08054 USA
Tel 877.teknion
877.8335.6466

OTHER OFFICES LOCATED IN

Europe, South and Central America,
Middle East and Russia
For regional contact information
go to www.teknion.com

MY 12

© Teknion 2021
®, TM trade marks of Teknion Corporation
and/or its subsidiaries or licensed to it.
Patents may be pending.