application guides

WORK TABLES	1
MEETING & AUDIENCE BOARDROOM TABLES	7
TRAINING	1
CASUAL TABLES9	7
CLUBTALK10	3
STORAGE	1
WORK TOOLS	3


work tables

work tables

WORK TABLE BASICS	.52
FINISH PROTOCOL	.53
EDGE TRIM STYLE OVERVIEW	. 54
USER EDGE & GRAIN DIRECTION	. 5 5
WOOD FINISH DETAILS	. 5 5
GROMMET LOCATIONS	5 5

work tables basics


Work Tables are ideally designed to support static or mobile table needs within a systems or private office environment.



finish protocol

Finishes and edge details for Work Tables co-ordinate with all Teknion systems.

Straight Trims (6) and Bullnose Trims (2) are available in a variety of Edge Trim Colors. Flintwood, Seamless and Natural Veneer surfaces will include edges that match the surface color.



Modesty Panels are offered in eight patterns that can be specified in Foundation or Mica colors



Embossed Square Solo



Embossed Square Collective



Embossed Dot Solo



Embossed Large Dot



Perforated Square Solo



Perforated Square Collective



Perforated Dot Solo



Embossed Louvered Solo

edge trim style overview

The chart below indicates which edge trim styles can be specified with all Work Table surface finishes.


- All edge finishes will automatically default to match the surface finish selected with the exception of the Straight Trim (6) and Bullnose Trim (2) which requires that an edge trim color be chosen
- Work Table worksurfaces are 1" thick

		Foundation Laminate Surface	Seamless Color Surface	Flintwood Surface	Natural Veneer	Non-User Edge
Straight Trim (6)			n/a	n/a	n/a	Straight Trim (6)
All Edges						
Bullnose Trim (2) User Edge Only			n/a	n/a	n/a	Finished in a coordinating Flat Trim
——————————————————————————————————————						
Flintwood Straight Trim (7)		n/a	n/a		n/a	Flintwood Straight Trim (7)
All Edges				7///		
Seamless Flat Edge (G)		n/a		n/a	n/a	Seamless Flat Edge (G)
All Edges						
Seamless Full Knife Edge (X)		n/a		n/a	n/a	Finished in a coordinating
User Edge Only			//			Flat Edge
Seamless Eased Edge (E)		n/a		n/a	n/a	Finished in a coordinating Flat Edge
User Edge Only						That Edge
Flat Edge (G)		n/a	n/a	n/a		Flat Edge (G)
All Edges	<u></u>				1///	
Full Knife Edge (H)		n/a	n/a	n/a		Finished in a coordinating
User Edge Only	<u></u>					Flat edge
Solid Full Knife Edge (X)		n/a	n/a	n/a		Finished in a coordinating
User Edge Only						Flat edge
Solid Eased Edge (E)		n/a	n/a	n/a		Finished in a coordinating
User Edge Only						Flat edge

user edge & grain direction

The illustrations below highlight locations of the user edges and wood grain direction for Work Tables.

Shading indicates user edge



wood finish details

The following provides details on Teknion's Flintwoods and Natural Veneers.

flintwood & natural veneer


Different wood species offer unique texture and grain. Due to the natural properties of wood, grain pattern and finish color variation can be expected. Teknion provides a coordinated color match between individual product lines.

The variation in technology between Teknion's wood manufacturing facilities and the veneers that are utilized will cause fluctuation in the fill rates and sheen levels. All Flintwood worksurfaces and storage tops are closed pore. All Flintwood used in a vertical application is open pore (Table base infill, Storage Units Case, Focus Board). Natural Veneer in all applications is open pore.

Exposure to direct sunlight should be avoided as UV rays may cause the veneer color to change. Adding new product to an existing installation might result in color variations due to light exposure and aging of the original product. For more information on Teknion wood and cleaning instructions please see Teknion's Fabrics and Finishes program.

grommet locations

Grommets on Work Tables are located along one width of the Work Table surface and are ideally suited for single person usage of the table. In shared applications, Grommets are not recommended.




meeting & audience® boardroom tables

meeting & audience® boardroom tables

MEETING ROOM TABLE BASICS
MEETING ROOM TABLE FINISH PROTOCOL
MEETING ROOM TABLE EDGE TRIM STYLE OVERVIEW
USER EDGE & GRAIN DIRECTION
ELECTRICS LAYOUTS FOR MEETING TABLES
AUDIENCE® BOARDROOM TABLES BASICS
AUDIENCE® BOARDROOM TABLES FINISH PROTOCOL
AUDIENCE® BOARDROOM TABLES EDGE TRIM STYLE OVERVIEW
AUDIENCE® BOARDROOM TABLE USER EDGE & GRAIN DIRECTION
AUDIENCE® BOARDROOM TABLES GRAIN DIRECTION & NUMBER OF PIECES
WOOD FINISH DETAILS
POWER & DATA BASICS
ELECTRICAL LAYOUTS FOR AUDIENCE® BOARDROOM TABLES73
POWER/DATA GROMMET DETAILS
RECESSED POWER/DATA MODULE DETAILS
PLANNING WITH RECESSED POWER/DATA MODULES

meeting room tables basics

Meeting Tables are ideally suited to providing table requirements for up to eight people in small to medium sized meeting rooms.




Three Power & One USB

meeting room tables basics (continued)

Meeting Rooms can be finished with Audience Boardroom Storage and Focus Walls.

- Focus Wall products can be found in the Work Tools section.
- Storage products can be found in the Storage section.






Recessed Power/Data Module

meeting room tables finish protocol

Meeting Room Tables co-ordinate with All Teknion finishes.

- Focus Wall products can be found in the Work Tools section.
- Storage products can be found in the Storage section.
- Straight Trims (6) and Bullnose Trims (2) are available in a variety of Edge Trim Colors. Flintwood, Seamless and Natural Veneer surfaces will include edges that match the surface color.



 Leveler is Chrome and leveler collar is Chromed or Painted to match leg

finish selected

meeting room tables edge trim style overview

The chart below indicates which edge trim styles can be specified with all meeting room surface finishes.


- All edge finishes will automatically default to match the surface finish selected, with the exception of the Straight Trim (6) and Bullnose Trim (2) which requires that an edge finish be chosen
- Meeting Table worksurfaces are 1" thick

	Foundation Laminate Surface	Seamless Color Surface	Flintwood Surface	Natural Veneer	Non-User Edge
Straight Trim (6) All Edges		n/a	n/a	n/a	Straight Trim (6)
Bullnose Trim (2) User Edge Only		n/a	n/a	n/a	Finished in a coordinating Straight Trim
Flintwood Straight Trim (7) All Edges	n/a	n/a		n/a	Flintwood Straight Trim (7)
Seamless Flat Edge (G) All Edges	n/a		n/a	n/a	Seamless Flat Edge (G)
Seamless Full Knife Edge (X) User Edge Only	n/a		n/a	n/a	Finished in a coordinating Flat Edge
Seamless Eased Edge (E) User Edge Only	n/a		n/a	n/a	Finished in a coordinating Flat trim
Flat Edge (G) All Edges	n/a	n/a	n/a		Flat Edge (G)
Full Knife Edge (H) User Edge Only	n/a	n/a	n/a		Finished in a coordinating Flat edge
Solid Full Knife Edge (X) User Edge Only	n/a	n/a	n/a		Finished in a coordinating Flat edge
Solid Eased Knife Edge (E) User Edge Only) n/a	n/a	n/a		Finished in a coordinating Flat edge


Illustrations below show grain direction and user edges both with and without solid edges.

Shading indicates user edge





corner details on natural veneer worksurfaces



electrics layouts for meeting tables

Illustrations below show Power/Data locations on various table shapes and sizes.

grommet (G)

Sizes: 42" x 42", 48" x 48" (Not Mono-Pod bases)








Centered Grommet (GC)


Centered Grommet (GC)

Centered Grommet (GC)

Sizes: 36"-48" d, 66" - 84" w







ATMR

Centered Grommet (GC)
Centered Recessed Unit (Plug-in or hardwire) (RC,HC)

ATMB

Centered Grommet (GC) Centered Recessed Unit (Plug-in or hardwire) (RC,HC)


ATMV

Centered Grommet (GC) Centered Recessed Unit (Plug-in or hardwire) (RC,HC)


recessed power/data module (R,H) and grommet (G)

CALA power options are in the same location as North American options





hardwire) (RC,HC)



ATMS

Centered Grommet (GC) Centered Recessed Unit (Plug-in or hardwire) (RC,HC)

Centered Grommet (GC)
Centered Recessed Unit (Plug-in or

ATMT

Centered Grommet (GC)
Centered Recessed Unit (Plug-in or hardwire) (RC,HC)

Sizes: 36" - 48" d, 96" w







ATMR

Double Grommet (GD)
Double Recessed (Plug-in or hardwire)
(RD, HD)

ATMB

Double Grommet (GD)

Double Recessed (Plug-in or hardwire)
(RD, HD)


ATMV

Double Grommet (GD)

Double Recessed (Plug-in or hardwire)
(RD, HD)

audience® boardroom tables basics

Audience Boardroom Tables provide a meeting area for up to 16 people and are available in a variety of shapes, base options and finishes




Recessed Power/Data

audience® boardroom tables finish protocol

Audience Boardroom Tables co-ordinate with all Teknion finishes.

- Storage products can be found in the Storage section.
- Straight Trims (6) is available in a variety of Edge Trim Colors. Flintwood and Natural Veneer surfaces will come with edges that match the surface color.




audience® boardroom tables edge trim style overview

The chart below indicates which edge trim styles can be specified with all Audience Boardroom surface finishes.

- All edge finishes will automatically default to match the surface finish selected, with the exception of the Straight Trim (6) which
 requires that an edge finish be chosen
- Audience Boardroom Table worksurfaces are 1 1/4" thick

	Foundation Laminate Surface	Seamless Color Surface	Flintwood Surface	Natural Veneer	Non-User Edge
Straight Trim (6) All Edges		n/a	n/a	n/a	Straight Trim (6)
Flintwood Straight Trim (7)	n/a	n/a		n/a	Flintwood Straight Trim (7)
Flat Edge (G) All Edges	n/a	n/a	n/a		Flat Edge (G)
Full Knife Edge (H) User Edge Only	n/a	n/a	n/a		Finished in a coordinating Flat edge
Solid Full Knife Edge (X) User Edge Only	n/a	n/a	n/a		Finished in a coordinating Flat edge
Solid Eased Edge (E) User Edge Only	n/a	n/a	n/a		Finished in a coordinating Flat edge


corner details on natural veneer worksurfaces




audience® boardroom table user edges & grain direction

Illustrations below show user edge and grain direction for Audience Boardroom Tables.

shading indicates user edge.



grain direction



audience® boardroom tables grain direction & number of pieces

The following chart indicates the number of surface pieces provided and the number of pedestal bases/pairs of legs.

Most Audience Boardroom Tables come with at least 2 surface tops and will be seamed.

Shape	Size	# of Pieces	# of Pairs of Stretch Legs or Pedestal Bases	Grain Direction
	66x66	2 pieces	2 (or 1 Quad Base)	*
	72x72	2 pieces	2 (or 1 Quad Base)	<u></u>
Square	78x78	2 pieces	2 (or 1 Quad Base)	*
	84x84	2 pieces	2 (or 1 Quad Base)	**
	90x90	2 pieces	2 (or 1 Quad Base)	
Circular	96x96	2 pieces	2 (or 1 Quad Base)	
	42x96	1 piece	2	←→
Rectangular	42x108	2 pieces	2	←→
rectangular	42x120	2 pieces	2	←→
	48x96	1 piece	2	←→
Boat	48x108	2 pieces	2	←→
	48x120	2 pieces	2	←→
	48x132	2 pieces	2	←→
Oval	48x144	2 pieces	2	←→
	48x156	2 pieces	3	←→
	48x168	3 pieces	3	
	48x180	4 pieces	3	\$
	54x108	2 pieces	2	←→
	54x120	2 pieces	2	←→
	54x132	2 pieces	2	←→
	54x144	2 pieces	2	←→
	54x156	2 pieces	3	←→
	54x168	3 pieces	3	Ţ
	54x180	4 pieces	3	
	54x192	4 pieces	3	

audience® boardroom tables grain direction & number of pieces (continued)

The following chart indicates the number of surface pieces provided and the number of pedestal bases/pairs of legs.

Audience Boardroom Tables coded as "60" have an actual dimension of 58.5".

Shape	Size	# of Pieces	# of Pairs of Stretch Legs or Pedestal Bases	Grain Direction
	54x204	4 pieces	3	1
	54x216	4 pieces	3	Ì
Rectangular	54x228	4 pieces	4	*
	60x144	2 pieces	2	←→
	60x156	2 pieces	3	←→
Boat	60x168	3 pieces	3	
	60x180	4 pieces	3	<u> </u>
	60x192	4 pieces	3	<u> </u>
Oval	60x204	4 pieces	3	
	60x216	4 pieces	3	<u> </u>
	60x228	4 pieces	4	<u> </u>
				•
	54x120	2 pieces	2	←→
	54x132	2 pieces	2	←→
Video Conference	54x144	2 pieces	3	←→
	54x156	2 pieces	3	←→
	60x120	2 pieces	3	←→
	60x132	2 pieces	3	←→
	60x144	2 pieces	3	←→
	60x156	2 pieces	3	←→
	60x168	3 pieces	3	
	60x180	4 pieces	3	
	60x192	4 pieces	3	*
	60x204	4 pieces	3	1
	60x216	4 pieces	4	1
	60x228	4 pieces	4	

wood finish details

The following provides details on Teknion's Flintwoods and Natural Veneers.

flintwood & natural veneer

Different wood species offer unique texture and grain. Due to the natural properties of wood, grain pattern and finish color variation can be expected. Teknion provides a coordinated color match between individual product lines.


The variation in technology between Teknion's wood manufacturing facilities and the veneers that are utilized will cause fluctuation in the fill rates and sheen levels. All Flintwood worksurfaces and storage tops are closed pore. All Flintwood used in a vertical application is open pore (Table base infill, Storage Units Case, Focus Board). Natural Veneer in all applications is open pore.

Exposure to direct sunlight should be avoided as UV rays may cause the veneer color to change. Adding new product to an existing installation might result in color variations due to light exposure and aging of the original product. For more information on Teknion wood and cleaning instructions please see Teknion's Fabrics and Finishes program.


power & data basics

The illustration below shows how Power/Data is incorporated into the Audience Boardroom Tables.

horizontal wire management




vertical wire management (pedestal base)



power and data basics (continued)

The illustration below shows how Power/Data is incorporated into the Audience Boardroom Tables.


vertical wire management (stretch legs)



Vertical Wire Manager (AEWF) (Please refer to the Complements book).

Stretch LegRequires exposed wire management accessories

vertical & horizontal wire management (quad base)




electrical layouts for audience® boardroom tables

The illustration below indicates Power/Data options and placement by surface shape and sizes. See Product Pages for details.

grommet

* Rectangular (ATBR), Oval (ATBV), Boat (ATBB) and Video Conference (ATVC) Boardroom Tables




electrics layouts for audience® boardroom tables (continued)


The Recessed Power/Data Module is available in both a Plug-In or a Hard-Wire version.

- "R" represents the Recessed "Plug-In" option.
- "H" represents the Hard Wire version HC, HS, HD, HQ.


recessed power/data module

* Rectangular (ATBR), Oval (ATBV), Boat (ATBB) and Video Conference (ATVC) Boardroom Tables





Detail A Position for 84", 90", 96" Square/Circle only




Tip from table edge


^{*} Please refer to Basics Page for details on offering.

power/data grommet details

The following illustrations provide details of the Grommet.




Nests down into grommet and is easy to pull-out




recessed power/data module details

A Recessed Power and Data Module is a flush fitting power and data solution for Meeting and Boardroom Tables.




- As a special item, this unit can be customized to meet customers special data/communication and power needs including audio/video controls or extra power outlets
- Standard offering has three power outlets and a covered communication opening that can accommodate a variety of data connectors (not included)
- The communication opening is 2.72" x 1.38" for single gang mounting plates which will accommodate kits from AMP, Panduit, Hubbell, Leviton, Northern Telecom, AT&T, lucent and others
- Module is 6.125" wide x 6.125" deep x 3.5" high




planning with recessed power/data modules

The Recessed Power/Data Module can be customized to accommodate desired Power/Data needs as well as required A/V controls.


standard unit





Standard and CALA unit can be field-installed using the template provided with the product, but tables can be ordered with the recessed power/data cut out pre-cut Special configuration recessed modules are available up on special request

module orientation in table




- 4 3 2 2 1 V
- \bullet As cut out in table for recessed power/data module is 6"/6" square, unit may be oriented in 1 of 4 directions as shown at left
- Unit can be re-oriented easily with only one tool (screw driver)
- If unit is field installed, a template is provided with the product. A 6" by 6" hole must be drilled

planning with recessed power/data modules (continued)

data port configuration options

Wire Pass through on two sides-1 1/8" h



Communications Opening can accommodate data plates and connectors from many manufacturers such as Amp, Panduit, Hubbell, Leviton, Northern Telecom, AT&T/Lucent and others to have up to four data ports

- Data cables may be exited from unit on right side of frame (1) or on bottom (2)
- Bottom-Mounted outlet can accommodate large brick-style plugs with integrated transformers (3)
- Voice/Data Face plates, Jacks and Cables are not included and must be field-supplied and installed

training

training

TRAINING WORKSURFACE AND SUPPORT BASICS
TRAINING TABLE BASICS
ACCESSORY BASICS
EDGE TRIM STYLE OVERVIEW86
USER EDGE & GRAIN DIRECTION86
SUPPORT COMPATIBILITY CHART
COLLABORATIVE WORKSURFACE SHAPES
MODESTY PANEL DETAILS
ELECTRICAL TRAY & CABLE TRAY DETAILS90
MODESTY PANEL & ELECTRICAL TRAY COMPATIBILITY CHART91
PLANNING WITH TABLE SCREENS & LATERAL SCREENS
ACCESSORY COMPATIBILITY CHART
LIGHTING, ELECTRICS & COMMUNICATIONS BASICS
FINISH PROTOCOL


training worksurface and support basics

The following diagrams highlight Worksurface Support and Modesty Panel options for the Training Tables


Please refer to the Work Tools section for Focus Wall products and Storage section for Storage Products.

Rectangular Worksurface (CTRT) and Cockpit Worksurface (CTCK)

Are ideally suited for classroom or training room like configurations








Modesty Panels (CTLM, CTMM)

- Used with most worksurfaces; see Compatibility Chart for application to the various shapes of worksurfaces
- Available in Laminate or Metal
- Metal is available in Solid or Embossed
- Available with or without a built-in cable tray; the Cable Tray (CTWT) or Electrical Tray (CTET) can also be specified separately, the latter is not compatible with built-in tray
- When specifying the Modesty Panel, select the width to match the width of the worksurface to which it is

being applied. Actual width will differ depending on the leg type

 Access door can be secured using a screw supplied on the modesty panel assembly




of the worksurface to which

Also Available:

Modesty Panels for Flip-Top Table (CTLMF, CTMMF)

- Used with Flip-Top Table (CTFT) only
- Available in Laminate or Metal
- Metal is available in Solid or Embossed
- Cable Tray (CTWT) or Electrical Tray (CTET) can be specified separately
- When specifying the Modesty Panel, select the width to match the width of the table to which it is being applied; actual width will be smaller
- Includes a securing device




Support Options

- Four leg styles are available for use with Training Tables
- All can be used on their own or in shared applications
- For compatibility between worksurfaces and legs, please refer to compatibility chart

	C-Leg	T-Leg	Int Leg	Adjustable Height Option
Standard (D)				n/a
Arched (A)				
Slender (S)				
Post Leg (P)	n/a	n/a	n/a	S. Carron

- Casters and levelers can be specified on all legs except Intermediate Legs
- Post Leg has a 75 mm caster
- C-Legs and T-Legs have a 60 mm caster
- Levelers have a leveling range of 1" for the Standard (D) and Slender Legs (S) and 1/2" for the Arched Leg (A). When casters are specified, one caster is lockable
- All except Standard Legs are available in an Adjustable Height version (1" increments) that includes a securing device



 A concealed roller (1 caster, 1 leveler) is offered for the Arched Leg style. The roller option includes one leveler and one unlockable roller. This permits movement when the worksurface is lifted at one end and keeps the worksurface stationary when at rest




training worksurface & support basics (continued)

The following diagrams highlight worksurface shapes, linking options, and Power/Data alternatives for the training tables.

Please refer to the Storage section for Audience Storage products and the Work Tools section for Focus Wall products.

Worksurface Shapes

Are provided in order to be able to plan collaborative work environments







Audience A.V. Cart

Intermediate Legs


- · Specified only as a secondary support for specific worksurfaces
- May be used as a shared support to create corner configurations, but cannot be used to support a worksurface independently or to create rows of linked worksurfaces





Linking Tables


- For permanent configurations, worksurfaces can be linked together using a shared leg
- For more temporary or casual applications, tables can either be casually clustered together on their own or with the use of the Quick Release Linking System (CAQR)





Grommets or Power/Data Center

- Can be specified when worksurfaces or tables are ordered. The surface will come with pre-drilled holes for easy installation on site
- When applicable, eight options are available
- Additional Grommets (CTGM) or Power/Data Centers (CLMC) can be field-installed and must be specified separately
- The Power/Data Center provided with worksurfaces and tables has 2 Power / 2 USB / 1 Data configuration (221) and a 120" long cord



Audience Credenza

Power/Data Sphere (CLPS)

Can be field-installed to provide Power and Data access on both sides of the table in collaborative set up







tables & collaborative spaces application guide - November 26, 2018


training table basics

Within the training tables offering, several table options can be specified for more casual use.


- All Training Tables are sold as complete tables but are shipped knocked down
- All Training Tables can be specified with Grommets

Modesty


• Only CTFT or CTHT Training Tables can be specified with Power/Data Centers



The worksurface of the Flip-Top Tables (CTFT) lock in both flat and upright positions. An activation handle is standard underneath the surface at the back edge and can be operated with one hand at any point along the surface. When a modesty panel (CTLMF, CTMMF) is installed, it activates the handle




- This table accepts the Modesty
 Panel for Flip-Top Table (CTLMF,
 CTMMF) only. Can also accept the
 Electrical Tray (CTET) or Cable
 Tray (CTWT) at the same time as the
 modesty panel
- Can be nested together for storage.
 For example six tables will store into a space 53" wide
- Available in fixed height leg styles and options shown on the right
- Come with two lockable and two non-lockable casters



Arched

Slender




• Rectangular Height-Adjustable Tables (CTHT)


- Provide crank height adjustment from 24" to 36"
- Widths dimensions are 1" shorter than specified to allow for heightadjustment clearance and cable management
- Low-torque mechanism allows for minimal effort with only five turns per inches of adjustment. The mechanism

can be operated on each side of worksurface (left or right)

- Available in fixed height leg styles and options shown on the right
- Are not offered with casters
- Arched Leg is available with an optional concealed roller (1 caster/1 leveler)




C-Leg



Rectangular Folding Tables (CTFL) and Lightweight Rectangular Folding Tables (CTLF)

- Are available with C-Legs or T-Legs
- Three fixed height (29") Leg Styles are available Standard (D), Arched (A) and Slender (S)
- Casters or Levelers can be specified on each of the leg styles
- Include two lockable casters when casters are specified
- The lightweight version comes with two integrated handles
- Arched Leg is available with an optional concealed roller
- Do not accept accessories





Mobile Table Trolley (CTMT)

- Available to store or move up to 7 (1,000 lbs) Folding Tables stored vertically
- · Finished in Black


accessory basics


The following diagrams highlight Screens, Electrical Trays and Accessories available within the Training Table offering.


Table Screen

Table Screens (CTDS) and Lateral Screens (CTLS)

- Can only be applied to Rectangular and Cockpit Worksurfaces and the Rectangular Height-Adjustable Table (CTHT)
- Cannot be applied when T-Legs are specified
- Cannot be applied to 18" deep worksurfaces
- 22" in height **cannot** be used when casters have been specified
- Fabric is not tackable
- Lateral Screens must be used in combination with a Table Screen











- Is mounted below a worksurface to manage cables coming from the worksurface level
- Under-Worksurface Plug-In Power Bar (RLPP) can be attached to the Cable Tray




Vertical Wire Management Covers (CTWC)

Are 15" in height and are used only on the Slender Leg Style



CPU Holder (CTLP)

- Can only be installed on the Arched Leg Style
- Low-profile bottom provides appropriate venting for most CPU's. However, if vents are located on the side of the CPU, 1" should be allowed on either side for sufficient air flow
- Cannot be applied in combination with Folding Tables (CTFL, CTLF) and Flip-Top Tables (CTFL)
- If Vertical Leg Covers (CTVL) are mounted on Arched Leg Styles, the inside cover must be removed prior to mounting the CPU Holder



Vertical Leg Covers (CTVL)

- Vertical Leg Covers can only be mounted on the Arched Leg Style
- Vertical Leg Covers can be mounted to both sides of an Arched Leg Style to hide exposed cables
- If leg covers (CTVL) or Wire Management Covers (CTWC) are required for Folding Tables, they must be removed before folding under the worksurface
- When Specifying Vertical Leg Covers with cable management, only one cover gets cable management hooks



Electrical Tray (CTET)

- Can be used with a Modesty Panel (without built-in cable tray)
- Allows for front or user access to Power and Data
- Several electrical components such as the Under-Worksurface Plug-In Power Bar (RLPP), the Under-Worksurface Power Outlet (CLWP), the Splitter Box (RLBX) or the Data Box (CLDB) can be attached directly to the electrical tray
- See Compatibility chart for application to the various shapes of Worksurfaces

edge trim style & overview


The chart below indicates which edge trim styles can be specified with Training Tables surface finishes.

- The Flintwood Straight Trim (7) will automatically default to match the surface finish color selected.
- Training Table worksurfaces are 1 3/16" thick

	Foundation Laminate Surface	Flintwood Surface	Non-User Edge
Straight Trim (6) All Edges		n/a	Straight Trim (6)
Flintwood Straight Trim (7) All Edges	n/a		Flintwood Straight Trim (7)

user edge & grain direction

Shading indicates user edge.



^{*} Only available with Straight Trim

support compatibility chart

The chart below shows the compatibility between worksurface shapes and supports within the Training offering.

		Worksu	rfaces					
		Rectangular (CTRT)	Cockpit (CTCK)	Trapeze Angular (CTTA)	Half-Moon (CTHM)	Mezzanine (CTMZ)	Curved Hatchet (CTCH)	Quarter- Moon (CTQM)
Leg	s							
	Fixed Height							
		3, 6	6	4	3, 6	3, 6	3, 6	3, 4
(CL)	Adjustable Height							
C-Leg (CTCL)		3			3	3	3	3
	Fixed Height							
					5	5		4
IL)	Adjustable Height							
T-Leg (CTTL)					5	5		
	Fixed Height							
termediate Leg (CTST)					1, 2	1, 2	1	1, 4
ite Le	Adjustable Height							
Intermedia					1, 2	1, 2	1	1
	Fixed Height							
(
CTP	Adjustable Height							
Post Leg (CTPL)								

Compatible Not Compatible

^{1 =} The Intermediate Leg may only be used when worksurfaces are linked. 2 = The Intermediate Leg may be used as a secondary non-linking support (only for 24" and 30" deep worksurfaces).


^{3 =} Available for 24" and 30" deep worksurfaces only.

^{4 =} The Standard Leg style **cannot** be installed on this worksurface.

^{5 =} The 18" T-Leg can be used as a secondary non-linking support. 6 = The Standard Leg style can only be installed on 24" deep worksurfaces.

collaborative worksurface shapes

The following illustrations demonstrate how to use many of the Worksurface shapes in shared applications.



Half-Moon & Mezzanine Worksurfaces

- Must be linked to other worksurfaces of the same width using shared supports
- \bullet These products cannot be used as a stand alone worksurface
- An Intermediate Leg or T-Leg must be specified as a third support
- These worksurfaces do not accept any accessories
- \bullet For back-to-back screen applications, please specify 1" wider
- Three Post Legs can be used to support these worksurfaces (2 in shared position plus 3rd post leg)






Curved Hatchet & Quarter-Moon Worksurfaces


- Must be linked to other worksurfaces of the same width using shared supports
- These products cannot be used as a stand alone worksurface
- These worksurfaces do not accept any accessories
- The Quarter-Moon worksurface does not accept the "Standard" Leg Style

modesty panel details


Training offers modesty panels mounted under the worksurface between supports to provide seated privacy.

- To determine compatibility between Modesty Panels and Worksurfaces, please refer to the Accessory Compatibility Chart in this section
- Modesty panels do not provide structural support





• Provide a 1/2" gap for cable access between the Modesty Panel and the worksurface




Modesty Panels (CTLM, CTMM):

- Support configuration must be specified to ensure that the correct actual width is provided
- $-\left(H\right)$ for application on a Height-Adjustable Table (CTHT) only
- (P) for application on tables with Post Legs
- (S) for application on tables with C-Legs, T-Legs or Intermediate Legs
- Training electrical products (RLPP, CLWP, RLBX) can be installed on a Modesty Panel wider than 42" with built-in cable tray
- Not compatible with Flip-Top Table

Modesty Panels for Flip-Top Table (CTLMF, CTMMF):

• The width specified must be equal to the worksurface width; actual width will be smaller



• Shared configuration cannot be achieved with Modesty Panels for Flip-Top Table (CTLMF, CTMMF)

electrical tray & cable tray details

Training offers products that provide easy cable management on tables with or without modesty panel.

To determine compatibility between Electrical Trays, Cable Trays and Worksurfaces, please refer to the Accessory Compatibility Chart in this section

Electrical Tray Application







Without Modesty Panel





Electrical Tray (CTET):

- Can be installed for user or back access; if a power module is installed, only back access is possible
- Support configuration must be specified to ensure that the correct actual width is provided
- (H) for application on a Height-Adjustable Table (CTHT) and Flip-Top Table (CTFT)
- (P) for application on tables with Post Legs
- (S) for application on tables with C-Legs, T-Legs or Intermediate Legs
- Electrical components such as the Under-Worksurface Plug-in Power Bar (RLPP), the Under-Worksurface Power Outlet (CLWP), the Splitter Box (RLBX) and the Data Box (CLDB) can be fixed directly into the electrical clips that support the tray cover

Cable Tray Application



With Modesty Panel




Without Modesty Panel

Cable Tray (CTWT):

- Value alternative to a Electrical Tray (CTET)
- More than one tray can be specified under the same table
 Only Under-Worksurface Plug-in Power Bar (RLPP) can be attached directly to this product





modesty panel & electrical tray compatibility chart

The chart below will help determine compatibility between Modesty Panels, Electrical Trays and Worksurfaces.

				a	ccessory	widths		
					cal Tray TET)	Modesty I (CTLM CTMM	И,	Modesty Panels (CTLMF, CTMMF)
worksur	face/table	widths						
	Rectangular		36"		3	36"		n/a
	Worksurface (CTRT)		42"		4	í2"		n/a
	OR Cockpit		48"		4	í8"		n/a
	Worksurface (CTCK)		54"			54"		n/a
	OR Rectangular		60"		(50"		n/a
	Height- Adjustable Table	e	66"			66"		n/a
	(CTHT)		72"			72"		n/a
		-	78"			78"		n/a
		-	84"			34"		n/a
			36"	n	/a	n/a		n/a
		_	42"		2"	n/a		42"
^	^	_	48"		8"	n/a		48"
	Rectangular		54"		4"	n/a		54"
	Flip-Top	-	60"	60"		n/a		60"
	Table (CTTT)		66"		6"	n/a		66"
	(CTFT)		72"		2"	n/a		72"
		_	78"		8"	n/a		78"
		_	84"		4"	n/a		84"
				1	ST, CTTL	1		
				_			600	
		_	36"	20°	30°	50°	60°	
		_	42"	30"	n/a 24"	n/a n/a	n/a n/a	n/a n/a
		_	48"	36"	30"			
		_	46 54"	42"	36"	n/a 24"	n/a n/a	n/a n/a
		-	60"	48"	42"	30"	30"	n/a
		_	66"	54"	48"	36"	36"	n/a
		_	72"	60"	54"	42"	42"	n/a
		_	78"	66"	60"	48"	48"	n/a
		-	84"	72"	66"	54"	54"	n/a
	Trapeze Angular Worksurface		01	Post Leg	s only (CTI	PI.)	71	
	Worksurface (CTTA)			20°	30°	50°	60°	
	(CIII)		36"	n/a	n/a	n/a	n/a	n/a
		_	42"	24"	n/a	n/a	n/a	n/a
		_	48"	30"	24"	n/a	n/a	n/a
		-	54"	36"	30"	n/a	n/a	n/a
		_	60"	42"	36"	24"	24"	n/a
		-	66"	48"	42"	30"	30"	n/a
		_	72"	54"	48"	36"	36"	n/a
		_	78"	60"	54"	42"	42"	n/a
		-	84"	66"	60"	48"	48"	n/a
			U-I	00	00	40	70	11/ d

Accessories listed above are not compatible with:


- Half-Moon Worksurface (CTHM)Curved Hatchet Worksurface (CTCH)
- Mezzanine Worksurface (CTMZ)

- Quarter-Moon Worksurface (CTQM)
 Small-Convex Worksurface (CTQM)
 Rectangular and Lightweight Rectangular Folding Table (CTFL and CTLF)

planning with table screens & lateral screens


Table Screens (CTDS) and Lateral Screens (CTLS) can be installed on Rectangular (CTRT) and Cockpit Worksurfaces (CTCK) or the Rectangular Height-Adjustable Table (CTHT) and are offered in Fabric, Metal and Translucent finishes that finish both sides of the screen.

- Cannot be applied when T-Legs are specified
- Do not accept PAX90, PAX91, PAX97 or PAX98
- Fabric screens are not tackable
- Please refer to the Accessory Compatibility Chart in this section for details




Can be linked screens using the supplied linking piece. Please see the different configurations below:






1x Table Screen 1x Lateral Screen

Triple Configuration




2x Table Screen 1x Lateral Screen



1x Table Screen 2x Lateral Screen

Quadruple Configuration



2x Table Screen

2x Lateral Screen



Cannot be applied to 18" deep worksurfaces or tables



22" height cannot be used with worksurfaces where the C-Legs are installed with casters



The Lateral Screen cannot be used alone. It must be linked to a Table



Two Table Screens cannot be installed in 90° configurations

accessory compatibility chart

accessories

* Must be used with the same worksurface width.	CPU Holder (CTLP)	Electrical Tray (CTET)	Modesty Panels (CTLM, CTMM)	Modesty Panels (CTLMF, CTMMF)	Table Screens (CTDSF, CTDST, CTDSM)	Lateral Screens (CTLSF, CTLST, CTLSM)	Quick Release Linking System (CAQR)*	Cable Tray (CTWT)
worksurfaces		15 TO TO						Sport and the sport of the spor
Rectangular Worksurface (CTRT)					1, 2	3	4	
Cockpit Worksurface (CTCK)					2	3	4	
Trapeze Angular Worksurface (CTTA)		5	5				4	
Half-Moon Worksurface (CTHM)								
Mezzanine Worksurface CTMZ)								
Curved Hatchet Worksurface (CTCH) Quarter-Moon Worksurface (CTQM)								

tables

Rectangular Folding Table (CTFL)						
Lightweight, Rectangular Folding Table (CTLF)						
Rectangular Flip-Top Table (CTFT)		5			4	
Rectangular Height-Adjustable Table (CTHT)	0 0			3		

Compatible
Not Compatible

- 1= 18" deep worksurfaces are not applicable
- 2 = T-Legs are not applicable
- 3 = Applicable with Table Screen only
- 4 = 18" deep tables are not applicable with Post Legs
- 5 = To specify the width, refer to the Modesty Panel & Electrical Tray Compatibility Chart in this section

lighting, electrics & communications basics

Training offers several ways to organize cabling and electrics under tables and worksurfaces.

Power

All electrical products can be installed into the Electrical Tray (CTET) or lay into modesty panels with built-in cable tray (CTLM, CTMM)

Splitter Box (RLBX)


Communi-

Configu-

Power/Data Center (CLMC)

- · Can be placed on any product
- Voice/Data jacks are not included and must be field supplied and installed
- Plugs directly into standard receptacles
- This product includes a 72" or 120" cord length with flat 45° plug
- Is field-installed; it is the responsibility of the installer to avoid any interference


Data Box (CLDB)




Pass-Through (CLPH)

Data/Data







- When needed, two Under-Worksurface Power Outlets (CLWP) can be connected together
- To specify the correct length of the Pass-Through, calculate the dimension from the center of the worksurface to the center of the adjacent worksurface minus 12"
- All worksurfaces and tables must be linked together when electrical & communication products are installed


Power/Data Sphere (CLPS)

Data/Power

- Can be placed on any product
- Is field-installed; it is the responsibility of the installer to avoid any interference

Power/Power

 Can be used when you need access on both sides of the table in a collaborative set-up. It is its main advantage compared to Power/ Data Center (CLMC)



finish protocol

The following diagrams show the various Teknion Fabrics and Finishes available on Training Tables.

- Each worksurface has metal inserts to accommodate the installation of worksurface supports and modesty panels
- Pre-drilled holes are done to accommodate screen and Electrical Tray installation
- Surfaces wider than 54" include 1 or 2 reinforcing bars
- Straight Trims (6) are available in a variety of Edge Trim Colors. Flintwood surfaces will come with edges that match the surface color

Modesty Panels - Metal (CTMM) and Modesty Panels - Laminate (CTLM) and Worksurfaces and Table Tops Modesty Panels for Flip-Top Table -Modesty Panels for Flip-Top Table -Metal (CTMMF) Laminate (CTLMF) • Are available in Foundation Laminates and Flintwood stains • Can be specified in Foundation, • Can be specified in Source Laminates, Accent or Mica colors Foundation Laminates or Flintwood stains • Constructed of high-pressure laminate applied to a 1 1/8" · Offered in Solid or Embossed Hardware is available in Foundation or thick baseboard for a total surface Mica colors • Embossed is offered with four patterns: thickness of 1 3/16" (except for the Lightweight Rectangular Folding Table CTLF) **Edge Trims** Square Solo (401)(201)• Are offered in Straight Trim (6) or Flintwood Straight Trim (7) available in a selection of Edge Trim colors or Flintwood Stains (where applicable) Louvered Solo Large Dot • Flintwood Straight Trim (7) is (305)(402)only available with Flintwood C-Legs (CTCL), worksurfaces - Edge trim will match T-Legs (CTTL), the worksurface color Intermediate Legs (CTST), and Post Legs (CTPL) • Are available in Foundation or Mica colors · Levelers are Black · Casters are Black with Platinum covers **Worksurface Corner Details** Screens can be specified in Foundation, Mica or Accent metal Radius (R) Corner detail option is only colors, Frosted translucent, or panel fabric from Teknion's available when Straight Trim (6) is specified Standard Panel Fabric Program Radius (R) Standard (S) Table Screen Grommets (CTGM) • Are available in Source Laminates (Wood Prints only) or Foundation Translucent and Mica color • Source Laminate Grommets should Lateral Screen not be specified with Flintwood worksurfaces

Power/Data Center (CLMC)
Available in Soft Gris (B) or Ebony

(E) colors

casual tables

casual tables

CASUAL TABLE BASICS
EDGE TRIM STYLE OVERVIEW
USER EDGE & GRAIN DIRECTION
WOOD FINISH DETAILS


99

casual table basics


Casual Tables are ideally designed for use within cafeteria, café or lounge settings in a corporate or educational environment.



• Edges can be specified in Straight trim (6), Bullnose Trim (2), Flintwood Straight (7), Seamless Flat Edge (G), Seamless Full Knife Edge (X), Seamless Eased Edge (E), Flat Edge (G), Full Knife Edge (H), Solid Full Knife Edge (X), Solid Eased Edge (E)



lounge tables



Square (ATCSL) Circular (ATCCL) Oval (ATCVL)


54", 60", 66" w

• The Oval Lounge Table (ATCVL) offers 2 Data/ Electrical options: Grommet or Pop-Up

· Grommets have a Fine Brush Chrome finish


Grommet

café tables




Square (ATCSC) Circular (ATCCC)

bistro tables




Square (ATCSB) Circular (ATCCB)

dining tables



Square (ATCSD) Circular (ATCCD) Rectangular (ATCRD)



Lounge Table Bistro & Dining Table

standard t-leg



- No Casters available on Casual
- Base options are available in Foundation or Mica colors

Rectangular Dining Table (ATCRD)

edge trim style overview

The chart below indicates which edge trim styles can be specified with all Casual Tables surface finishes.

- All edge finishes will automatically default to match the surface finish selected, with the exception of the Straight Trim (6) and Bullnose Trim (2) which requires that an edge finish be chosen
- Casual Table worksurfaces are 1" thick


	Foundation Laminate Surface	Seamless Color Surface	Flintwood Surface	Natural Veneer	Non-User Edge
Straight Trim (6) All Edges		n/a	n/a	n/a	Straight Trim (6)
Bullnose Trim (2) User Edge Only		n/a	n/a	n/a	Finished in a coordinating Straight Trim
Flintwood Straight Trim (7)	n/a	n/a		n/a	Flintwood Straight Trim (7)
Seamless Flat Edge (G)	n/a		n/a	n/a	Seamless Flat Edge (G)
Seamless Full Knife Edge (X) User Edge Only	n/a		n/a	n/a	Finished in a coordinating Flat Edge
Seamless Eased Edge (E)	n/a		n/a	n/a	Finished in a coordinating Flat Edge
Flat Edge (G) All Edges	n/a	n/a	n/a		Flat Edge (G)
Full Knife Edge (H) User Edge Only	n/a	n/a	n/a		Finished in a coordinating Flat edge
Solid Full Knife Edge (X) User Edge Only	n/a	n/a	n/a		Finished in a coordinating Flat edge
Solid Eased Edge (E) User Edge Only	n/a	n/a	n/a		Finished in a coordinating Flat edge

IOI

user edge & grain direction

Illustrations below show grain direction and user edges both with and without solid edges.

Shading indicates user edge



wood finish details

The following provides details on Teknion's Flintwoods and Natural Veneers.

flintwood & natural veneer

Different wood species offer unique texture and grain. Due to the natural properties of wood, grain pattern and finish color variation can be expected. Teknion provides a coordinated color match between individual product lines.

The variation in technology between Teknion's wood manufacturing facilities and the veneers that are utilized will cause fluctuation in the fill rates and sheen levels. All Flintwood worksurfaces and storage tops are closed pore. All Flintwood used in a vertical application is open pore (Table base infill, Storage Units Case, Focus Board). Natural Veneer in all applications is open pore.

Exposure to direct sunlight should be avoided as UV rays may cause the veneer color to change. Adding new product to an existing installation might result in color variations due to light exposure and aging of the original product. For more information on Teknion wood and cleaning instructions please see Teknion's Fabrics and Finishes program.



CLUBtalk

PLANNING WITH CLUBTALK
CLUBTALK TYPICALS
MOBILE CART OVERVIEW
MOBILE CART BASICS
PLANNING WITH THE TEK BOX
SPECIFYING THE MOBILE CART
TABLES BASICS
PLANNING WITH TABLES121
WORKSURFACE MONITOR MOUNT COMPONENT OVERVIEW 122
WORKSURFACE MONITOR MOUNT BASICS
PLANNING WITH WORKSURFACE MONITOR MOUNT124
CLUBTALK FINISHES
GRAIN DIRECTION

planning with CLUBtalk


CLUBtalk is available in a variety of formats to provide a means of sharing information among users.

components


CLUBtalk consists of a simple product map that allows for a variety of configurations:

- Mobile Cart (with or without a Tek Box): is available in Lounge or Task and Counter or Bar heights
- Worksurface Monitor Mount
- Tables: Square, Trapezoid and Rectangular

mobile cart









with Tek Box

worksurface monitor mount



without Tek Shelf




with Tek Shelf

104

planning with CLUBtalk (continued)

tables



Rectangular Table (CUR)

CLUBtalk typicals


The following typicals demonstrate the planning capabilities for CLUBtalk.

CLUBtalk can be used in meeting rooms, informal meeting spaces in the open plan and at workstation clusters in a benching application. It can be used for large meetings with teams for brainstorming ideas, interactive teamwork or group presentations. The participants can be employees in house or a combination of in-house and remote staff. It can also be used for smaller scale meetings where information may only be shared by one person to a group.

small meeting, CLUBtalk mobile cart, lounge or task height

- Task height
- CLUBtalk Mobile Cart without Tek Box and CLUBtalk table





Small Mobile Cart (CUC) Task height 29"

Trapezoid Table (CUZ) 48" deep x 72" width A x 60" width B

CLUBtalk Tables are complete with an Access Door Module to hold technology.

QUANTITY	COMPONENTS	DESCRIPTION	LIST PRICE	EXTENDED PRICE
1	CUCAOS	CLUBtalk Mobile Cart, Lounge or Task height, No Tek Box,		
		Small Monitor (40" - 46")	3494	3494
1	CUZS4872	CLUBtalk Trapezoid Table, 48" Deep x 72" Wide	3458	3458
			TOTAL	6952


CLUBtalk Mobile Cart, Lounge or Task height, Flintwood, Clear Anodized, Painted Platinum & Graphic Steel CLUBtalk Trapezoid Table finishes: Flintwood & Mica


Also shown above:

QUANTITY	COMPONENTS	DESCRIPTION			
4	NPRTNW	rojek Synchro-Tilt, Dual Upholstery, No Headrest,			
		2D Width & Height Adjustable T-Arms			

small meeting room, CLUBtalk mobile cart, lounge or task height

- Task height
- CLUBtalk Mobile Cart without Tek Box and CLUBtalk table





One Small Mobile Cart (CUC)

Task height 29" 15' x 12' meeting room

Rectangular Table (CUR)

54" deep x 72" wide rectangular meeting table

The Mobile Cart does not need to be connected to the table or worksurface, freeing up space between the cart and the table or worksurface. Identifiers are available for easy identification for each unit in a mobile environment.

QUANTITY	COMPONENTS	DESCRIPTION	LIST PRICE	EXTENDED PRICE
1	CUCAOS	CLUBtalk Mobile Cart, Lounge or Task height, No Tek Box,		
		Small Monitor (40" - 46"), with Identifier	3576	3576
1	CURS5472	CLUBtalk Rectangular Table, 54" Deep x 72" Wide, with Mica	3556	3556
			TOTAL	7133

CLUBtalk Mobile Cart, Lounge or Task height, Flintwood, Clear Anodized, Painted Platinum & Graphic Steel CLUBtalk Rectangular Table finishes: Flintwood & Mica


Also shown above:


QUANTITY	COMPONENTS	DESCRIPTION
4	NCSY1HD	Contessa Executive Chair, Dual Upholstery, 2D Arms; Height and Pivot

Optos Walls shown above are available from Teknion's Architectural Walls Price and Product Guide.

meeting room, CLUBtalk mobile cart, counter or bar height

- Counter height
- CLUBtalk Mobile Cart complete with Tek Box





One Small Mobile Cart (CUC) Counter height 36" 15' x 10' meeting room

Navigate Meeting Table (YRH) 36" deep x 72" wide rectangular meeting table

Mobile Carts with a small surround offer two additional heights; Counter (36" high, shown) or Bar height (42" high). These heights allow for various ways of working in many wired or wireless environments.

QUANTITY	COMPONENTS	DESCRIPTION	LIST PRICE	EXTENDED PRICE
1	CUCB1S	CLUBtalk Mobile Cart, Counter or Bar height, Tek Box,		
		Small Monitor (40" - 46")	4586	4586
			TOTAL	4586
1				

CLUBtalk Mobile Cart, Counter or Bar height, Tek Box finishes: Flintwood, Clear Anodized, Painted Platinum & Graphic Steel

Also shown above:


QUANTITY	COMPONENTS	DESCRIPTION
1	YRHR2S3672	Navigate Height-Adjustable Rectangular Meeting Table, Fixed Height, 36" Deep x 72" Wide
5	NNASCK	Nami Guest Counter Stool, Sled Frame, Integrated Arms

Altos Walls shown above are available from Teknion's Architectural Walls Price and Product Guide.

open plan, CLUBtalk mobile cart, counter or bar height

- Bar height
- CLUBtalk Cart





Small Mobile Cart (CUC)

Bar height 42"

36" deep x 84" wide worksurface supported by two 42" high x 16" deep x 36" wide bookcases and a 42" high post leg

Planning at Bar height can be used for smaller collaborative environments. Standing height provides worksurfaces for perching and quick meetings.


QUANTITY	COMPONENTS	DESCRIPTION	LIST PRICE	EXTENDED PRICE
1	CUCB1S	CLUBtalk Mobile Cart, Counter or Bar height, Tek Box,		
		Small Monitor (40" - 46")	4586	4586
			TOTAL	4586
i				

CLUBtalk Mobile Cart, Counter or Bar height, Tek Box finishes: Flintwood, Clear Anodized, Painted Platinum & Graphic Steel

QUANTITY	COMPONENTS	DESCRIPTION
1	UNWR3684	Rectangular Worksurface, 36" Deep x 84" Wide
1	ATCSC	Square Cafe Table, Mono-Pod Base, 42" High (base only)
2	UBK\$4236	Standard Bookcase, 42" High x 16" Deep x 36" Wide
2	NNAHCN	Nami Guest Bar Stool, Sled Frame, No Arms (1 shown)


workstation clusters, CLUBtalk mobile cart, lounge or task height

- Task height
- CLUBtalk Mobile Cart complete with Tek Box



Two Small Mobile Carts (CUC)

- Task height 29"
- Eight Interpret workstations, 30" x 72" (overall 5' x 24')




The Mobile Cart allows for collaboration amongst teams without the need for formal meeting rooms or enclosed spaces.

QUANTITY	COMPONENTS	DESCRIPTION	LIST PRICE	EXTENDED PRICE
2	CUCA1S	CLUBtalk Mobile Cart, Lounge or Task height,		
		Tek Box, Small Monitor (40" - 46")	4368	8735
			TOTAL	8735

CLUBtalk Mobile Cart finishes: Flintwood, Clear Anodized & Painted Platinum

QUANTITY	COMPONENTS	DESCRIPTION
1	WWSDBASSR286	Double Sided Beginning Frame, with Accessory Beam, Straight End Legs, Straight Recessed Interm 28" High x 60" Deep x 72" Wide
2	WWSDMASR2860	Double Sided Middle Frame, with Accessory Beam, Straight Recessed Legs, 28" High x 60" Deep x 72" Wide
1	WWSDFAS28607	Double Sided Finish Frame, with Accessory Beam, Straight Legs, 28" High x 60" Deep x 72" Wide
8	WWWRPD3072	Power Cut Out Worksurface, for Double Sided Frame, 30" Deep x 72" Wide
8	WWEDR	Power Access Door
2	WWEBF8T072	Base Feed, 8 Wire Isolated Ground, 72" Long
2	WWEBC	Base Feed Cover
4	WWEPMD	Power Module for Double Sided
16	WWEROS	Receptacle Outlet, Standard 15 Amp
2	WWEPH8T72	Power Harness, 8 Wire Isolated Ground, 72" Long
8	WWEPTDY72	Power Tray, Double Sided, Two Duplex Cut Outs, 72" Wide
8	UPRRX19	Rolling Pedestal, Box/File, 19" Deep
8	NPRTNW	Projek Synchro-Tilt, Dual Upholstery, No Headrest, 2D Width & Height Adjustable T-Arms



CLUBtalk is used in its most simple form, as a surround with a monitor to connect to and view media. An empty Tek Box can be used to house remote controls and various devices.

QUANTITY	COMPONENTS	DESCRIPTION	LIST PRICE	EXTENDED PRICE
1	CUCA1L	CLUBtalk Mobile Cart, Lounge or Task height, with Tek Box,		
		Large Monitor (56" - 60")	4204	4204
			TOTAL	4204


CLUBtalk Mobile Cart finishes: Flintwood, Clear Anodized & Painted Platinum

QUANTITY	COMPONENTS	DESCRIPTION
1	NDNAN	dna Modular Seating - Bench, No Side Table
1	NDNAT	dna Modular Seating - Bench, With Side Table
2	NDNBND	dna Modular Seating - Bench With Bolster, No Table, Dual Upholstery
2	NDNBTRD	dna Modular Seating - Bench With Bolster, Right Table, Dual Upholstery
1	NDNCN	dna Modular Seating - Square Seat, No Table
1	NDNS	dna Modular Square Table
2	NDNTS	dna Freestanding Coffee Table, Square
1	NDNL	dna Freestanding Laptop Table
1	NDNL	dna Freestanding Laptop Table

meeting area, worksurface monitor mount, task height, interpret table, grommet

- Task height
- Worksurface Monitor Mount without Tek Shelf





Worksurface Monitor Mount (CUWM) Task height 29"

Interpret Meeting Table with CLUBtalk Table, Grommet (WWTMT)

42" wide x 72" long

The Worksurface Monitor Mount with no Shelf mounts to Interpret tables to provide a wireless connection.

QUANTITY	COMPONENTS	DESCRIPTION	LIST PRICE	EXTENDED PRICE
1	CUWM	Worksurface Monitor Mount, 42" Wide x 60" High	1360	1360
1	WWTMT	Interpret Meeting Table, 48" Wide x 84" Long	3730	3730
			TOTAL	5090


Worksurface Monitor Mount and Table, finishes: Flintwood, Painted Platinum Trim.

QUANTITY	COMPONENTS	DESCRIPTION
4	NARTNW	Projek Synchro-Tilt, Dual Upholstered Headrest, 2D Width and Height Adjustable T-Arms

meeting area, worksurface monitor mount, task height, audience table

- Task height
- Worksurface Monitor Mount with Tek Shelf





Worksurface Monitor Mount (CUWM) Task height 29"

Audience Table (ATMR) 42" wide x 72" long

The Worksurface Monitor Mount with Sensor Shelf mounts to the end of a meeting table to allow for easy storage and accessibility of sensors.

QUANTITY	COMPONENTS	DESCRIPTION	LIST PRICE	EXTENDED PRICE
1	CUWM	Worksurface Monitor Mount with Tek Shelf, 42" Wide x 60" High	1742	1742
1	ATMR	Audience Table, 42" Wide x 72" Long	2751	2751
		-	TOTAL	4493


 $Worksurface\ Monitor\ Mount\ and\ Table,\ finishes:\ Flintwood,\ Painted\ Platinum\ Trim.$

QUANTITY	COMPONENTS	DESCRIPTION
4	NARTNW	Projek Synchro-Tilt, Dual Upholstered Headrest, 2D Width and Height Adjustable T-Arms

mobile cart overview

The following outlines the components and features of the CLUBtalk Mobile Cart.


The Mobile Cart is used in both wired and wireless settings.




tables & collaborative spaces application guide - November 26, 2018

mobile cart basics

The Mobile Cart is used for multiple forms of collaboration and is available in three sizes; small, medium and large.





Box (0) With Tek Box (1, 2, 3)

Mobile Cart (CUC)

- The following is the range of monitor sizes that will fit within each surround:
- Small allows for a monitor size 40" 46" (S)
- Medium allows for a monitor size 47" 55" (M)
- Large allows for a monitor size 56" 60" (L)
- Different adjustable heights are available:
- Lounge or Task height 24" 29"
- Counter or Bar height 36" 42"
- Counter or Bar height is only available with the small surround
- Options include a Tek Box, a camera shelf and identifiers (which are a set of numeric stickers ranging from 0 - 9)
- The inside surround finish matches the outside finish

monitor heights

The following chart outlines the application heights and monitor sizes available on CLUBtalk.

	Lounge 24" high	Task 29" high	Counter 36" high	Bar 42" high
Small 40" - 46" Monitor				
Medium 47" - 55" Monitor				
Large 56" - 60" Monitor				


117

mobile cart basics (continued)


The following are the dimensions for the Mobile Cart.

small


Lounge




Task



Counter




Bar




medium

Lounge




Task




large

Lounge



Task




planning with the tek box

The following outlines the features of the Tek Box.

tek box

The Tek Box is installed on the front of the cart to house technology. It is available as:

- An empty box to allow user to install their own components An integrated box with four power receptacles
- Tek Box dimensions are 30" wide x 6" high x 13" deep
- If being used with a worksurface, the Tek Box aligns with worksurface height at Lounge, Task, Counter and Bar heights




Tek Box

specifying the mobile cart

The following should be considered when specifying the Mobile Cart.

planning considerations




- Determine what size of surround is required. It is recommended that a small surround be used with all CLUBtalk Tables. Medium or large surrounds are more suitable for lounge applications or applications where groups larger than four people will be collaborating and viewing the monitor.
- 2 The size of the surround will determine the monitor size that can be used.
- 3 Determine the required tech support with or without a Tek Box.
- Determine what height will best suit the application that the Mobile Cart will be used for; Lounge, Task, Counter or Bar heights.
- 5 Determine if a camera shelf is required. It can be added to the cart for video conferencing capabilities.
- 6 Identifiers can be added to the cart to help identify the Mobile Carts in an open plan and allocate them to specific areas on the floor plate.


tables basics

CLUBtalk Tables are available in various shapes and sizes.

CLUBtalk Tables

Each table includes an Access Door Module with Sensor Docks.





121

planning with tables


The following should be considered when planning with CLUBtalk Tables.


When planning with CLUBtalk Tables, the grommet location on all of the tables is centered on the width side of the worksurface. The side of the table with the grommet needs to be aligned with the Tek Box (on the Mobile Cart) to allow the monitor to be powered and connected to the HDMI cable.

trapezoid table (CUZ) width A width A width B 48" depth x 54" width A (width B defaults to 56") width B defaults to 56") width B defaults to 60") width B defaults to 60")	
width A width B width B 48" depth x 48" width A (width B defaults to 36") 48" depth x 72" width A (width B defaults to 60") 48" depth x 72" width A (width B defaults to 60")	
width B 48" depth x 48" width A (width B defaults to 36") 48" depth x 72" width A (width B defaults to 60") 48" depth x 72" width A (width B defaults to 60")	
rectangular table (CUR)	
rectangular table (CUR)	
48" width x 60" depth 54" width x 72" depth 60" width x 48" depth 72" width x 54" depth	

worksurface monitor mount component overview


The following outlines components and features of the Worksurface Monitor Mount.





worksurface monitor mount basics

The Worksurface Monitor Mount mounts to the end of a meeting table and can be used in private meeting or open spaces. It is available with or without a Sensor Shelf.






Worksurface Monitor Mount (CUWM)

- Mounts to the end of a meeting table
- Provides two options:
- Without Tek Shelf
- With Tek Shelf
- Available only in 42" wide x 60" high
- Can accommodate a District Standing Storage Fascia (tackable fabric or whiteboard) on back side


planning with worksurface monitor mount

The following should be considered when planning with Worksurface Monitor Mounts.


worksurface monitor mount (CUWM)



- The Monitor Mount requires a minimum of 27" width between the table legs to avoid interference with the screen brackets
- It is not suitable for 24" wide worksurfaces
- Can only be used on a 29" high table




Maximum monitor size is 42" wide



Must be mounted to fixed table. Cannot mount to any height adjustable surfaces or a table with casters.



Cannot be mounted on a sliding worksurface.



Cannot be mounted on a oval table




- Cannot be used as a table supporting structural member only as an add on piece
- Cannot be used where there is a spreader between table legs (example District Legs)


planning with worksurface monitor mount (continued)

power routing


Power routing can be done by three options:



Power is routed down the front of the screen directly to the floor




Power is routed through the Technology Enclosure directly to the floor



Power is routed down the front of the screen, along the bottom of the Interpret table, routes through CLUBtalk


CLUBtalk finishes

The following outlines the finish options available for CLUBtalk.



CLUBtalk finishes (continued)

The following outlines the finish options available for Worksurface Monitor Mount and 13" Modular Table.



- 1 Mounting Brackets: Platinum only
- 2 Screen: Source Laminate, Seamless Color, Flintwood, Natural Veneer
- 3 Tek Shelf: Foundation, Mica
- 4 Levelers: Foundation, Mica


grain direction

When planning with finishes it is important to note the grain direction for each finish on both the CLUBtalk Tables and the surround for the cart.


CLUBtalk tables

	Grain Direction			
Square Table (CUS)	42" width	48" width	54" width	
Trapezoid Table (CUZ)	48" depth x 48" width A (width B defaults to 36")	48" depth x 54" width A (width B defaults to 42")	48" depth x 72" width A (width B defaults to 60")	54" depth x 72" width A (width B defaults to 60")
Rectangular Table (CUR)	48" width x 60" depth	54" width x 72" depth	60" width x 48" depth	72" width x 54" depth

CLUBtalk mobile cart surrounds



worksurface monitor mount



storage


storage

AUDIENCE® CREDENZA STORAGE BASICS
AUDIENCE® CREDENZA CONFIGURATIONS
LOCKS & KEYS CHART
AUDIENCE® A.V. CART BASICS
AUDIENCE® HOSPITALITY CART BASICS
PROJECT STORAGE BASICS
PROJECT STORAGE CONFIGURATIONS
EDGE TRIM STYLE OVERVIEW
WOOD FINISH DETAILS

audience® credenza storage basics

Audience Credenzas comes in a variety of configurations, sizes and finishes to help compliment any meeting or boardroom room storage requirements.


- Locks can be keyed alike or keyed random (not available on glass doors)
- An optional Waste Receptacle can be specified with all Audience Credenza storage units (not available on glass doors)



Rectangular (B)

Contemporary (C)

Optional Grommets can be specified left, centered, or right (grommet provides ventilation)




- AFCV, AFCF or AFCL Credenzas
- Must be specified separately for every Credenza ordered
- Can be specified in Foundation Laminates, Seamless Colors, Flintwood stains and Natural Veneers
- Edge trims can be specified in Straight Trim (6), Flintwood Straight (7), Seamless Flat Edge (G), Seamless Full Knife Edge (X), Seamless Eased Edge (E), Flat Edge (G), Full Knife Edge (H), Solid Full Knife Edge (X) or Solid Eased Edge

audience® credenza configurations


Four different configurations of Credenzas are available (Doors (A), Single Drawer (B), Doors & Drawers (C) and middle Drawers (D); each are available in three case finish options – Laminate, Flintwood and Natural Veneer.

door configurations (a)




Audience Credenza with Doors (AFC_A)

single drawer configurations (b)




Audience Credenza with Single Drawer (AFC_B)

doors and drawers configuration (c)



Audience Credenza with Doors and Drawers (AFC C)

middle drawers configuration (d)



Audience Credenza with Middle Drawers (AFC_D)

locks & keys chart

The following chart indicates the location of the lockable doors and drawers.

	dimensions (width)				
product code	32" 48"		64" or 72"	80" or 90"	
AFC_A	n/a				
Number of Locks	_	2 —	2 —	2 —	
AFC_B	n/a		n/a		
Number of Locks	_	3 1	_	3 1	
AFC_C	n/a				
Number of Locks	_	4 2	4 2	4 2	
AFC_D	n/a		n/a		
Number of Locks	_	3 1	_	3 1	
AFT_	M M	n/a	n/a	n/a	
Number of Locks	1 —	_	_	_	
APM_A		n/a	n/a	n/a	
Number of Locks	1 —	_	_	_	
APM_B		n/a	n/a	n/a	
Number of Locks	2 1	_	_	_	
Lockable Doo	ors only Locka	ble Drawers only No	t Lockable		


audience® a.v. cart basics

The Audience A.V. Cart is a mobile or stationary unit that houses all audio and video equipment within one location.

Locks can be keyed alike or keyed random (not available on glass doors)


Audience A.V. Carts (AFTV, AFTL, AFTF)


- Available in Laminate, Veneer or Flintwood
- Available with solid or glass doors in finishes to match the Audience Credenzas or Hospitality Carts



A.V. Cart Top (AFTT)


- Is to be used in conjunction with the *Audience* A.V. Carts (AFTV, AFTF or AFTL)
- Must be specified separately for every *Audience* A.V. Cart specified
- Can be specified in Foundation Laminates, Seamless Colors, Flintwood stains and Natural Veneers
- Edge trims can be specified in Straight Trim (6), Flintwood Straight (7), Seamless Flat Edge (G), Seamless Full Knife Edge (X), Seamless Eased Edge (E), Flat Edge (G), Full Knife Edge (H), Solid Full Knife Edge (X) or Solid Eased Edge (E)





Finishes

- Veneer Carts are available in a selection of Natural Veneers
- Laminate Carts are available in a selection of Source Laminates
- Flintwood Carts are available in a selection of Flintwood stains
- Solid Doors will be finished to match the case
- Glass Doors are Frosted (FT) and finished in a clear Anodized frame




tables & collaborative spaces application guide - November 26, 2018

The Audience Hospitality Cart is a mobile server that compliments all Audience storage table products.

- Locks can be keyed alike or keyed random (not available on glass doors)
- An optional Waste Receptacle can be specified with all Audience Hospitality Carts (not available on glass doors)

Audience Hospitality Carts (AFMV, AFML, AFMF)

- Available in Laminate, Veneer or Flintwood
- Can be specified with doors or a combination of doors and drawers (Combination shown)
- Doors can be specified solid or glass in finishes to match the *Audience* Credenzas and A.V. Carts



Handle Style

- Not available on glass doors
- Available in Platinum or Ebony colors





Contemporary (C)


Rectangular (B)

Finishes

- Veneer Carts are available in a selection of Natural Veneers
- Laminate Carts are available in a selection of Source Laminates
- Flintwood Carts are available in a selection of Flintwood stains
- Solid Doors and drawer will be finished to match the case
- Glass Doors are Frosted (FT) and finished in a clear Anodized frame


Hospitality Cart Top (AFMT)

- To be used in conjunction with the Audience Hospitality Carts (AFML, AFMF or AFMV)
- Must be specified separately for every Audience Hospitality Cart specified
- Can be specified in Foundation Laminates, Seamless Colors, Flintwood stains and Natural Veneers
- Edge trims can be specified in Straight (6), Flintwood Straight (7), Seamless Flat Edge (G), Seamless Full Knife Edge (X), Seamless Eased Edge (E), Flat Edge (G), Full Knife Edge (H), Solid Full Knife Edge (X) or Solid Eased Edge (E)



- With the leaf extended, the unit can be brought to tables for easy serving
- When parked in a corner the hospitality cart acts as a small credenza ideal for smaller meeting rooms
- The unit can be wheeled out when further space is needed

- The optional **Waste Receptacle Unit** when specified, opens when the door is opened
- It is mounted by the user via instructions supplied
- Finished in Aluminum
- Also available in Credenzas




project storage basics

Project storage units are constructed of metal and are offered in a variety of sizes and configurations that can be used within workstations or collaborative spaces.


Locks can be keyed alike or keyed random

Project Carts (AFAS, AFAM, AFAL)

- Three sizes are offered: small, medium and large
- Small Project Carts can be specified open or with doors
- Medium and Large Project Carts can also be specified open or with doors however, can also be specified with combination doors and drawers



- 2 locking and 2 swivel casters are included
- Finished in Platinum with Black wheels




Finishes


- · Post, case and front finishes are available in a selection of Satin, Satin Mica, Textured or Textured Mica colors
- Shelf will be finished to match the
- Top surface can be specified in Foundation Laminates, Seamless Colors, Flintwood stains or Natural
- Edge trims can be specified in Flat Trim (8), Flintwood Straight (7), Seamless Flat Edge (G), Seamless Full Knife Edge (X), Seamless Eased Edge (E), Flat Edge (G), Full Knife Edge (H), Solid Full Knife Edge (X) or Solid Eased Edge (E)

Project carts are available with a variety of options including Open, with Doors and Drawers.

small project cart










medium project cart













large project cart









138

edge trim style overview

The chart below indicates which edge trim styles can be specified with all storage surface finishes.

- All edge finishes will automatically default to match the surface finish selected, with the exception of the Straight Trim (6) and Flat Trim (8) which requires that an edge finish be chosen
- Audience Boardroom Storage tops are 1 1/4" thick
- Project Cart Storage tops are 1" thick

		Foundation Laminate Surface	Seamless Color Surface	Flintwood Surface	Natural Veneer	Non-User Edge
	Straight Trim (6) All Edges		n/a	n/a	n/a	Straight Trim (6)
Boardroom Storage Tops	Flat Trim (8) All Edges		n/a	n/a	n/a	Flat Trim (8)
Project Cart Storage Tops	Flintwood Straight Trim (7) All Edges	n/a	n/a		n/a	Flintwood Straight Trim (7)
	Seamless Flat Edge (G) All Edges	n/a		n/a	n/a	Seamless Flat Edge (G)
	Seamless Full Knife Edge (X) User Edge Only	n/a		n/a	n/a	Finished in a coordinating Flat edge
	Seamless Eased Edge (E) User Edge Only	n/a		n/a	n/a	Finished in a coordinating Flat edge
	Flat Edge (G) All Edges	n/a	n/a	n/a		Flat Edge (G)
	Full Knife Edge (H) User Edge Only	n/a	n/a	n/a		Finished in a coordinating Flat edge
	Solid Full Knife Edge (X) User Edge Only	n/a	n/a	n/a		Finished in a coordinating Flat edge
	Solid Eased Edge (E) User Edge Only	n/a	n/a	n/a		Finished in a coordinating Flat edge

wood finish details

The following provides details on Teknion's Flintwoods and Natural Veneers.

flintwood & natural veneer

Different wood species offer unique texture and grain. Due to the natural properties of wood, grain pattern and finish color variation can be expected. Teknion provides a coordinated color match between individual product lines.

The variation in technology between Teknion's wood manufacturing facilities and the veneers that are utilized will cause fluctuation in the fill rates and sheen levels. All Flintwood worksurfaces and storage tops are closed pore. All Flintwood used in a vertical application is open pore (Table base infill, Storage Units Case, Focus Board). Natural Veneer in all applications is open pore.

Exposure to direct sunlight should be avoided as UV rays may cause the veneer color to change. Adding new product to an existing installation might result in color variations due to light exposure and aging of the original product. For more information on Teknion wood and cleaning instructions please see Teknion's Fabrics and Finishes program.

work tools

work tools

FOCUS WALL™ BASICS	. 144
DRYWALL RESTRICTIONS	. 145
ADJACENCY CONDITIONS	. 146
FOCUS WALL TM LINKING STRIPS	. 147
FOCUS BOARD™ BASICS	148

Focus Walls provide a vertical writable or tackable surface for collaborative environments.

- The 48" height matches up with the datum heights of the Altos working wall for applications where dry wall meets perpendicular
 to an Altos wall
- The 42" height is most appropriate for use in private dry wall offices and can be mounted from worksurface height to line up with casegood datum lines

Focus Wall Whiteboard (AFWW)

Focus Wall Tackboard (AFWT) • Fits into the Focus Wall Frame in order to • Fits into the Focus Wall Frame in order to provide an erasable message board provide a tackable work tool • Must be specified in the same height and Focus Wall Frame (AFWF) • Must be specified in the same height and width as the Focus Wall Frame if a full • Package of all pieces necessary to make an width as the Focus Wall Frame Whiteboard is desired empty frame in which to hold a whiteboard, • Combination Whiteboard/Tackboard, the • Whiteboard is a high quality Porcelain: tackboard or combination total sum should equal the width of the - This product accepts magnets Focus Wall Frame in which the Whiteboard/ • Frame is required for every Focus Wall. The Tackboard is being applied Whiteboard (AFWW) or Tackboard (AFWT) - Only dry erase markers can be used cannot be used on their own • Available in all Teknion Panel Fabrics • The Focus Wall is for application onto drywall. It cannot be applied to an Altos Wall • Designed to support compatible Personal Organizers (PAX) (all except PAX90, PAX91, PAX97 and PAX98) and 6" Shelf System 24" to 240" (in • Frame, Marker Tray and Flip Chart Hooks 6" increments) have a clear Anodized finish Must be a minimum of 3" from the wall. See Wall Location restrictions in this chapter Focus Wall Flip Chart Hooks (AFWC) Mount to the Focus Wall Frame or to the Sliding Whiteboard to Fabric allow for the hanging of flip charts Whiteboard 42" Sliding Whiteboard Fabric or 48" Focus Wall Marker Tray (AFWM) Fits to the underside of the Focus Wall Frame to provide storage space for markers and brushes Focus Wall Sliding Whiteboard (AFWS) • Fits onto the Focus Wall Frame to provide a Sliding, second level writing surface • The total width should not


exceed half of the Focus Wall

Frame width


tables & collaborative spaces application guide - November 26, 2018

drywall restrictions

The following illustrations demonstrate installation restrictions and are necessary to know in order to accurately specify Focus Wall lengths appropriate for each room and conditions.



The distance between the end of the Focus Wall and the perpendicular wall should be a minimum of 3"



When two Focus Walls are mounted on perpendicular walls, both must be placed a minimum of 5" from the wall


adjacency conditions

Focus Walls can be specified with a variety of combinations of Tackboards and Whiteboards.

When specifying the Focus Wall Tackboard (AFWT), adjacency conditions must be specified to ensure that the appropriate amount of linking strips are provided for the application desired

Full Tackboard


When a full tackboard is desired, Adjacency Condition "N" (Not adjacent to another Whiteboard or Tackboard) should be selected



Tackboard/Whiteboard Combination (or Tackboard/Tackboard combination of two different fabrics)


When a combination Tackboard/Whiteboard/Tackboard is desired (with Whiteboard the middle), Adjacency condition "S" (Adjacent to one Whiteboard or Tackboard of another fabric) should be selected for each tackboard.

Note: When separated by a Whiteboard, each tackboard should be specified separately (For example 2 x 48" not 96")



Tackboard Whiteboard Combination (or Tackboard/Tackboard combination of two different fabrics)

When a combination Whiteboard/Tackboard/Whiteboard is desired (with two Whiteboards on the ends), Adjacency condition "D" should be selected



focus wallTM linking strips

The following chart indicates the number of panels and linking strips provided.

Although the maximum width available for both the Focus Wall Whiteboard (AFWW) and Focus Wall Tackboard (AFWT) is 20' (240"), the maximum width of a single panel of whiteboard is 8' (96") and of a tackboard is 4' (48"): Larger sizes comprise of various sized panels totaling the width specified in the product code: Linking strips are required to connect these panels together and automatically come with the order when the Whiteboard or Tackboard is specified in sizes larger than 96" (Whiteboard) or 48" (Tackboard).

Whiteboard (AFWW)

Specified Width	Panels Provided	Linking Strips Provided
24" – 96"	1 Panel	none
102" – 192"	2 Panels of equal width	1
198" – 240"	3 Panels (middle is 96", sides are equal width)	2

Tackboard (AFWT)

Specified Width	Panels Provided	Linking Strips Provided
12" – 48"	1 Panel	none
54" – 96"	2 Panels of equal width	1
102" – 144"	3 Panels (middle is 48", sides are of equal width)	2
150" – 192"	4 Panels (2 middles are 48", sides are of equal width)	3
198" – 240"	5 Panels (3 middles are 48", sides are equal width)	4

focus boardTM basics

The Focus Board is a self-contained, closeable, whiteboard which provided a writable work tool.

Focus Board (AFWB)

- No other components within this section (Frame, Whiteboard, Tackboard etc) need to be specified for the Focus Board to function
- A blocking arm comes on each door to lock it into a 180° position when open
- Has an aesthetic tie to the *Audience* Boardroom furniture

