

focus



teknion architectural interiors





# focus

Focus™ is a demountable wall system that delivers a comprehensive range of acoustic performance with a clean, European aesthetic. Focus provides a variety of glass fascia configurations combined with matching wall and door pairings for visual and acoustic continuity. Precision-cut frame and trim components create a seamless appearance with a minimal architectural presence. In design and materials, Focus supports LEED® initiatives and occupant health, balancing the need for enclosure and acoustic privacy with a sense of openness and full access to natural light.





# enhanced acoustics

Focus offers single glazing and double glazing options to provide varied levels of acoustic opportunities to suit anyand all privacy needs.

Numerous door options allow for pairing and alignment with all fascia configurations, providing optimal acoustic performance across the entire system, achieving system STC ratings of up to 45.





# refined aesthetics

Refined, minimal profiles and seamless glass joints offer maximum full-height transparency and subtle space division. Fascias are available in a variety of finishes and glass types, providing optimal design flexibility.

Options include frosted glass for visual privacy without compromising light transmission, low-iron glass for ultimate clarity, and laminated glass for improved acoustics or embedded finishes.





# factory cut

Designed to integrate seamlessly with building architecture, Focus uses 4-inch (100mm) thick aluminum frames to accommodate glass fascias. All framing elements, including in-line and corner joints, are factory cut for a precise fit and refined finish.





flexible  
precision

Focus is designed to accommodate specific site variations, maintaining a low-profile aesthetic. The system includes cut-on-site base and ceiling frames for added flexibility.

This approach ensures shorter lead times and increased accuracy.





# versatile integration

Focus integrates seamlessly with Teknion's Altos and Tek Vue wall systems, creating tailored workspaces. A unified finish palette ensures cohesive design across the office floorplan. Pair Focus walls with Alto solid fascias for privacy, featuring laminate, Flintwood, and veneer finishes. Alternatively,

Altos solid fascias can be integrated with monolithic or segmented glass options, or fabric fascias for enhanced texture and acoustic performance. The incorporation of Altos fascias allows for the installation of electrical components in the offices, creating a fully functioning office environment.





# compliance & safety

Focus door programs ensure compliance with building and fire code requirements, featuring minimal door opening forces and double leaf options for optimal passage flow in high-occupancy environments.

Additionally, Focus glass fascias are either tempered or laminated safety glass, guaranteeing safety and structural integrity.



# features

## SIZING

- Ceiling Heights:  
84" - 120" high in 1/16" increments
- Fascia Widths:  
12" - 48" in 1/16" increments
- Factory-cut horizontal frames:  
4" thick x 2" nominal height
- Optional cut on site ceiling and base  
frames: 36", 84", 121" lengths

## BUILDING ACCOMMODATION

- Ceiling Adjustment Range: +7/16", -3/8"
- Floor Adjustment Range: +11/16", -5/32"
- Wall Start Adjustment Range:  
+7/16", -3/8"

## FASCIA OFFERING

- Single Centered, Single Offset, and  
Double Glass

## ACOUSTICS

- Glass STC ratings up to 45 STC



## DOOR OFFERING

- Center-mounted Sliding Door Leaf with  
Infinite Rail
- Framed Pivot Door Leafs (Single and  
Double Glass)
- Frameless and Solid Hinged Door Leafs

## INTEGRATION

- Drywall/Base Building
- Altos and Tek Vue

## GLASS OPTIONS

- 10 and 12mm Seamless Glass
- Tempered and Laminated
- Clear, Low Iron and Frosted Finishes



refined details



GLASS-TO-GLASS CONNECTION

Precision-fitted glass-to-glass joints can be connected with an adhesive tape or clear plastic connectors.



HARDWARE LADDER PULL

Ladder Pull is compatible with pivot and sliding doors and is offered in stainless and painted finishes.



WALL AND DOOR PAIRING

Framed Pivot Doors can be specified with single or double glass to match the acoustic configuration of Focus walls. Optional drop seals provide added acoustic privacy.



FOCUS TO ALTOS TRANSITION

Inline transitions to Altos demising walls permit enhanced functionality as needed.



HARDWARE HANDLE

Advanced lock hardware on doors complies with specific building code requirements. To provide a consistent aesthetic, hardware patches match any Focus frame finish.



ARTICULATING WALL START

The articulating wall start allows glass fascias to connect to architectural walls at an angle.



# door programs

Focus offers a comprehensive doors program designed to parallel the acoustic properties and visual privacy features found in the glass program. All doors accept the same finishes offered on the frames to create visual continuity across the office landscape.

## DOOR STYLES

- Framed Glass Sliding Door
- Framed Glass Pivot Doors
- Frameless Glass Hinged Door
- Solid Hinged Door

## DOOR FEATURES

- Available in 1/16” increments to accommodate ceiling heights between 8 and 10 feet
- To minimize sound leakage, doors are available with an optional drop seal

## DOOR FINISHES

- Glass: Tempered and/or Laminated
- Solid: Laminate or Veneer
- Framing: Anodized or Painted
- Integrated Pulls: Anodized, Painted or Stainless Steel
- Levers: Satin Chrome or Matte Black





# door programs



- FRAMED SLIDING DOOR
- 1" thick frame, 10mm glass insert
  - Drop seal option
  - Standard soft close
  - Center-mounted door leaf with infinite rail
  - Can be planned with single offset or double glass fascias
  - Ideal for scaled-down spaces and environments



- FRAMED SINGLE GLAZED PIVOT DOOR
- 1-3/4" thick frame, 12mm glass insert
  - Drop seal & closer options
  - Ideal pairing with single centered or single-offset fascias



- FRAMED DOUBLE GLAZED PIVOT DOOR
- 4" thick frame, 10mm and 6mm glass inserts
  - Drop seal & closer options
  - Ideal pairing with double glass fascias



- FRAMELESS GLASS HINGE DOOR
- 10mm or 12mm glass
  - Drop seal option
  - Anodized aluminum hinges
  - Ideal pairing with single centered or single-offset fascias



- SOLID HINGED DOOR
- 1-3/4" thick solid door
  - Drop seal & soft close options
  - Adds visual privacy to glass storefront



- DOUBLE LEAF SINGLE GLAZED FRAMED PIVOT DOOR
- 1-3/4" thick frame, 12mm glass insert
  - Drop seal & closer options
  - Ideal pairing with single centered or single-offset fascias and formal entrances or boardrooms



door programs (continued)



DOUBLE LEAF SOLID DOOR

- 1-3/4" thick solid door
- Drop seal & soft close options
- Adds visual privacy to glass storefront
- Perfect for conference rooms and boardrooms, offering a wide, open entrance



DOUBLE LEAF FRAMED SLIDING DOOR

- 1" thick frame, 10mm glass insert
- Drop seal option
- Standard soft close
- Center-mounted door leaf with infinite rail
- Can be planned with single offset or double glass fascias
- Ideal for boardrooms



DOUBLE LEAF DOUBLE GLAZED FRAMED PIVOT DOOR

- 4" thick frame, 10mm and 6mm glass inserts
- Drop seal & closer options
- Ideal pairing with double glass fascias
- Perfect for conference rooms and boardrooms, offering a wide, open entrance



SINGLE LEAF SOLID DOOR WITH GLASS INSERT

- 1-3/4" thick solid door
- 6mm tempered or laminated glass insert
- Drop seal & soft close options
- Adds visual privacy to glass storefront



DOUBLE LEAF SOLID DOOR WITH GLASS INSERT

- 1-3/4" thick solid door
- 6mm tempered or laminated glass insert
- Drop seal & soft close options
- Adds visual privacy to glass storefront
- Perfect for conference rooms and boardrooms, offering a wide, open entrance



fascia and transition options




SINGLE GLASS  
CENTERED FASCIA




SINGLE GLASS  
OFFSET FASCIA




DOUBLE GLASS




DRYWALL TRANSITION  
TO DOUBLE GLASS FASCIA




SINGLE GLASS  
FASCIA TRANSITION  
TO DOUBLE GLASS FASCIA




ALTOS FASCIA TRANSITION  
TO DOUBLE GLASS FASCIA



DRYWALL TRANSITION  
TO ARTICULATING WALL



WALL START




DRYWALL CAPTURE  
FLYBY TRANSITION




# seamless fit for any environment

Focus seamlessly integrates with the building, offering a good adjustment range to accommodate varied site levels while maintaining a low-profile aestheti



CEILING ADJUSTMENT



BASE ADJUSTMENT



handle options



01  
LINEAR PULL 13"



02  
LINEAR PULL 24"



03  
CEILING PULL NON-LOCKING



04  
CEILING PULL LOCKING



05  
FLOOR PULL LOCKING



handle options (continued)



06

FLOOR PULL NON-LOCKING



07

LINEAR PULL 13"



08

LINEAR PULL 24"



09

SCHLAGE ALX SERIES/ND SERIES



10

CEILING PULL NON-LOCKING



handle options (continued)



FLOOR PULL HANDLE NON-LOCKING



FLOOR PULL HANDLE LOCKING



MORTISE LOCK - SCHLAGE L SERIES



# finish regions

## FASCIA



Tempered



Laminated

## SOLID AND SOLID WITH GLASS LAMINATE

### Solid Door

- Flintwood
- Veneer




### Glass Door

- Tempered
- Laminated

## FRAME AND HANDLE FINISH

- Frame Finish (Paint)
- Handle Finish (Paint)
- Stainless (Applies only to handles)






# finishes

## PAINT

### Frame Finish



### Frame Only



### Handle & Pulls (Doors Components Only)



Satin Chrome/Stainless

## LAMINATES & WOODGRAINS

### Laminate



### Flintwood





teknion architectural interiors