

teknion focus

architectural interiors

teknion



Teknion® offers a series of innovative architectural walls systems designed for an office culture defined by creativity and transparency.

Focus™ is a demountable wall system that delivers a comprehensive range of acoustic performance with a clean, European aesthetic. Focus provides a variety of glass fascia configurations combined with matching wall and door pairings for visual and acoustic continuity. Precision-cut frame and trim components create a seamless appearance with an architectural presence. Focus achieves a fully tailored approach to architectural interiors space planning and environments.

In design and materials, Focus supports LEED® initiatives and occupant health, balancing the need for enclosure and acoustic privacy with a sense of openness and full access to natural light.





Designed to interface with building architecture, Focus uses 4-inch (100mm) thick aluminum frames which accommodate glass fascias. All framing elements, including in-line and corner joints, are factory cut to deliver a precise fit and refined finish.

Equally, Focus door programs meet building and fire code requirements with minimal door opening forces and double leaf options that ensure optimal passage flow in high occupancy environments.





06

Focus glass fascias are comprised of single centered, single-offset and double-glazed configurations in thicknesses of 10mm or 12mm to provide diverse acoustic and aesthetic solutions. Glass-to-glass connections maintain a clean, seamless look and full-height transparency. Fascias are offered in a variety of finishes and glass types for optimal

design flexibility. Frosted glass offers visual privacy without minimizing light transmission, while low-iron glass provides ultimate clarity and transparency. Laminated glass can also be specified to improve acoustics or provide embedded finishes. Focus glass fascias are always tempered to ensure safety and structural integrity.



Focus walls can be paired with Alto solid fascias to address the need for visual and acoustic privacy. Altos offers an attractive selection of laminate, Flintwood and veneer finishes expands design versatility, while accommodating electrics and technology.

As an alternative, Altos solid fascias can be integrated with a range of monolithic and segmented glass fascias. Integration with fabric fascias from Teknion's Altos® walls system introduces an added layer of texture, material and acoustic performance.



110

Focus is designed to connect with other wall programs within the Teknion Architectural Interiors portfolio, such as Altos and Tek Vue, to create comprehensive work spaces tailored

to specific user needs. Continuity is further enhanced by an integrated finish palette, allowing all systems to appear as a unified solution across the office floorplan.



- fascia options
- Single-centered and single-offset
 - Double glazed

- glass options
- 10 and 12mm seamless glass
 - Tempered and Laminated
 - Clear, Low Iron and Frosted

- wall sizing
- Ceiling heights from 84" – 120" in 1/16" increments
 - Fascia widths 12" – 48" in 1/16" increments

- building accommodation
- Ceiling adjustment range: + 7/16", – 3/8"
 - Floor adjustment range: + 11/16", – 5/32"
 - Wall Start adjustment range + 7/16", – 3/8"

- acoustic properties
- Glass Fascia: up to 45 stc rating
 - Door: up to 45 stc rating



01



02



03



04



05



06

01 glass-to-glass connection

Precision-fitted glass-to-glass joints can be connected with an adhesive tape or clear plastic connectors.

02 hardware ladder pull

Ladder Pull is compatible with pivot and barn doors and is offered in stainless and painted finishes.

03 wall and door pairing

Framed Pivot Doors can be specified with single or double glass to match the acoustic configuration of Focus walls. Optional drop seals provide added acoustic privacy.

04 focus to altos transition

Inline transitions to Altos demising walls permit enhanced functionality as needed.

05 hardware handle

Advanced lock hardware on doors complies with specific building code requirements. To provide a consistent aesthetic, hardware patches match any Focus frame finish.

06 articulating wall start

The articulating wall start allows glass fascias to connect to architectural walls at an angle.

doors program

Focus offers a comprehensive doors program designed to parallel the acoustic properties and visual privacy features found in the glass program. All doors accept the same finishes offered on the frames to create visual continuity across the office landscape.

door styles

- Framed Glass Sliding Door
- Framed Glass Pivot Doors
- Frameless Glass Hinged Door
- Solid Hinged Door

door features

- Available in 1/16” increments to accommodate ceiling heights between 8 and 10 feet
- To minimize sound leakage, doors are available with an optional drop seal

door finishes

- Glass: Tempered and/or Laminated
- Solid: Laminate or Veneer
- Framing: Anodized or Painted
- Integrated Pulls: Anodized or Painted
- Levers: Satin Chrome or Black



01 framed sliding door

02 framed single glazed pivot door

03 framed double glazed pivot door

04 frameless glass hinge door

05 solid hinged door

06 double leaf framed pivot door

07 double leaf framed sliding door

- 1” thick frame, 10mm glass insert
- Drop seal option
- Standard soft close
- Center-mounted door leaf with infinite rail
- Can be planned with single offset or double glass fascias
- Ideal for scaled-down spaces and environments

- 1-3/4” thick frame, 12mm glass insert
- Drop seal & closer options
- Ideal pairing with single centered or single-offset fascias

- 4” thick frame, 10mm and 6mm glass inserts
- Drop seal & closer options
- Ideal pairing with double glass fascias




- 10mm or 12mm glass
- Drop seal option
- Anodized aluminum hinges
- Ideal pairing with single centered or single-offset fascias

- 1-3/4” thick solid door
- Drop seal & soft close options
- Adds visual privacy to glass storefront

- 1-3/4” thick frame, 12mm glass insert
- Drop seal & closer options
- Ideal pairing with single centered or single-offset fascias and formal entrances or boardrooms

- 1” thick frame, 10mm glass insert
- Drop seal option
- Standard soft close
- Center-mounted door leaf with infinite rail
- Can be planned with single offset or double glass fascias
- Ideal for boardrooms

fascia & transition options



01 single glass centered fascia

02 single glass offset fascia

03 double glass

04 drywall transition
to double glass fascia

05 single glass fascia transition
to double glass fascia

06 Altos fascia transition
to double glass fascia

07 drywall transition
to articulating wall

teknion

www.teknion.com

IN CANADA

1150 Flint Road
Toronto, Ontario
M3J 2J5 Canada
Tel 866.teknion
866.835.6466

IN THE USA

350 Fellowship Road
Mt Laurel, New Jersey
08054 usa
Tel 877.teknion
877.835.6466

OTHER OFFICES LOCATED IN

Europe, South and Central America,
Middle East, Asia and Russia
For regional contact information
go to www.teknion.com

CAN/US/INT 06-19

©Teknion 2023

®, ™ trade marks of Teknion

Corporation and/or its subsidiaries or
licensed to it. Patents may be pending.

