

Name

Technoplaid

Designer

Suzanne Tick

Style No.

1026

Use


Wrapped Wall
Panel

Content


97% Polyester +
2% Metallic Polyester +
1% Nylon

Environmental

Oeko-Tex 100
Certified




Meta 1026-01




Meta 1026-01




Ultra 1026-02



Nano 1026-03



Wireframe 1026-04



Technoplaid by Luum

As transparency continues to be demanded and valued, privacy and personal space becomes a luxury. Darker, moodier color palettes typically seen in hospitality settings are moving into the workplace to provide spaces of respite and comfort. Addressing this need, Technoplaid is a contemporary, large-scale plaid, with a metallic accent fiber, for use as wrapped wall and panel. The colorline offers dark hues in Wireframe and Nano, as well as bright neutrals in Ultra and Meta.

Name

Technoplaid

Style No.

1026

Designer

Suzanne Tick

Specification

Use: Wrapped Wall/Panel
Content: 97% Polyester + 2% Metallic Polyester + 1% Nylon
Weight: 11.35 oz per linear yard
Width: 58"
Pattern Repeat: Horizontal 14.6", Vertical 55"
Directional: Yes

Finish

Acrylic Backing

Performance

Breaking Strength: ASTM D5034 Warp 182.1 lbf, Fill 368.7 lbf
Colorfastness to Light: AATCC 16, Grade 4.5 at 40 Hours
Colorfastness to Crocking: AATCC 8, Wet Class 5, Dry Class 5

Flame Retardancy

ASTM E84 Unadhered Class A or 1

Maintenance

Do not clean with either water or solvent-based cleaner. Use only vacumming or light brush


Environmental

Oeko-Tex 100 Certified

Origin

Belgium

Dye lots may vary slightly from samples shown. Samples shown off the bolt.



Canada
877.705.LUUM
luumtextiles.ca

USA
877.705.LUUM
luumtextiles.com

International
819.464.2922
luumtextiles.com

cdn/us/int/06-17

© Teknion 2017.
® ,™ Trademarks of Teknion Corporation and /or its subsidiaries or licensed to it.
*Certification Marks owned by the Association for Contract Textiles, Inc.