
# Tangent Task Light Overview



- 1 On/Off Dimming Switch
- 2 PIR Occupancy Sensor
- 3 Light Engine
- 4 Stem
- 5 Pivot with USB
- 6 Base
- 7 Cord
- 8 Power Adapter

\*Finished in Very White

#### On/Off Dimming Switch

• 100%, 50% and Off

#### LED Light Engine/Stem Base

• Finished in Very White

#### Power Adapter/ External Cord


• 10'Cord finished in Very White Coordinate

#### Pivot with USB


- 10 volt 2 Amp maximum output
- 360 Degree swivel

When a temperature change is detected in the field of view, the PIR shut-off timer resets to 20 minutes.

#### PIR occupancy sensor field of view




## Tangent Undercabinet Light Overview



\*All Finished in Clear Anodized

#### PIR occupancy sensor field of view



When a temperature change is detected in the field of view, the PIR shut-off timer resets to 20 minutes.

#### Actual vs. Nominal widths

Nominal	24	36	48
Actual Length	23	34	44
Use with Cabinet Width	24, 30	36, 42	48, 54, 60
Luminocity (lm)	500	750	900
Power Consumtion (w)	10	15	18

1 Light Engine width

- 2 Dimming Switch 0%, 50%, 100%
- 3 PIR Occupancy Sensor (Optional)
- 4 Cord
- 6 Power Adapter

# Tangent Task Light

#### What's Included

1 Tangent Task Light.

10' cord with detachable power adapter.

#### Notes

Step dimming of 100%, 50% and off

Color temperature of 3500K

Color Rendering of Index 80 + CRI

360° stem swivel

180° stem tilt

50,000 hour life span

Generates 1600 LUX @ 100%, 780 LUX @ 50% dimming.

Luminosity of 600 in

Power Consumption of 10W

ETL Certified

Input voltage 100 - 240 V

Output voltage 24 V 1A

#### **Finish Options**

Finish


83 Very White

#### Country of Installation

A Canada/U.S.A.

Please add the desired code(s) from above to the end of your product option code below.





Price


475


### YLTU 📆

# Tangent Undercabinet Light



# 23" 3" 20" 24", 30"





#### What's Included

1 Tangent Undercabinet Light of specified width

Attachment hardware for both metal and wood overhead cabinets.

Magnets, mounting plates and screws standard on all lights.

10' cord with detachable power adapter face.

#### Notes

Color temperature of 3500K.

Dimming of ON/OFF, 100%, 70%, 50%.

Lifespan of 50,000 hours.

Color Rendering Index of 80 + CRI

Generates 900 Lux.

UL/c-UL certified.

Optional PIR Occupancy Sensor with override for on and off.

Input voltage 100 - 240 V

Output voltage 24 V 1A

#### **Finish Options**

AC Clear Anodized

#### Country of Installation

A Canada/U.S.A.

Please add the desired code(s) from above to the end of your product option code below.

Product Options			Price
24" Width			
30" Width 20 - Tangent Undercabinet Light	0	No Accessory Feature	315
36" Width			
42" Width 31 - Tangent Undercabinet Light	0	No Accessory Feature	455
48" Width			
54" Width			
60" Width 41 - Tangent Undercabinet Light	0	No Accessory Feature	595
24" Width			
30" Width 20 - Tangent Undercabinet Light	1	With Occupancy Sensor	398
36" Width			
42" Width 31 - Tangent Undercabinet Light	1	With Occupancy Sensor	538
48" Width			
54" Width			
60" Width 41 - Tangent Undercabinet Light	1	With Occupancy Sensor	678