

A black and white photograph of a modern office desk. In the foreground, the back of a white office chair with a mesh backrest is visible. The desk is a light-colored wood-grain surface. On the desk, there is a white power strip with multiple outlets and USB ports. To the right, there is a small circular object, possibly a mouse or a coaster. In the background, a white shelf holds several books. The overall aesthetic is clean and minimalist.

electrics price guide

01.16

teknion

introduction

Under Desk (UD) Powerpack	04
On Desk (OD) Orion Pearl	05
In Desk (ID) Punto Pixel	06
In Table (IT) Powerdock Platinum	07
In Panel (IP) Oblique	08
Cables (LE)	09
Cable tidies (CT)	10



powerpack



orion



pearl



punto



pixel



powerdock



platinum



oblique

powerpack



2 Power, Individually fused
 3 Power, Individually fused
 4 Power, Individually fused

ELUD2P
 ELUD3P
 ELUD4P

UK	FR/BLG	GER	ITL	DAN	SWZD	US
23	28	28	30	30	30	-
37	40	40	44	44	44	-
30	46	46	50	50	50	-

Technical:

- 4 weeks leadtime - UK only
- 6 week leadtime - International
- Available in Black

Sample order

2 Power, Individual fused, type G plug, (adapted for UK & Ireland), in black finish.

You must supply code information in the order shown here. Available colour and finish options are listed below.	ELUD2P	G	BK	
--	---------------	----------	-----------	--

Product code

Country

Finish Colour

Country

Data Option

Finish Colour

UK	G	Audio	A	Black	BK
FR./BLG	E	VGA	V		
GERM	F	HDMI	H		
ITL	C	CAT 5	C5		
DAN	K	CAT 6	C6		
SWZD	J				
US	B				

On Desk	Description	Code	Price						
---------	-------------	------	-------	--	--	--	--	--	--

orion



		UK	FR/BLG	GER	ITL	DAN	SWZD	US
2 Power, ind fused	ELODO2P0000	63	69	69	75	75	75	75
2 Power +2 Data, IF, Cat5e, 3 mtr fly	ELODO2P2DC5	74	81	81	89	89	89	89
2 Power,+2 Data, IF, Cat6, 3mtr	ELODO2P2DC6	81	89	89	97	97	97	97
2 Power + 2 USB Smart charge	ELODO2P002U	137	150	150	164	164	164	164
2 Power + 2 Data+ 2USB, IF, Cat5e, 3mtr	ELODO2P2DC52U	133	146	146	160	160	160	160
2 Power + 2 Data+ 2USB, IF, Cat6, 3mtr	ELODO2P2DC62U	140	153	153	166	166	166	166
4 Power	ELODO4P0000	84	92	92	100	100	100	100
				23				
Optional post mounted power L bracket and column	PM	23	23		23	23	23	23

Technical:

- White or Silver option
- 500mm lead with GST 18 Plug
- UK is always individually fused
- UK only
- USB Module has 2 charging sockets
- Data cable is fitted to the unit
- Includes desk fixing brackets
- 4 weeks leadtime - UK only

pearl



		UK	FR/BLG	GER	ITL	DAN	SWZD	US
2 Power, ind fused	ELODP2P0000	95	130	120	150	180	150	-
2 Power +2 Data, IF, Cat5e, 3 mtr fly	ELODP2P2DC5	190	240	230	260	290	260	-
2 Power,+2 Data, IF, Cat6, 3mtr	ELODP2P2DC6	260	315	305	335	365	335	-
2 Power + 2 USB Smart charge	ELODP2P002U	210	260	250	280	310	280	-
2 Power + 2 Data+ 2USB, IF, Cat5e, 3mtr	ELODP2PDC52U	270	360	350	380	415	380	-
2 Power + 2 Data+ 2USB, IF, Cat6, 3mtr	ELODP2PDC62U	295	440	430	460	490	460	-
4 Power	ELODP4P0000	150	215	200	255	320	255	-

Technical:

- White only
- 4 weeks leadtime

Sample order

2 Power,+2 Data, IF, Cat6, 3mtr, type G plug, (adapted for UK & Ireland), in white finish.

You must supply code information in the order shown here. Available colour and finish options are listed below.	ELODP2P2DC6	G	WH
--	--------------------	----------	-----------

Product code

Country

Finish Colour

Country	Data Option	Finish Colour
UK	Audio	White
FR./BLG	VGA	Silver
GERM	HDMI	WH
ITL	CAT 5	SV
DAN	CAT 6	
SWZD		
US		

In Desk	Description	Code	Price						
---------	-------------	------	-------	--	--	--	--	--	--

punto



1 Power +2 Data, IF, Cat5e, 3 mtr
 1 Power +2 Data, IF, Cat6, 3mtr
 1 Power + 2 USB

ELIDT1P2DC5
 ELIDT1P2DC6
 ELIDT1P002D

UK	FR/BLG	GER	ITL	DAN	SWZD	US
118	130	130	142	142	142	142
132	145	145	159	159	159	159
246	270	270	295	295	295	295

Technical:

- White or Black
- 500mm lead with GST 18 Plug
- UK is always individually fused
- 4 weeks leadtime - UK only
- 6 week leadtime - International

pixel



1 Power +2 Data, IF, Cat5e, 3 mtr
 1 Power +2 Data, IF, Cat6, 3mtr
 1 Power + 2 USB

ELIDX1P2DC5
 ELIDX1P2DC6
 ELIDX1P002U

UK	FR/BLG	GER	ITL	DAN	SWZD	US
299	398	388	415	445	415	460
340	540	530	560	585	560	605
435	490	480	510	540	510	560

Technical:

- White or Black
- 500mm lead with GST 18 Plug
- UK is always individually fused
- 4 weeks leadtime - UK only
- 6 week leadtime - International

Sample order

1 Power +2 Data, IF, Cat6, 3mtr, type G plug, (adapted for UK & Ireland), in black finish.

You must supply code information in the order shown here. Available colour and finish options are listed below.	ELIDX1P2DC6	G	BK
--	--------------------	----------	-----------

Product code

Country

Finish Colour

Country	Data Option	Finish Colour
UK	Audio	Black BK
FR./BLG	VGA	White WH
GERM	HDMI	
ITL	CAT 5	
DAN	CAT 6	
SWZD		
US		

In Table	Description	Code	Price						
----------	-------------	------	-------	--	--	--	--	--	--

powerdock



		UK	FR/BLG	GER	ITL	DAN	SWZD	US
2 Power +2 Data, IF, Cat5e, 3 mtr	ELITD2P2DC5	130	140	140	150	150	150	150
2 Power,+2 Data, IF, Cat6, 3mtr	ELITD2P2DC6	137	148	148	160	160	160	160
2 Power +2 Data, + 1HDMI/SVGA/AUDIO, IF, Cat5e, 3 mtr	ELITD2P2DC51	290	315	315	340	340	340	340
2 Power +2 Data, + 1HDMI/SVGA/AUDIO, IF, Cat6, 3 mtr	ELITD2P2DC61	297	320	320	350	350	350	350
2 Power + 2 Data+ USB Smart charge, IF, Cat5e, 3mtr	ELITD2P2DC52U	267	290	290	315	315	315	315
2 Power + 2 Data+ USB Smart charge, IF, Cat6, 3mtr	ELITD2P2DC62U	274	300	300	325	325	325	325
4 Power + 2 Data, IF, Cat5e, 3mtr fly lead	ELITD4P2DC5	208	225	225	245	245	245	245
4 Power + 2 Data, IF, Cat6, 3mtr fly lead	ELITD4P2DC6	216	230	230	255	255	255	255
4 Power + 2 USB Smart charge,IF, Cat5e, 3mtr fly lead	ELITD4P002U	319	345	345	375	375	375	375

Technical:

- Silver only
- 500mm lead with GST 18 Plug
- UK is always individually fused
- 4 weeks leadtime - UK only
- 6 week leadtime - International

platinum



		UK	FR/BLG	GER	ITL	DAN	SWZD	US
2 Power +2 Data, IF, Cat5e, 3 mtr	ELITT2P2DC5	325	375	375	375	375	375	-
2 Power +2 Data, IF, Cat6, 3 mtr	ELITT2P2DC6	395	460	460	460	460	460	-
2 Power +2 Data, + 1HDMI/SVGA/AUDIO, IF, Cat5e, 3 mtr	ELITT2P2DC51H1V1A	830	940	940	940	940	940	-
2 Power +2 Data, + 1HDMI/SVGA/AUDIO, IF, Cat6, 3 mtr	ELITT2P2DC61H1V1A	900	1020	1020	1020	1020	1020	-
2 Power + 2 Data+ USB,IF, Cat5e, 3mtr	ELITT2P2DC52U	430	565	565	565	565	565	-
2 Power + 2 Data+ USB, IF, Cat6, 3mtr	ELITT2P2DC62U	500	645	645	645	645	645	-
4 Power + 2 Data, IF, Cat5e, 3mtr fly lead	ELITT4P2DC5	420	500	500	500	500	500	-
4 Power + 2 Data, IF, Cat6, 3mtr fly lead	ELITT4P2DC6	490	580	580	580	580	580	-
4 Power + 2 USB, IF, Cat65e, 3mtr fly lead	ELITT4P002U	245	610	610	610	610	610	-

Technical:

- Silver only
- 500mm lead with GST 18 Plug
- UK is always individually fused
- 4 weeks leadtime - UK only
- 6 week leadtime - International

Sample order

2 Power +2 Data, IF, Cat6, 3 mtr, type G plug, (adapted for UK & Ireland), in black finish.

You must supply code information in the order shown here. Available colour and finish options are listed below.	ELITT2P2DC6	G	SV
--	--------------------	----------	-----------

Product code

Country

Finish Colour

Country	Data Option	Finish Colour
UK	Audio	Silver
FR./BLG	VGA	SV
GERM	HDMI	
ITL	CAT 5	
DAN	CAT 6	
SWZD		
US		


oblique



2 Power, Individual fused
 3 Power, Individual fused
 4 Power, Individual fused

ELIP2P
 ELIP3P
 ELIP4P

UK	FR/BLG	GER	ITL	DAN	SWZD	US
37	40	40	43	43	43	43
50	53	53	56	56	56	56
44	60	60	64	64	64	64



****OPTIONAL:**

Face mounting plate 2 Power
 Face mounting plate 4 Power
 Face mounting plate 4 Data

ELIPFP2P
 ELIPFP4P
 ELIPFP4D

11
 13
 11

Technical:

- Black only
- 500mm lead with GST 18 Plug
- UK is always individually fused
- 4 weeks leadtime - UK only
- 6 week leadtime - International

Sample order

4 Power, Individual fused, type G plug, (adapted for UK & Ireland), with face mouting 4 power option, in black finish.

You must supply code information in the order shown here. Available colour and finish options are listed below.	ELIP4P	G	BK	FP4P
--	---------------	----------	-----------	-------------

Country	Data Option	Finish Colour	Option
UK	Audio	Black	BK
FR./BLG	VGA		
GERM	HDMI		
ITL	CAT 5		
DAN	CAT 6		
SWZD			
US			

Cables	Description	Code	Price						
--------	-------------	------	-------	--	--	--	--	--	--

starter leads for orion / punto / powerdock



1 meter
2 meter
3 meter
5 meter
7 meter

ELSTBP1M
ELSTBP2M
ELSTBP3M
ELSTBP5M
ELSTBP7M

UK	FR/BLG	GER	ITL	DAN	SWZD	US
17	17	17	17	17	17	17
23	23	23	23	23	23	23
26	26	26	26	26	26	26
35	35	35	35	35	35	35
62	62	62	62	62	62	62

starter leads for pearl / pixel / platinum



1 meter
2 meter
3 meter
5 meter
7 meter

ELSTOE1M
ELSTOE2M
ELSTOE3M
ELSTOE5M
ELSTOE7M

UK	FR/BLG	GER	ITL	DAN	SWZD	US
17	17	17	17	17	17	17
23	23	23	23	23	23	23
26	26	26	26	26	26	26
35	35	35	35	35	35	35
62	62	62	62	62	62	62

interconnecting leads



1 mtr
2 mtr
3 mtr

ELICBP1M
ELICBP2M
ELICBP3M

UK	FR/BLG	GER	ITL	DAN	SWZD	US
10	10	10	10	10	10	10
12	12	12	12	12	12	12
14	14	14	14	14	14	14

Technical:

- Black only

Sample order

Inter connecting lead 2mtr, in black finish.

You must supply code information in the order shown here. Available colour and finish options are listed below.	ELICBP2M	BK		
	Product code	Finish Colour		

spine



Spine cable

ELCTSP

31

slinky



Slinky Cable

ELCTSK

68

Sample order

Slinky cable, in silver finish.

You must supply code information in the order shown here. Available colour and finish options are listed below.	ELCTSK	SV		
--	--------	----	--	--

Product code

Finish Colour

Country		Data Option		Finish Colour	
UK	G	Audio	A	Black	BK
FR./BLG	E	VGA	V	White	WH
GERM	F	HDMI	H	Silver	SV
ITL	C	CAT 5	C5		
DAN	K	CAT 6	C6		
SWZD	J				
US	B				

Cables Tidies	Description	Code	Price
---------------	-------------	------	-------

Spine cable

An attractive and practical method of cable containment. The Cableway routes cables from floor to desk and provides mechanical and strain relief.

Features:

- Two compartments to allow for power and data cable segregation
- The Vertical Cableway screws to underside of the desk using a top bracket (Fixing kit included)
- Weighted base for free standing floor to desk section
- The horizontal Cableway screws to the underside of the desk using clip-on fixing brackets (Fixing kit included)
- Internal channel allows 3 pole connectors through
- Segments are detachable for easy re-configuration













Slinky cable

This unique desk to floor cable management spine offers exceptionally quick and easy installation, plus a large cable carrying capacity and a good aesthetic appearance.


Features:

- Spring like expansion from 150mm to 1300mm working length means suitable for a variety of desk set-ups
- Cables can simply be fed through the spine in its compressed state
- Available in silver, black or white.
- Easy installation with a single screwed fixing peg locating the top of the spine under the desk
- Weighted “horseshoe” style base with cable exit cut out
- Product weight 1kg

This pages give technical details about the most common modules that are available in our standard offer. For additional information, please contact your local Sales representative.

Country Installation Code	Illustration	Countries
TYPE A		This is the 'old' ungrounded 2-prong plug that it is still found in most countries where "typeB" is found. Some countries still use this plug exclusively.
TYPE B		<ul style="list-style-type: none"> . North America . Central America . Japan . Most of the Caribbean . Some of South America (colombia, Peru, Venezuela, ecuador, parts of Brazil)
TYPE C		"Europlug" <ul style="list-style-type: none"> . All countries in Europe except U.K./Ireland . Sockets are being phased out. Plugs fairly common work with type E,FJ,K or L socket.
TYPE D		<ul style="list-style-type: none"> . India
TYPE E		<ul style="list-style-type: none"> . France . Belgium . Poland . Slovakia & Czech Republic . Tunisia & Morocco
TYPE F		<ul style="list-style-type: none"> . Germany & Austria . Netherlands . Scandinavian Countries . Spain & Portugal . Eastern Europe
TYPE G		<ul style="list-style-type: none"> . U.K. & Ireland . Cyprus & Malta . Malaysia . Singapore . Hong Kong
TYPE H		<ul style="list-style-type: none"> . Israel
TYPE I		<ul style="list-style-type: none"> . Australia & New Zeland . Argentina
TYPE J		<ul style="list-style-type: none"> . Switzerland
TYPE K		<ul style="list-style-type: none"> . Denmark
TYPE L		<ul style="list-style-type: none"> . Some South America countries

Please note:
All products carry a 12 month limited warranty.



USB

A USB socket with dedicated power to charge a range of mobile devices from Smartphones, MP3 players to Tablets and portable game consoles.




VGA

A USB socket with dedicated power to charge a range of mobile devices from Smartphones, MP3 players to Tablets and portable game consoles.



DATA

Data has been chosen for all data modules and is also used to carry other signals such as telephone and video.




HDMI

HDMI is a compact interface for transferring audio/video data from an HDMI compliant source device, such as a computer or tablet, to a compatible monitor, video projector, television, or digital audio device. HDMI is digital replacement for existing analogue video standards.



AUDIO

The Audio Signals are transmitted via a 3.5mm jack socket.



CAT5e & CAT6

The difference between category 5e and category 6 is in the transmission performance, and extension of the available bandwidth from 100 MHz for category 5e to 200 MHz for category 6 .

Electricity at Work Regulations standards

BS6396:2008 - Electrical systems in Office & Educational Furniture- provides simple rules for the installation of electrical systems in office furniture.

This standard applies to electrical power distribution systems that are connected to the fixed wiring of the building via a 13A fused plug.

The standard also stipulates how cables should be routed through the furniture.

All compliant office furniture should have facilities for suitable cable management and electrical power distribution systems. These facilities can be fitted during the manufacture of the furniture or at a later date as the furniture is being installed.

The electrical accessories used in office furniture must be manufactured to the relevant electrical standards as set out by BS6396:2008.

Supply connection: The supply cable must be fitted with a 13A fused plug.

The exposed length of the power supply cable between the 13A wall socket and desk will be no more than 2m.

Socket outlets: To comply with the standard, all installed sockets must be individually fused.

A maximum of 6 sockets each individually fused at 3.15A may be connected from a 13A supply. Where only 4 sockets are connected the fuse rating can be 5A.

Sockets installed in or on office furniture are intended to supply equipment whose rating does not exceed 5Amp. Most office equipment will run within the 5Amp maximum. This does not include appliances such as kettles, fan heaters or vacuum cleaners

The socket outlets installed in or on the office furniture must be easily accessible to minimize the risk of injury. They should be positioned to be free from risk of hazards such as liquid spillage.

Earthing: The furniture can either be manufactured as earthed or unearthed.

Earthed furniture will have the provision for metal components to be connected to the supply earth via the installed sockets and supply cable.

Unearthed furniture will have an electrical system installed that meets the requirements for reinforced or double insulation.

Segregation of cables: Electrical cables must be segregated from all other cables. Segregation can be achieved by providing a minimum of 50mm separation between cables, a cable management system such as compartment trunking, or cable screening. If there are any gaps between the segregation these must be no more than 150mm.

Testing: In order to comply with BS6396 all office furniture electrical installations must be tested before use; this applies to reconfigured installations as well as new installations.

teknion

teknion corporation

international

www.teknion.com / for inquiries call Teknion (0207.490.2101)

or email us: info.eur@teknion.com

69-85 Tabernacle Street, 1st Floor, London, EC2A 4BD

United Kingdom

or email us: info.eur@teknion.com

CAN/US/INT 2016

© 2016

®, ™ Trade marks of Teknion Corporation and/or its subsidiaries or licensed to it. Patents may be pending. Some products may not be available in all markets. Contact your local Teknion representative for availability.