teknion

Customer's Own Material (COM) Instructions

Steps for Processing COM

Step 1: Confirm if COM Fabrics are already upholstery/UL tested

View COM approval lists under Forms/References on the US Site of TekniOnline home.teknion.com.

Step 2: COM Fabrics Upholstery Testing (if the fabric has not already been approved for the required product, testing is required)

- Complete sections 1-3 of the Customers Own Material (COM) Fabric Form ensuring that Railroaded (RR) or Off-The-Bolt (OTB) is checked off to identify how the fabric pattern should appear on the product it is applied to.
- Application Testing Requirements:

2 memo samples and 3 yards for one or more products	2 memo samples and 1 yards	2 memo samples and 6 yards for one or more products	2 memo samples and 2 yards	2 memo samples and 2 yards for each product	2 memo samples	2 memo samples and 1.5 yards for each product	2 memo samples and 2.5 yards for each product
Leverage Transit T O S Ability Marketplace Interpret Sidewise TFS District	upStage Height- Adjustable Bench	Altos Acoustic and Fabric Wrapped Fascias (FFRW, FFAW)	Altos Tackboards (FFMT)	Expansion Boulevard	Seating Street Seating Teknion Wood (Tackboards) Descor Dossier	Sitara Savera Amicus Belize Hosta Zone Topic Variable	Vignette

- Please send the completed form, samples and fabric (if required) to 1150 Flint Road, Downsview, Ontario, M3J 2J5 Attention: Marcia Almeida-Alfaro.
- Once the fabric is approved, you will be provided with a TekniPlate Serial Number and a ship to address. Please allow 5-7 business
 days for testing.

SEATING NOTE: Fabrics containing the following characteristics may result in poor application and therefore may be rejected

- Lack of elasticity & recovery from an extension (below 3% threshold)
- Higher percentage of fiber content, i.e. Cotton, Viscose rayon & polyolefin fibers
- Very tight fabric construction
- Special finishes (Crypton, GreenShield, stain resistant, etc)

Step 3: Calculating Yardage needed for order

- For Seating: For orders under 100 chairs refer to the Seating Price and User Guide calculations. For orders over 100 chairs complete a Yardage Calculation form found on TekniOnline under Dealer Guide/Customer's Own Material section.
- For Panels/Altos Fascias: Complete a Yardage Calculation form found on TekniOnline under Dealer Guide/Customer's Own
 Material section and provide a detailed listing of product/elements or Bill of Material (BOM) and Panel Matrices clearly stating
 where the COM is to be applied.
- Please send completed form to COM@teknion.com or fax to 856-552-5399 Attention: COM Coordinator.
- Once completed form is received, Teknion will provide yardage calculations and an address to forward fabric for production. Please allow 24-48 hours for calculations.
- Once COM fabric has been approved and ready to be purchased please ensure you provide the mill/supplier with the TekniPlate
 number so that they can Tag it to the fabric roll. This will allow Teknion to track and process your order more efficiently.

Step 4: Place COM Fabric order (It is the dealer's responsibility to order and send the COM fabric to the appropriate manufacturing facility)

- Order COM form from Textile Supplier and determine supplier lead time.
- Complete Section 2, once the fabric has been tested and approved and you have a Teknion Serial Number, forward to Order Entry with the SIF file. Please ensure all of the fields in Section 2 are completed if not the order will be placed on Hold.
- Please send COM fabric to appropriate address (or multiple addresses, if required) provided when testing completed. COM
 addresses can also be found on TekniOnline.

October 2015 U.S.A.

Reset	Button	

teknion

Customer's Own Material (COM) Fabric Form Sections 1-2

Section 1 – Fabr		1				
TekniPlate Serial Numb	er:		D M	Y		
		Ι	Date:			
COM Fabric	Delisted Fabric	I	Panel Fabric		nitectural l Fabric	Seating Fabric
Select Product the Fabric	will be used on. Pleas	e refer to the c	chart on the COM In	structions p	age, Step 2 for A	application Testing Requirements:
TFS Leverage TFS Transit	TFS Altos A and Fabric V Fascias (FFR	Vrapped	Expansion Boulevard		Seating	Street Seating Teknion Wood (Tackboards)
TFS T O S	FFAW) Altos Tackbo	pards	(default is OTB)		Descor
TFS Ability	(FFMT) *2 yards requi					Dossier
TFS Marketplace						
TFS District						
List Product Type and I	Product Code the Fa	bric will be ι	used on:			
Dealership Name:		Dealer Tel	Number/Fax	Dealer	E-mail	
Dealership Contact Nar	me:	Customer	Name:		Mill/Supp	lier Name
Pattern Name & Numb	er		Color	Name & N	Tumber	
Fabric Composition		Backing			Finish	
Fabric Direction: R	epeat of Pattern:	Fal	bric Width	Fire F	Rating	Abrasion (Seating Only)
	ertical					
Railroaded H	orizontal					
Section 2 – Prod This portion must be fi	lled out. Once Tekn			ulation is co	omplete please i	forward to Order Entry.
Estimated Ship Date of Fabric:	Fabric Purchase Order Number			Arrival Date of Fabric (required to Schedule Order)		
If this date changes please forwar Teknion Customer Service Represer estimated ship date can no longer b determined upon receipt of the fabr	ntative immediately. The origi e guaranteed. A new ESD will	nal Tag In	formation (Tag with	Dealer PO N	umber and Projec	D M Y
Yards sent		Extra Fabri Returned	_	nainder to b nin 90 days	e Re	cycled
Return Address				•	on (include Acc	

April 2015 U.S.A.



Customer's Own Material (COM) Fabric Form Section 3

Section 3 – Fabric Samples

Тор
Staple minimum two 6" x 6" fabric samples here in the direction it is to be upholstered to the product.
Bottom
Off-the-bolt
Railroaded

April 2015 U.S.A.